Testing MVC Web Controllers with Spring Boot and @WebMvcTest

In this second part of the series on testing with Spring Boot, we're going to look at web controllers. First, we're going to explore what a web controller actually does so that we can build tests that cover all of its responsibilities.

Then, we're going to find out how to cover each of those responsibilities in a test. Only with those responsibilities covered can we be sure that our controllers behave as expected in a production environment.

This article is accompanied by a working code example on GitHub (https://github.com/thombergs/code-examples/tree/master/spring-boot/spring-boot-testing).

The “Testing with Spring Boot” Series

This tutorial is part of a series:

1. Unit Testing with Spring Boot (/unit-testing-spring-boot/)
2. Testing Spring MVC Web Controllers with Spring Boot and `@WebMvcTest` (/spring-boot-web-controller-test/)
3. Testing JPA Queries with Spring Boot and `@DataJpaTest` (/spring-boot-data-jpa-test/)
4. Integration Tests with `@SpringBootTest` (/spring-boot-test/)

Dependencies

We're going to use JUnit Jupiter (JUnit 5) as the testing framework, Mockito for mocking, AssertJ for creating assertions and Lombok to reduce boilerplate code:

```
dependencies {
  compile('org.springframework.boot:spring-boot-starter-web')
  compileOnly('org.projectlombok:lombok')
  testCompile('org.springframework.boot:spring-boot-starter-test')
  testCompile 'org.junit.jupiter:junit-jupiter-engine:5.2.0'
  testCompile('org.mockito:mockito-junit-jupiter:2.23.0')
}
```

AssertJ and Mockito automatically come with the `spring-boot-starter-test` dependency.

Responsibilities of a Web Controller

Let's start by looking at a typical REST controller:

```
@RestController
@RequiredArgsConstructor
class RegisterRestController {
  private final RegisterUseCase registerUseCase;

  @PostMapping("/forums/{forumId}/register")
  UserResource register(
          @PathVariable("forumId") Long forumId,
          @Valid @RequestBody UserResource userResource,
          @RequestParam("sendWelcomeMail") boolean sendWelcomeMail

    User user = new User(
            userResource.getName(),
            userResource.getEmail());
    Long userId = registerUseCase.registerUser(user, sendWelcomeMa

    return new UserResource(
            userId,
            user.getName(),
            user.getEmail());
  }

}
```

The controller method is annotated with `@PostMapping` to define the URL, HTTP method and content type it should listen to.

t takes input via parameters annotated with `@PathVariable`, `@RequestBody`, and `@RequestParam` which are automatically filled from the incoming HTTP request.

Parameters my be annotated with `@Valid` to indicate that it should perform bean validation (/bean-validation-with-spring-boot/) on them.

The controller then works with those parameters, calling the business logic before returning a plain Java object, which is automatically mapped into JSON and written into the HTTP response body by default.

There's a lot of Spring magic going on here. In summary, for each request, a controller usually does the following steps:

#	Responsibility	Description
1.	Listen to HTTP Requests	The controller should respond to certain URLs, HTTP methods and content types.
2.	Deserialize Input	The controller should parse the incoming HTTP request and create Java objects from variables in the URL, HTTP request parameters and the request body so that we can work with them in the code.
3.	Validate Input	The controller is the first line of defense against bad input, so it's a place where we can validate the input.

#	Responsibility	Description
4.	Call the Business Logic	Having parsed the input, the controller must transform the input into the model expected by the business logic and pass it on to the business logic.
5.	Serialize the Output	The controller takes the output of the business logic and serializes it into an HTTP response.
6.	Translate Exceptions	If an exception occurs somewhere on the way, the controller should translate it into a meaningful error message and HTTP status for the user.

A controller apparently has a lot to do!

We should take care not to add even more responsibilities like performing business logic. Otherwise, our controller tests will become fat and unmaintainable.

How are we going to write meaningful tests that cover all of those responsibilities?

Unit or Integration Test?

Do we write unit tests? Or integration tests? What's the difference, anyways? Let's discuss both approaches and decide for one.

In a unit test, we would test the controller in isolation. That means we would instantiate a controller object, mocking away the business logic (/unit-testing-spring-boot/#using-mockito-to-mock-dependencies), and then call the controller's methods and verify the response.

Would that work in our case? Let's check which of the 6 responsibilities we have identified above we can cover in an isolated unit test:

#	Responsibility	Covered in a Unit Test?
1.	Listen to HTTP Requests	✖ No, because the unit test would not evaluate the `@PostMapping` annotation and similar annotations specifying the properties of a HTTP request.
2.	Deserialize Input	✖ No, because annotations like `@RequestParam` and `@PathVariable` would not be evaluated. Instead we would provide the input as Java objects, effectively skipping deserialization from an HTTP request.
3.	Validate Input	✖ Not when depending on bean validation, because the `@Valid` annotation would not be evaluated.
4.	Call the Business Logic	✔ Yes, because we can verify if the mocked business logic has been called with the expected arguments.
5.	Serialize the Output	✖ No, because we can only verify the Java version of the output, and not the HTTP response that would be generated.

#	Responsibility	Covered in a Unit Test?
6.	Translate Exceptions	✖ No. We could check if a certain exception was raised, but not that it was translated to a certain JSON response or HTTP status code.

In summary, a simple unit test will not cover the HTTP layer. So, we need to introduce Spring to our test to do the HTTP magic for us. Thus, we're building an integration test that tests the integration between our controller code and the components Spring provides for HTTP support.

An integration test with Spring fires up a Spring application context that contains all the beans we need. This includes framework beans that are responsible for listening to certain URLs, serializing and deserializing to and from JSON and translating exceptions to HTTP. These beans will evaluate the annotations that would be ignored by a simple unit test.

So, how do we do it?

Verifying Controller Responsibilities with `@WebMvcTest`

Spring Boot provides the `@WebMvcTest` annotation to fire up an application context that contains only the beans needed for testing a web controller:

```
@ExtendWith(SpringExtension.class)
@WebMvcTest(controllers = RegisterRestController.class)
class RegisterRestControllerTest {
  @Autowired
  private MockMvc mockMvc;

  @Autowired
  private ObjectMapper objectMapper;

  @MockBean
  private RegisterUseCase registerUseCase;

  @Test
  void whenValidInput_thenReturns200() throws Exception {
    mockMvc.perform(...);
  }

}
```

@ExtendWith

The code examples in this tutorial use the `@ExtendWith` annotation to tell JUnit 5 to enable Spring support. As of Spring Boot 2.1 (https://github.com/spring-projects/spring-boot/wiki/Spring-Boot-2.1-Release-Notes#junit-5), we no longer

need to load the `SpringExtension` because it's included as a meta annotation in the Spring Boot test annotations like `@DataJpaTest`, `@WebMvcTest`, and `@SpringBootTest`.

We can now `@Autowire` all the beans we need from the application context. Spring Boot automatically provides beans like an `@ObjectMapper` to map to and from JSON and a `MockMvc` instance to simulate HTTP requests.

We use `@MockBean` to mock away the business logic, since we don't want to test integration between controller and business logic, but between controller and the HTTP layer. `@MockBean` automatically replaces the bean of the same type in the application context with a Mockito mock.

You can read more about the `@MockBean` annotation in my article (/spring-boot-mock/) about mocking.

Use `@WebMvcTest` with or without the `controllers` parameter?

By setting the `controllers` parameter to `RegisterRestController.class` in the example above, we're telling Spring Boot to restrict the application context created for this test to the given controller bean and some framework beans needed for Spring Web MVC. All other beans we might have in the application context (for example beans annotated with `@Component` or `@Service`) will not be available.

If we leave away the `controllers` parameter, Spring Boot will include *all* controllers in the application context. Thus, we need to include or mock away *all* beans any controller depends on. This makes for a much more complex test setup with more dependencies, but saves runtime since all controller tests will re-use the same application context.

I tend to restrict the controller tests to the narrowest application context possible in order to make the tests independent of beans that I don't even need in my test, even though Spring Boot has to create a new application context for each single test.

Let's go through each of the responsibilities and see how we can use `MockMvc` to verify each of them in order build the best integration test we can.

Verifying HTTP Request Matching

Verifying that a controller listens to a certain HTTP request is pretty straightforward. We simply call the `perform()` method of `MockMvc` and provide the URL we want to test:

```
mockMvc.perform(post("/forums/42/register")
    .contentType("application/json"))
    .andExpect(status().isOk());
```

Aside from verifying that the controller responds to a certain URL, this test also verifies the correct HTTP method (`POST` in our case) and the correct request content type. The controller we have seen above would reject any requests with a different HTTP method or content type.

Note that this test would still fail, yet, since our controller expects some input parameters.

More options to match HTTP requests can be found in the Javadoc of MockHttpServletRequestBuilder (https://docs.spring.io/spring/docs/current/javadoc-api/org/springframework/test/web/servlet/request/MockHttpServletRequestBuilder

Verifying Input Serialization

To verify that the input is successfully serialized into Java objects, we have to provide it in the test request. Input can be the JSON content of the request body (`@RequestBody`), a variable within the URL path (`@PathVariable`), or an HTTP request parameter (`@RequestParam`):

```
@Test
void whenValidInput_thenReturns200() throws Exception {
  UserResource user = new UserResource("Zaphod", "zaphod@galaxy.ne

   mockMvc.perform(post("/forums/{forumId}/register", 42L)
        .contentType("application/json")
        .param("sendWelcomeMail", "true")
        .content(objectMapper.writeValueAsString(user)))
        .andExpect(status().isOk());
}
```

We now provide the path variable `forumId`, the request parameter `sendWelcomeMail` and the request body that are expected by the controller. The request body is generated using the `ObjectMapper` provided by Spring Boot, serializing a `UserResource` object to a JSON string.

If the test is green, we now know that the controller's `register()` method has received those parameters as Java objects and that they have been successfully parsed from the HTTP request.

3. Verifying Input Validation

In the `UserResource` uses the `@NotNull` annotation to deny `null` values:

```
@Value
public class UserResource {

  @NotNull
  private final String name;

  @NotNull
  private final String email;

}
```

Bean validation is triggered automatically when we add the `@Valid` annotation to a method parameter (/bean-validation-with-spring-boot/#validating-input-to-a-spring-mvc-controller) like we did with the `userResource` parameter in

our controller. So, for the happy path (i.e. when the validation succeeds), the test we created in the previous section is enough.

If we want to test if the validation fails as expected, we need a test case in which we send an invalid `UserResource` JSON object to the controller. We then expect the controller to return HTTP status 400 (Bad Request):

```
@Test
void whenNullValue_thenReturns400() throws Exception {
  UserResource user = new UserResource(null, "zaphod@galaxy.net");

  mockMvc.perform(post("/forums/{forumId}/register", 42L)
      ...
      .content(objectMapper.writeValueAsString(user)))
      .andExpect(status().isBadRequest());
}
```

Depending on how important the validation is for the application, we might add a test case like this for each invalid value that is possible. This can quickly add up to a lot of test cases, though, so you should talk to your team about how you want to handle validation tests in your project.

Verifying Business Logic Calls

Next, we want to verify that the business logic is called as expected. In our case, the business logic is provided by the `RegisterUseCase` interface and expects a `User` object and a `boolean` as input:

```
interface RegisterUseCase {
  Long registerUser(User user, boolean sendWelcomeMail);
}
```

We expect the controller to transform the incoming `UserResource` object into a `User` and to pass this object into the `registerUser()` method.

To verify this, we can ask the `RegisterUseCase` mock, which has been injected into the application context with the `@MockBean` annotation:

```
@Test
void whenValidInput_thenMapsToBusinessModel() throws Exception {
  UserResource user = new UserResource("Zaphod", "zaphod@galaxy.ne
  mockMvc.perform(...);

  ArgumentCaptor<User> userCaptor = ArgumentCaptor.forClass(User.c
  verify(registerUseCase, times(1)).registerUser(userCaptor.captur
  assertThat(userCaptor.getValue().getName()).isEqualTo("Zaphod");
  assertThat(userCaptor.getValue().getEmail()).isEqualTo("zaphod@g
}
```

After the call to the controller has been performed, we use an `ArgumentCaptor` to capture the `User` object that was passed to the `RegisterUseCase.registerUser()` and assert that it contains the expected values.

The `verify` call checks that `registerUser()` has been called exactly once.

Note that if we do a lot of assertions on `User` objects, we can create our own custom Mockito assertion methods (/unit-testing-spring-boot/#creating-readable-assertions-with-assertj) for better readability.

5. Verifying Output Serialization

After the business logic has been called, we expect the controller to map the result into a JSON string and include it in the HTTP response. In our case, we expect the HTTP response body to contain a valid `UserResource` object in JSON:

```
@Test
void postValidInput_thenReturnsUserResource() throws Exception {
  MvcResult mvcResult = mockMvc.perform(...)
      .andReturn();

  UserResource expectedResponseBody = ...;
  String actualResponseBody = mvcResult.getResponse().getContentAs

  assertThat(objectMapper.writeValueAsString(expectedResponseBody)
      .isEqualToIgnoringWhitespace(actualResponseBody);
}
```

To do assertions on the response body, we need to store the result of the HTTP interaction in a variable of type `MvcResult` using the `andReturn()` method.

We can then read the JSON string from the response body and compare it to the expected string using `isEqualToIgnoringWhitespace()`. We can build the expected JSON string from a Java object using the `ObjectMapper` provided by Spring Boot.

Note that we can make this much more readable by using a custom `ResultMatcher`, as described later.

6. Verifying Exception Handling

Usually, if an exception occurs, the controller should return a certain HTTP status. 400, if something is wrong with the request, 500, if an exception bubbles up, and so on.

Spring takes care of most of these cases by default. However, if we have a custom exception handling, we want to test it. Let's say we want to return a structured JSON error response with a field name and error message for each field that was invalid in the request. We'd create a `@ControllerAdvice` like this:

```
@ControllerAdvice
class ControllerExceptionHandler {
  @ResponseStatus(HttpStatus.BAD_REQUEST)
  @ExceptionHandler(MethodArgumentNotValidException.class)
  @ResponseBody
  ErrorResult handleMethodArgumentNotValidException(MethodArgument
    ErrorResult errorResult = new ErrorResult();
    for (FieldError fieldError : e.getBindingResult().getFieldErro
      errorResult.getFieldErrors()
          .add(new FieldValidationError(fieldError.getField(),
              fieldError.getDefaultMessage()));
    }
    return errorResult;
  }

  @Getter
  @NoArgsConstructor
  static class ErrorResult {
    private final List<FieldValidationError> fieldErrors = new Arr
    ErrorResult(String field, String message){
      this.fieldErrors.add(new FieldValidationError(field, message
    }
  }

  @Getter
  @AllArgsConstructor
  static class FieldValidationError {
    private String field;
    private String message;
  }
}
```

If bean validation fails, Spring throws an `MethodArgumentNotValidException`. We handle this exception by mapping Spring's `FieldError` objects into our own `ErrorResult` data structure. The exception handler causes all controllers to return HTTP status 400 in this case and puts the `ErrorResult` object into the response body as a JSON string.

To verify that this actually happens, we expand on our earlier test for failing validations:

```
@Test
void whenNullValue_thenReturns400AndErrorResult() throws Exceptior
  UserResource user = new UserResource(null, "zaphod@galaxy.net");

  MvcResult mvcResult = mockMvc.perform(...)
            .contentType("application/json")
            .param("sendWelcomeMail", "true")
            .content(objectMapper.writeValueAsString(user))
            .andExpect(status().isBadRequest())
            .andReturn();

  ErrorResult expectedErrorResponse = new ErrorResult("name", "mus
  String actualResponseBody =
      mvcResult.getResponse().getContentAsString();
  String expectedResponseBody =
      objectMapper.writeValueAsString(expectedErrorResponse);
  assertThat(expectedResponseBody)
      .isEqualToIgnoringWhitespace(actualResponseBody);
}
```

Again, we read the JSON string from the response body and compare it against an expected JSON string. Additionally, we check that the response status is 400.

This, too, can be implemented in a much more readable manner, as we'll learn below.

Creating Custom ResultMatchers

Certain assertions are rather hard to write and, more importantly, hard to read. Especially when we want to match the JSON string from the HTTP response to an expected value it takes a lot of code, as we have seen in the last two examples.

Luckily, we can create custom `ResultMatcher`s that we can use within the fluent API of `MockMvc`. Let's see how we can do this for our use cases.

Matching JSON Output

Wouldn't it be nice to use the following code to verify if the HTTP response body contains a JSON representation of a certain Java object?

```
@Test
void whenValidInput_thenReturnsUserResource_withFluentApi() throws
  UserResource user = ...;
  UserResource expected = ...;

  mockMvc.perform(...)
    ...
    .andExpect(responseBody().containsObjectAsJson(expected, Use
}
```

No need to manually compare JSON strings anymore. And it's much better readable. In fact, the code is so self-explanatory that I'm going to stop explaining here.

To be able to use the above code, we create a custom `ResultMatcher`:

```
public class ResponseBodyMatchers {
  private ObjectMapper objectMapper = new ObjectMapper();

  public <T> ResultMatcher containsObjectAsJson(
      Object expectedObject,
      Class<T> targetClass) {
    return mvcResult -> {
      String json = mvcResult.getResponse().getContentAsString();
      T actualObject = objectMapper.readValue(json, targetClass);
      assertThat(expectedObject).isEqualToComparingFieldByField(ac
    };
  }

  static ResponseBodyMatchers responseBody(){
    return new ResponseBodyMatchers();
  }

}
```

The static method `responseBody()` serves as the entrypoint for our fluent API. It returns the actual `ResultMatcher` that parses the JSON from the HTTP response body and compares it field by field with the expected object that is passed in.

Matching Expected Validation Errors

We can even go a step further to simplify our exception handling test. It took us 4 lines of code to verify that the JSON response contained a certain error message. We can to it in one line instead:

```
void whenNullValue_thenReturns400AndErrorResult_withFluentApi() th
    UserResource user = new UserResource(null, "zaphod@galaxy.net");

    mockMvc.perform(...)
        ...
        .content(objectMapper.writeValueAsString(user)))
        .andExpect(status().isBadRequest())
        .andExpect(responseBody().containsError("name", "must not be
}
```

Again, the code is self-explanatory.

To enable this fluent API, we must add the method `containsErrorMessageForField()` to our `ResponseBodyMatchers` class from above:

```
public class ResponseBodyMatchers {
  private ObjectMapper objectMapper = new ObjectMapper();

  public ResultMatcher containsError(
        String expectedFieldName,
        String expectedMessage) {
    return mvcResult -> {
      String json = mvcResult.getResponse().getContentAsString();
      ErrorResult errorResult = objectMapper.readValue(json, Error
      List<FieldValidationError> fieldErrors = errorResult.getFiel
              .filter(fieldError -> fieldError.getField().equals(e
              .filter(fieldError -> fieldError.getMessage().equals
              .collect(Collectors.toList());

      assertThat(fieldErrors)
              .hasSize(1)
              .withFailMessage("expecting exactly 1 error message"
                      + "with field name '%s' and message '%s'"
                      expectedFieldName,
                      expectedMessage);
    };
  }

  static ResponseBodyMatchers responseBody() {
    return new ResponseBodyMatchers();
  }
}
```

All the ugly code is hidden within this helper class and we can happily write clean assertions in our integration tests.

Conclusion

Web controllers have a lot of responsibilities. If we want to cover a web controller with meaningful tests, it's not enough to check if it returns the correct HTTP status.

With `@WebMvcTest`, Spring Boot provides everything we need to write web controller tests, but for the tests to be meaningful, we need to remember to cover all of the responsibilities. Otherwise, we may be in for ugly surprises at runtime.

The example code from this article is available on github (https://github.com/thombergs/code-examples/tree/master/spring-boot/spring-boot-testing).

Follow me on Twitter (https://twitter.com/TomHombergs), LinkedIn (https://www.linkedin.com/in/tom-hombergs-74048777/), or my Mailing List to be notified of new content.

Tom Hombergs



(/about/)

As a professional software engineer, consultant, architect, and general problem solver, I've been practicing the software craft for more than ten years and I'm still learning something new every day. I love sharing the things I learned, so you (and future me) can get a head start.

Spring Boot Java Software Craft Book Reviews Meta

in (https://www.linkedin.com/in/tom-hombergs-[illegible]/) (https://[illegible].com/users/2[illegible])

Get 66% Off My eBook

Liked this article? Subscribe to my mailing list to get notified about new content and get 66% off my eBook **"Get Your Hands Dirty on Clean Architecture"** (/e-book/).

SUBSCRIBE GET IT AT AMAZON (HTTPS://WWW.AMAZON.COM/GP/PRODUCT/1839211962/REF=AS_LI_TL?IE=UTF8&CAMP=1789&CREATIVE=9325&CREATIVEASIN=1839211962&LINKCODE=AS2&TAG=REFLECTORIN0C-20&LINKID=559E54B6599C4213252259DF28D1D3E3)

site:

https://reflectori

boot-

web-

(https://www.fac

controller-

n=https://reflecto

(https://twitter.c

test/)

bool

via=&text=Testin

(https://www.red

in-

web-

MVC-

url=https://reflec

(https://www.lin

controller-

web

boot-

mini=true&url=h

testing/

Controllers

web-

boot-

subject=Testing

with

controller-

web-

MVC

Spring

test/&title=Testi

controller-

web

Boot

test/)

Controllers

and

Web

with

@WebMvcTest

Controllers

Spring

https://reflectoring.io/spring-

with

Boot

boot-

Spring

and

web-

Boot

@WebMvcTest&body=Check

controller-

and

out

test/)

@WebMvcTest)

this

(/book/)

Subscribe to my Mailing List and get 66% off my eBook **Get Your Hands Dirty on Clean Architecture** (/book/).

SUBSCRIBE

GET IT AT AMAZON (HTTPS://WWW.AMAZON.COM/GP/PRODUCT/1839211962/REF=AS_LI_TL?IE=UTF8&CAMP=1789&CREATIVE=9325&CREATIVEASIN=1839211962&LINKCODE=AS2&TAG=REFLECTORIN0C-20&LINKID=559E54B6599C4213252259DF28D1D3E3)

Table of Contents

Code Example

(//)

The “Testing with Spring Boot” Series

Dependencies

Responsibilities of a Web Controller

Unit vs. Integration Tests

Meta

Verifying Controller Responsibilities with @WebMvcTest

1. Verifying HTTP Request Matching

2. Verifying Input Serialization

3. Verifying Input Validation

4. Verifying Business Logic Calls

5. Verifying Output Serialization

6. Verifying Exception Handling

Creating Custom ResultMatchers

Matching JSON Output

Matching Expected Validation Errors

Conclusion

site:

https://reflectori (/)

boot-

web-

(/)

(https://www.facebook.com/sharer/sharer.php?

controller-

u=https://reflector Spring Boot Java Software Craft Book Reviews

(https://twitter.com/intent/tweet?

test/.)

boot-

via=&text=Testing

(https://www.reddit.com/submit?

web-

MVC

url=https://reflectoring/spring-

(https://www.linkedin.com/shareArticle?

controller-

web

boot-

mini=true&url=https://reflectoring.io/spring-

testing/

Controllers

web-

boot-

subject=Testing

With

controller-

web-

MVC

Spring

test/&title=Testing

controller-

web

Boot

MVC

test/)

Controllers

and

Web

with

@WebMvcTest

Controllers

Spring

https://reflectoring.io/spring-

With

Boot

boot-

Spring

and

web-

Boot

@WebMvcTest&body=Check

controller-

and

out

test/)

@WebMvcTest)

this

Meta

Reflectoring

About (/about/)

Atom Feed (/feed.xml)

Meta (/categories/meta)

Privacy Policy (/privacy/)

Write With Me (/write-with-me)

Resources

Book (/get-your-hands-dirty-on-clean-architecture/)

Categories

Spring Boot (/categories/spring-boot/)

Java (/categories/java/)

Software Craft (/categories/craft/)

Book Reviews (/categories/book-reviews)

Spring Boot Java Software Craft Book Reviews

Meta

site: https://reflectoring.io/spring-boot-web-controller-test/ (https://www.facebook.com/sharer/sharer.php?u=https://reflectoring.io/spring-boot-web-controller-test/) (https://twitter.com/intent/tweet?via=&text=Testing Web MVC Controllers with Spring Boot and @WebMvcTest&url=https://reflectoring.io/spring-boot-web-controller-test/) (https://www.reddit.com/submit?url=https://reflectoring.io/spring-boot-web-controller-test/&title=Testing Web MVC Controllers with Spring Boot and @WebMvcTest) (https://www.linkedin.com/shareArticle?mini=true&url=https://reflectoring.io/spring-boot-web-controller-test/&title=Testing Web MVC Controllers with Spring Boot and @WebMvcTest&summary=Check out this

site:

https://reflectori ing.

boot-

web-

controller-

test/.)

boot-

web-

MVC-

controller-

web

boot-

testing/

web-

boot-

with

controller-

web-

MVC-

Spring-

controller-

web

Boot-

MVC-

Controllers

and

Web

with-

@WebMvcTest

Controllers

Spring-

https://reflectoring.io/spring-

with-

Boot

boot-

Spring-

and-

web-

Boot-

@WebMvcTest&body=Check

controller-

and-

out

test/)

@WebMvcTest)

this

(/)

(https://www.facebook.com/sharer/sharer.php?

u=https://reflectoring.io/spring-boot-web-controller-test/)

(https://twitter.com/intent/tweet?

via=&text=Testing%20MVC%20Web%20Controllers%20with%20Spring%20Boot%20and%20@WebMvcTest&url=https://reflectoring.io/spring-boot-web-controller-test/)

(https://www.reddit.com/submit?

url=https://reflectoring.io/spring-boot-web-controller-test/&title=Testing%20MVC%20Web%20Controllers%20with%20Spring%20Boot%20and%20@WebMvcTest)

(https://www.linkedin.com/shareArticle?

mini=true&url=https://reflectoring.io/spring-boot-web-controller-test/&title=Testing%20MVC%20Web%20Controllers%20with%20Spring%20Boot%20and%20@WebMvcTest&summary=Check%20out%20this%20article%20on%20@WebMvcTest)

Spring Boot Java Software Craft Book Reviews

(/get-your-hands-dirty-on-clean-

Meta

What do you think?

25 Responses

Upvote Funny Love Surprised Angry Sad

32 Comments reflectoring Disqus' Privacy Policy Javier Martín Alon…

Recommend 5 Tweet Share Sort by Best

Join the discussion…

Bartek Kmita • 4 months ago

Can you explain how this much expanded tests fits to TDD and tests piramid concept? I mean it suppose to be more unit tests then integration/system tests.
If there is no way to unit test @Controller classes it is better to test it precisely internationally or just write few basic test which not covers all cases?
I'm beginner at programming so be lenient :)

site:https://reflectoring.io/spring-boot-web-controller-test/ (/) (https://www.facebook.com/sharer/sharer.php?u=https://reflectoring.io/spring-boot-web-controller-test/) (https://twitter.com/intent/tweet?url=https://reflectoring.io/spring-boot-web-controller-test/&via=&text=Testing%20Spring%20MVC%20Web%20Controllers%20with%20Spring%20Boot%20and%20@WebMvcTest) (https://www.reddit.com/submit?url=https://reflectoring.io/spring-boot-web-controller-test/&title=Testing%20Spring%20MVC%20Web%20Controllers%20with%20Spring%20Boot%20and%20@WebMvcTest) (https://www.linkedin.com/shareArticle?mini=true&url=https://reflectoring.io/spring-boot-web-controller-test/&title=Testing%20Spring%20MVC%20Web%20Controllers%20with%20Spring%20Boot%20and%20@WebMvcTest&summary=Check%20out%20this%20article%20on%20@WebMvcTest) Spring Boot Java Software Craft Book Reviews Meta

Many thanks for good article!

• Reply • Share ›

Tom Hombergs Mod ➚ Bartek Kmita • 4 months ago

You **can** test a Spring controller isolated (i.e. as a unit test). But I argue that such an isolated test doesn't really have a lot of value because you're not testing if the input is parsed from JSON correctly or if the Spring error handling is configured correctly, for example. See the table in the section "Unit or Integration Test" in the article above.

You could use `@WebMvcTest` to test a controller, even though it's actually an integration test that's testing the integration of your controller with Spring. But it's an integration test bordering on a unit test, so in the context of the testing pyramid I would treat it as a unit test.

1 • Reply • Share ›

Richard Townley Johnson ➚ Tom Hombergs • 20 days ago

A follow-up question regarding this. When running tests for coverage we generally have a setup something like, Surefire for UT, Failsafe for IT, and Jacoco (for eg). When we look at our coverage we tend to only look at coverage from a UT perspective. Do you feel it is better to therefore include your Controller tests as Unit tests?

• Reply • Share ›

Aleksandra Mokrzycka • 9 months ago

I've been searching for some good developers tests materials since half a year, and this is just what I needed from the beginning! I never comment online but that was a must to appreciate. THANK YOU for this amazing stuff. I love you man! <3

1 • Reply • Share ›

Tom Hombergs Mod ➚ Aleksandra Mokrzycka • 9 months ago

Glad to hear it helps :).

• Reply • Share ›

Yaroslav Zakhidnyi • 2 months ago

Thanks for article. What about Spring Security and @AuthenticationPrincipal in controller?

• Reply • Share ›

Richard Townley Johnson ➚ Yaroslav Zakhidnyi • 20 days ago

I've done it before by adding my auth config to the context via @ContextConfiguration. And then just adding mockbeans for your user details, etc. Was a fair amount of config but forced me to think about everything I really needed.

Reply • Share ›

Tom Hombergs Mod ➚ Yaroslav Zakhidnyi • a month ago

Yeah, not the first time I've heard Security stuff. I'll add that to the backlog :)

Reply • Share ›

Lucas Costa • 4 months ago • edited

Like many others have shared, your articles/docs are awesome! I logged in just to share :)
Really like how you explained everything in a very direct and simple way, with lots of actual code (and not just theory jargon)

Reply • Share ›

Tom Hombergs Mod ➚ Lucas Costa • a month ago

Thanks! Appreciate it.

Reply • Share ›

Paolo • 4 months ago

Hi! I'm beginner at programming, i write your configuration for verifying HTTP Request Matching, but i get the following error code: "Failed to load application context". I check that all the annotation etc. but everything seems to be in the right place. Can you help me? Thank you

Reply • Share ›

Sidronio Lima • 4 months ago

Hi! You are changing my coding levels. So, thanks.
Please, clarify this to me: the mvcResult param of the arrow function is passed by the andExpect method?
Thank you.

Reply • Share ›

Tom Hombergs Mod ➚ Sidronio Lima • 4 months ago • edited

- The `andExpect()` method takes a `ResultMatcher` as an argument.
- The methods of class `ResponseBodyMatchers` are a collection of `ResultMatcher`s that operate on a response body.
- We get an instance of `ResponseBodyMatchers` by calling the static method `responseBody()`
- We get a specific `ResultMatcher` that checks if the response body is an error response by

- We get a specific `ResultMatcher` that checks if the response body is an error response by calling `containsError()`
- The `mvcResult` parameter is not the parameter passed in from `andExpect`, but the input parameter to `ResultMatches` `match()` method. Because `match()` is the only method of that interface, we can use the arrow notation instead of the more bulky `implements ResultMatcher` notation. See the code at https://github.com/spring-p...

Load more comments

Reply • Share ›

Maxwell Nderitu • 4 months ago • edited

Please add some of the import statements required for the examples.
Great stuff should go without saying **Great Stuff**

Reply • Share ›

Tom Hombergs Mod ➚ Maxwell Nderitu • 4 months ago

Hi Maxwell,

adding imports to all the code examples would bloat them a lot and divert attention from the focus of the article. You can always see all the imports in the code examples on GitHub.

Reply • Share ›

Yura Uhlanov • 9 months ago

Thank you!

Reply • Share ›

Hamid • 9 months ago

Normally, I am too lazy to comment on posts. But this is such a great post, that i have to take my time and Thanks for this great piece of work.

Reply • Share ›

Tom Hombergs Mod ➚ Hamid • 9 months ago

Thanks :)

Reply • Share ›

Chris White • 10 months ago

Great article, concise and easily digestible

Reply • Share ›

Tom Hombergs Mod ➚ Chris White • 10 months ago

Thanks, that was the goal :). I'm glad it worked out.

Reply • Share ›

Amon peide Ng • a year ago

> That means we would instantiate a controller object, mocking away the business logic, and then call the controller's methods and verify the response.

Isn't that how we unit test controller methods? Can't we assume that the other responsibilities that are handled by the framework have already been tested?

Reply • Share ›

Tom Hombergs Mod ➚ Amon peide Ng • a year ago

Yes, we should always assume that the framework's responsibilities have already been tested :).

However, we should also test if we use the framework correctly. For example, we could have forgotten to add a @RestController, @PostMapping, or @ResponseBody annotation (or any other Spring Web MVC annotation). Without those annotations the application wouldn't work in production, even though the unit tests were green.

Correct usage of the framework can only be validated with integration tests.

1 Reply • Share ›

Tomek X • a year ago

I am doing everything how it's written in your tutorial, but my @Autowired private MockMvc mvc; and @Autowired private ObjectMapper objectMapper; gives NullPointerException. What could be the reason?

Reply • Share ›

Tom Hombergs Mod ➚ Tomek X • a year ago

If you get NullPointerExceptions in a test class it usually means that the Spring container has not been started up and cannot provide objects for injections, thus they are null.

Have you added @WebMvcTest or @SpringBootTest to your test class? Also, you'll need @ExtendWith(SpringExtension.class) when using JUnit 5 or @RunWith(SpringRunner.class) when using JUnit 4.

Reply • Share ›



ov Prokhor • a year ago • edited

ing-boot but unfortunately didn't cover the questions of testing security in the controllers.

• Reply • Share ›

Tom Hombergs Mod ➚ Krylov Prokhor • a year ago

I'll take a look at that in a future version!

• Reply • Share ›

Jesús Miguel Benito Calzada • a year ago

Hi **@Tom Hombergs**,

really nice article, thanks a lot for sharing! Relating to this topic, I posted a question in stackoverflow some time ago that has still no been properly replied I think ->

https://stackoverflow.com/q/...

Could you please take a look and give your opinion on the subject?

Thanks in advance!

• Reply • Share ›

Tom Hombergs Mod ➚ Jesús Miguel Benito Calzada • a year ago

Hey **@Jesús Miguel Benito Calzada** ,

I had a look at the SO question. This should not happen in my opinion. Can you reproduce that situation in a minimal example? Perhaps create a new project on start.spring.io and re-build your setup with minimal classes. I'm pretty sure it will work in the minimal example, though, but you might find some difference to your actual setup.

• Reply • Share ›

Jesús Miguel Benito Calzada ➚ Tom Hombergs • a year ago

Hey **@Tom Hombergs**,

I finally managed to find the root cause of the issue. You were right, it should not happen :-)
The point is that I had a @ComponentScan annotation in my Spring Boot's application class, and that was making @WebMvcTest not to work properly. Thanks for your advice!!

• Reply • Share ›

Tom Hombergs Mod ➚ Jesús Miguel Benito Calzada • a year ago

site:

https://reflectori ring-

boot-

web-

(https://www.fac r.php?

controller-

u=https://reflecto

(https://twitter.c

test/.)

boot-

via=&text=Testin

(https://www.re

in-

web-

MVC-

url=https://reflec

(https://www.lin

controller-

web

boot-

mini=true&url=https://reflectoring.io/spring

testing/

Controllers

web-

boot-

subject=Testing

with

controller-

web-

MVC-

Spring

test/&title=Testing

controller-

web

Boot

MVC

test/)

Controllers

and

Web

with

@WebMvcTest

Controllers

Spring

https://reflectori

with

Boot

boot-

Spring

and

web-

Boot

@WebMvcTest&

controller-

and

out

test/)

@WebMvcTest)

this

Great. Thanks for sharing :)

• Reply • Share ›

erlin63 • a year ago

(/)

Spring Boot Java Software Craft Book Reviews

Meta