
# Modelo entidad-relación

diagrama modelo entidad-relación (a veces denominado por su siglas, E-R "Entity relationship", o, "DER" Diagrama de **Entidad** Relación) es una herramienta para el modelado de datos de un sistema de información. Estos modelos expresan entidades relevantes para un sistema de información, sus inter-relaciones y propiedades.



# Modelado Entidad-Relación

El **Modelo Entidad-Relación** es un concepto de modelado para bases de datos, propuesto por Peter Chen en 1976, mediante el cual se pretende 'visualizar' los objetos que pertenecen a la Base de Datos como **entidades** (se corresponde al concepto de objeto de la Programación Orientada a Objetos) las cuales tienen unos atributos y se vinculan mediante **relaciones**.

Es una representación conceptual de la información. Mediante una serie de procedimientos se puede pasar del modelo E-R a otros, como por ejemplo el modelo relacional.

El modelado entidad-relación es una técnica para el modelado de datos utilizando diagramas entidad relación. No es la única técnica pero sí la más utilizada. Brevemente consiste en los siguientes pasos:

- 1. Se parte de una descripción textual del problema o sistema de información a automatizar (los requisitos).
- 2. Se hace una lista de los sustantivos y verbos que aparecen.
- 3. Los sustantivos son posibles entidades o atributos.
- 4. Los verbos son posibles relaciones.
- 5. Analizando las frases se determina la cardinalidad de las relaciones y otros detalles.
- 6. Se elabora el diagrama (o diagramas) entidad-relación.
- 7. Se completa el modelo con listas de atributos y una descripción de otras restricciones que no se pueden reflejar en el diagrama.

Dado lo rudimentario de esta técnica se necesita cierto entrenamiento y experiencia para lograr buenos modelos de datos.

El modelado de datos no acaba con el uso de esta técnica. Son necesarias otras técnicas para lograr un modelo directamente implementable en una base de datos. Brevemente:

- Transformación de relaciones múltiples en binarias.
- Normalización de una base de datos de relaciones (algunas relaciones pueden transformarse en atributos y viceversa).
- Conversión en tablas (en caso de utilizar una base de datos relacional).
- Etc.

# Base Teórica y Conceptual

El modelo entidad-relación se basa en los conceptos descritos a continuación para representar un modelo de la vida real.

# **Entidad**

Representa una "cosa" u "objeto" del mundo real con existencia independiente, es decir, se diferencia unívocamente de cualquier otro objeto o cosa, incluso siendo del mismo tipo. Ejemplos:

- Una persona. (Se diferencia de cualquier otra persona, incluso siendo gemelos).
- Un automóvil. (Aunque sean de la misma marca, el mismo modelo,..., tendrán atributos diferentes, por ejemplo, el número de motor).
- Una casa (Aunque sea exactamente igual a otra, aún se diferenciará en su dirección).

Una entidad puede ser un objeto con existencia física como: una persona, un animal, un casa, etc. (entidad concreta), o un objeto con existencia conceptual como: un puesto de trabajo, una asignatura de clases, un nombre, etc. (entidad abstracta). Una entidad está descrita y se representa por sus características o atributos. Por ejemplo, la entidad **Persona** puede llevar consigo las características: Nombre, Apellido, Sexo, Estatura, Peso, Fecha de nacimiento, etc...

# Conjunto de entidades

Es una colección de entidades que comparten los mismos atributos o características. Ejemplos:

- Todos los atletas que participan en los Juegos Olímpicos, comparten sus atributos: nombre, número de identificación, edad, peso, categoría...
- Todos los países del mundo, comparten las características: nombre, continente, área, lengua principal, lengua secundaria, moneda, etc.

### **Atributos**

Los atributos son las propiedades que describen a cada entidad en un conjunto de entidades.

Un conjunto de entidades dentro de una entidad, tiene **valores** específicos asignados para cada uno de sus atributos, de esta forma, es posible su identificación unívoca.

# Ejemplos:

A la colección de entidades Alumnos, con el siguiente conjunto de atributos en común, (id, nombre, edad, semestre), pertenecen las entidades:

- (1, Sophie, 18 años, 2)
- (2, Penny, 19 años, 5)
- (3, Sophie, 20 años, 2)
- •

Cada una de las entidades pertenecientes a este conjunto se diferencia de las demás por el valor de sus atributos. Nótese que dos o más entidades diferentes pueden tener los mismos valores para algunos de sus atributos, pero nunca para todos.

En particular, los **atributos identificativos** son aquellos que permiten diferenciar a una instancia de la entidad de otra distinta. Por ejemplo, el atributo identificativo que distingue

a un alumno de otro es su número de id.

Para cada atributo, existe un **dominio** del mismo, este hace referencia al tipo de datos que será almacenado o a restricciones en los valores que el atributo puede tomar (Cadenas de caracteres, números, solo dos letras, solo números mayores que cero, solo números enteros...).

Cuando una entidad no tiene un valor para un atributo dado, este toma el valor **nulo**, bien sea que no se conoce, que no existe o que no se sabe nada al respecto del mismo.

### Relación

Describe cierta dependencia entre entidades o permite la asociación de las mismas.

### Ejemplo:

Dadas dos entidades "Habitación 502" y "Mark", es posible relacionar que la

habitacion 502 se encuentra ocupada por el huésped de nombre Mark.

Una relación tiene sentido al expresar las entidades que relaciona. En el ejemplo anterior, Un Huésped (entidad), se aloja (relación) en una habitación (entidad).

# Conjunto de relaciones

Consiste en una colección de relaciones de la misma naturaleza.

Ejemplo:

Dados los **conjuntos de entidades** "Habitación" y "Huésped", todas las relaciones de la forma habitación-huésped, permiten obtener la información de los huéspedes y sus respectivas habitaciones.

La dependencia o asociación entre los conjuntos de entidades es llamada **participación**. En el ejemplo anterior los conjuntos de entidades "Habitación" y "Huésped" **participan** en el conjunto de relaciones habitación-huésped.

Se llama **grado** del conjunto de relaciones a la cantidad de conjuntos de entidades participantes en la relación.

# Restricciones

Son reglas que deben mantener los datos almacenados en la base de datos.

# Correspondencia de cardinalidades

Dado un conjunto de relaciones en el que participan dos o más conjuntos de entidades, la correspondencia de cardinalidad indica el número de entidades con las que puede estar relacionada una entidad dada.

Dado un conjunto de relaciones binarias y los conjuntos de entidades A y B, la correspondencia de cardinalidades puede ser:

- Uno a uno: Una entidad de A se relaciona únicamente con una entidad en B y viceversa.
- **Uno a varios:** Una entidad en A se relaciona con cero o muchas entidades en B. Pero una entidad en B se relaciona con una única entidad en A.

• **Varios a uno:** Una entidad en A se relaciona exclusivamente con una entidad en B. Pero una entidad en B se puede relacionar con 0 o muchas entidades en A.

• Varios a varios: Una entidad en A se puede relacionar con 0 o muchas entidades en B y viceversa.

# Restricciones de participación

Dado un conjunto de relaciones R en el cual participa un conjunto de entidades A, dicha participación puede ser de dos tipos:

- Total: Cuando cada entidad en A participa en al menos una relación de R.
- Parcial: Cuando al menos una entidad en A NO participa en alguna relación de R.

# Claves

Es un subconjunto del conjunto de atributos comunes en una colección de entidades, que permite identificar unívocamente cada una de las entidades pertenecientes a dicha colección. Asimismo, permiten distinguir entre sí las relaciones de un conjunto de relaciones.

Dentro de los conjuntos de entidades existen los siguientes tipos de claves:

- **Superclave:** Es un subconjunto de atributos que permite distinguir unívocamente cada una de las entidades de un conjunto de entidades. Si otro atributo unido al anterior subconjunto, el resultado seguirá siendo una superclave.
- Clave candidata: Dada una superclave, si ésta deja de serlo removiendo únicamente uno de los atributos que la componen, entonces ésta es una clave candidata.
- Clave primaria: Es una clave candidata, elegida por el diseñador de la base de datos, para identificar unívocamente las entidades en un conjunto de entidades.

Los valores de los atributos de una clave, no pueden ser todos iguales para dos o más entidades.

Para poder distinguir unívocamente las relaciones en un conjunto de relaciones R, se deben considerar dos casos:

- **R NO tiene atributos asociados:** En este caso, se usa como clave primaria de R la unión de las claves primarias de todos los conjuntos de entidades participantes.
- **R tiene atributos asociados:** En este caso, se usa como clave primaria de R la unión de los atributos asociados y las claves primarias de todos los conjuntos de entidades participantes.

Si el conjunto de relaciones, R, sobre las que se pretende determinar la clave primaria está compuesto de relaciones binarias, con los conjuntos de entidades participantes A y B, se consideran los siguientes casos, según sus cardinalidades:

- **R es de muchos a uno de A a B** entonces sólo se toma la clave primaria de A, como clave primaria de R.
- **R es de uno a muchos de A a B** entonces se toma sólo la clave primaria de B, como clave primaria de R.
- R es de uno a uno de A a B entonces se toma cualquiera de las dos claves primarias, como clave primaria de R.

# Diagrama entidad-relación

Formalmente, los diagramas E-R son un lenguaje gráfico para describir conceptos. Informalmente, son simples dibujos o gráficos que describen la información que trata un sistema de información y el software que lo automatiza.

# **Entidad**

Se representa mediante un rectángulo o "caja" etiquetada en su interior mediante un **identificador**. Ejemplos de entidades habituales en los sistemas de información son: factura, persona, empleado.

#### Atributo

Se representan mediante un círculo o elipse etiquetado mediante un nombre en su interior. Cuando un atributo es identificativo de la entidad se suele subrayar dicha etiqueta.

#### Relaciones

Se representa mediante un rombo etiquetado en su interior con un **verbo**. Este rombo se debe unir mediante líneas con las entidades (rectángulos) que relaciona.


Por motivos de legibilidad, los atributos **no suelen representarse** en un diagrama entidad-relación, sino que se describen textualmente en otros documentos adjuntos.

# **Diagramas extendidos**

Los diagramas Entidad-Relación no cumplen su propósito con eficacia debido a que tienen limitaciones semánticas. Por ese motivo se suelen utilizar los diagramas Entidad-Relación extendidos que incorporan algunos elementos más al lenguaje:

# Entidades fuertes y débiles

Cuando una entidad participa en una relación puede adquirir un papel *fuerte* o *débil*. Una entidad



débil es aquella que no puede existir sin participar en la relación, es decir, aquella que no puede ser unívocamente identificada solamente por sus atributos. Una entidad fuerte (también conocida como entidad regular) es aquella que sí puede ser identificada unívocamente. En los casos en que se requiera, se puede dar que una entidad fuerte "preste" algunos de sus atributos a una entidad débil para que, esta última, se pueda identificar.

Las entidades débiles se representan mediante un **doble rectángulo**, es decir, un rectángulo con doble línea.

# Cardinalidad de las relaciones

El tipo de cardinalidad se representa mediante una etiqueta en el exterior de la relación, respectivamente: "1:1", "1:N" y "N:M", aunque la notación depende del lenguaje utilizado, la que más se usa actualmente es el unificado. Otra forma de expresar la cardinalidad es situando un símbolo cerca de la línea que conecta una entidad con una relación:

- "0" si cada instancia de la entidad no está obligada a participar en la relación.
- "1" si toda instancia de la entidad está obligada a participar en la relación y, además, solamente participa una vez.
- "N", "M", ó "\*" si cada instancia de la entidad no está obligada a participar en la relación y puede hacerlo cualquier número de veces.

Ejemplos de relaciones que expresan cardinalidad:

- Cada esposo (entidad) está casado (relación) con una única esposa (entidad) y viceversa.
   Es una relación 1:1.
- Una factura (entidad) se emite (relación) a una persona (entidad) y sólo una, pero una persona puede tener varias facturas emitidas a su nombre. Todas las facturas se emiten a nombre de alguien. Es una relación 1:N.
- Un cliente (entidad) puede comprar (relación) varios artículos (entidad) y un artículo puede ser comprado por varios clientes distintos. Es una relación N:M.

### Atributos en relaciones

Las relaciones también pueden tener atributos asociados. Se representan igual que los atributos de las entidades. Un ejemplo típico son las relaciones de tipo "histórico" donde debe constar una fecha o una hora. Por ejemplo, supongamos que es necesario hacer constar la fecha de emisión de una factura a un cliente, y que es posible emitir duplicados de la factura (con distinta fecha). En tal caso, el atributo "Fecha de emisión" de la factura debería colocarse en la relación "se emite".

# Herencia

La herencia es un intento de adaptación de estos diagramas al paradigma orientado a objetos. La herencia es un tipo de relación entre una entidad "padre" y una entidad "hijo". La entidad "hijo" hereda todos los atributos y relaciones de la entidad "padre". Por tanto, no necesitan ser representadas dos veces en el diagrama. La relación de herencia se representa mediante un triángulo interconectado por líneas a las entidades. La entidad conectada por el vértice superior del triángulo es la entidad "padre". Solamente puede existir una entidad "padre" (herencia simple). Las entidades "hijo" se conectan por la base del triángulo.

# Véase también

- Ingeniería del software. Disciplina donde se encuadra el análisis y diseño de datos.
- Modelo de datos. Es la visión estática de un sistema de información.
- Base de datos. Es la implementación de un modelo de datos.
- Modelo relacional. Una técnica formal para describir modelos de datos.
- UML. Otro lenguaje que permite describir modelos de datos (entre otras cosas).

Source: http://es.wikipedia.org/w/index.php?oldid=24945196

Contributors: 333, Afpineda, Airunp, Amadís, Antur, Carmin, Dani26, David.rgh, DiegoFlorez, Djiraan, Emijrp, Faelomx, Gazpa, Gusgus, Humberto, J4550, Jatrobat, Jkarretero, Jorgechp, Jugones55, Julian Mendez, Jvlivs, Jynus, Kved, Magda BD, Manwë, Matdrodes, Mortadelo 2005, Mother Forker, Netito 777, Niko guti 2006, Parras, Pinar, Platonides, PoLuX124, Porao, Rastrojo, Raulgmo, RoyFocker, Shaktale, Siabef, Sking, Snakeyes, Taragui, Tirithel, Toge, Tonylopez1023, Torquemado, Vitorres, Wilfredor, XalD, 301 anonymous edits

#### Licencia

Version 1.2, November 2002

Copyright (C) 2000,2001,2002 Free Software Foundation, Inc. 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondarily, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others. This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the

GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1.APPLICABILITY AND DEFINITIONS
This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you". You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some

word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent

requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text hear the most prominent appearance of the work's title, preceding the beginning of the body of the text.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

#### 2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

Licencia 8

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.

  List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.

  State on the Title page the name of the publisher of the Modified Version, as the publisher.

  Preserve all the copyright notices of the Document.

  Add an appropriate copyright notices for your modifications adjacent to the other copyright notices.

  Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.

  Preserve in that license notice the full lists of invariant Sections and required Cover Texts given in the Document's license notice.

  Include an unaltered copy of this License.

  Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Document as given on the Title Page, It here is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.

  Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network location given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years b

Preserve all the invariant Sections of the Bocancia, and a part of the section titles.

M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.

N. Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.

O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the modified Version includes new front-matter sections as invariant. To do this, add their titles to the list of Invariant Sections in the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties--for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

#### 5.COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements."

#### 6.COLLECTIONS OF DOCUMENTS

ou may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

## 7.AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

#### 8.TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

#### 9.TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided for under this License. Any other attempt to copy, modify, sublicense or distribute the Document is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

#### 10.FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See http://www.gnu.org/copyleft/. Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation.

#### How to use this License for your documents

Licencia 9

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

Copyright (c) YEAR YOUR NAME. Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the "with...Texts." line with this: with the Invariant Sections being LIST THEIR TITLES, with the Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST. If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation. If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.