

Guía del día 1:

```
PS C:\Windows\System32> winget install --id Microsoft.PowerShell -e --accept-source-agreements --accept-package-agreements
Found an existing package already installed. Trying to upgrade the installed package...
No available upgrade found.
No newer package versions are available from the configured sources.
PS C:\Windows\System32> |
```

```
C:\Program Files\WindowsAp X + v
PowerShell 7.6.6
PS C:\Windows\System32> $PSVersionTable.PSVersion.Major
7
PS C:\Windows\System32> |
```

```
PS C:\Users\User> cd .\academyMty\
PS C:\Users\User\academyMty> git pull
remote: Enumerating objects: 14, done.
remote: Counting objects: 100% (14/14), done.
remote: Compressing objects: 100% (6/6), done.
remote: Total 10 (delta 9), reused 5 (delta 4), pack-reused 0 (from 0)
Unpacking objects: 100% (10/10), 1.52 KiB | 43.00 KiB/s, done.
From https://github.com/cursosmrugerio/academyMty
  5cc217d..e997ce6  main      -> origin/main
Updating 5cc217d..e997ce6
Fast-forward
 copilot/dia-2/checklist-revision.md | 28 ++++++-----
 1 file changed, 17 insertions(+), 11 deletions(-)
PS C:\Users\User\academyMty> |
```

```
PS C:\Users\User\academyMty> Get-ChildItem copilot\dia-1 | Select-Object -ExpandProperty Name
copilot-instructions.md
verificar-arquitectura.ps1
PS C:\Users\User\academyMty> |
```

```
PS C:\Users\User\academyMty> git --version
git version 2.55.0.windows.4
PS C:\Users\User\academyMty>
```

```
PS C:\Users\User\academyMty> java -version
java version "21.0.12" 2026-07-21 LTS
Java(TM) SE Runtime Environment (build 21.0.12+7-LTS-205)
Java HotSpot(TM) 64-Bit Server VM (build 21.0.12+7-LTS-205, mixed mode, sharing)
```

```
PS C:\Users\User\academyMty> mvn -v
Apache Maven 3.9.16 (2bdd9fddda4b155ebf8000e807eb73fd829a51d5)
Maven home: C:\Users\User\Desktop\apache-maven-3.9.16
Java version: 21.0.12, vendor: Oracle Corporation, runtime: C:\Program Files\Java\jdk-21.0.12
Default locale: es_MX, platform encoding: UTF-8
OS name: "windows 11", version: "10.0", arch: "amd64", family: "windows"
```

```
PS C:\Users\User\academyMty> git config user.name
javiermhdz-cloud
```

```
PS C:\Users\User\academyMty> git config user.email
javier.macossay.hdz@gmail.com
```

```
PS C:\Users\User\academyMty> node
v24.20.0
PS C:\Users\User\academyMty> npm
11.19.0
PS C:\Users\User\academyMty> _
```

```
PS C:\Users\User\academyMty> copilot --version
GitHub Copilot CLI 1.0.83.
Run 'copilot update' to check for updates.
PS C:\Users\User\academyMty>
```

```
PS C:\Users\User\academyMty> copilot login
Opening your browser to authenticate...
If it doesn't open automatically, visit:
https://github.com/login/oauth/authorize?client_id=0v23ctDVkRmgkPke0Mmm&redirect_uri=http%3A%2F%2F127.0.0.1%3A58783%2Fcallback&scope=read%3Auser+read%3Aorg+repo+gist+codespace&state=_vpueq_oGRmQ0Gj-gGTo0g&code_challenge=WF73ZWByetKAcz1NPYop6W3ZmJecrWigJ2gcp4JLCPc&code_challenge_method=S256
Waiting for authorization...
Signed in successfully as javiermhdz-cloud.
```

```
PS C:\Users\User\academyMty> Select-String -Path $HOME\.copilot\config.json -Pattern '"login"'
C:\Users\User\.copilot\config.json:9:      "login": "javiermhdz-cloud"
C:\Users\User\.copilot\config.json:14:     "login": "javiermhdz-cloud"
PS C:\Users\User\academyMty> _
```

```
PS C:\Users\User\academyMty> git pull
Already up to date.
PS C:\Users\User\academyMty>
```

```
PS C:\Users\User\academyMty> git init -b main
warning: re-init: ignored --initial-branch=main
Reinitialized existing Git repository in C:/Users/User/academyMty/.git/
PS C:\Users\User\academyMty> _
```

```
PS C:\Users\User\academyMty> git ls-files | Select-String '^(/)\.env$|\. (pem|ppk|key)$|\.idea/|\.iml$'
proyectosWeb/springBootRest/17-seguridad-autenticacion/02-security-jwt/src/main/resources/certs/private+[7m.pem+=[0m
proyectosWeb/springBootRest/17-seguridad-autenticacion/02-security-jwt/src/main/resources/certs/public+[7m.pem+=[0m
```

```
PS C:\Users\User\taskflow-aws-javiermhdz> git ls-files | Select-String '^(/)\.env$|\. (pem|ppk|key)$|\.idea/|\.iml$'
PS C:\Users\User\taskflow-aws-javiermhdz>
```

```
PS C:\Users\User\taskflow-aws-javiermhdz> "tests: $total · fallos y errores: $fallos"
tests: 67 · fallos y errores: 0
PS C:\Users\User\taskflow-aws-javiermhdz>
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> $env:COPILOT_MODEL
gpt-5-mini
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> _
```

```
Windows PowerShell
Current Sessions Issues Pull requests Gists

Getting started
Use the tabs above to explore your sessions and pull requests
/init - Initialize Copilot instructions for this repository
/model - Switch models across providers, or use Auto

• No copilot-instructions.md found. Run /init to generate.
• Tip: /context
  ↳ Show context window token usage and visualization

~\taskflow-copilot-javiermhdz-cloud [0 main] Session: 0 AIC used

-
← open sidebar · / commands · ? help · tab next tab GPT-5 mini · Medium
```

- Estructura del código:
com.taskflow.{controller,service,repository,model,dto,mapper,config,security,exception,advice}.

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Get-ChildItem src\main\java\com\taskflow -Directory | Select-Object
-ExpandProperty Name
advice
config
controller
dto
exception
mapper
model
repository
security
service
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```
Archivos leídos:
C:\Users\User\taskflow-copilot-javiermhdz-cloud\README.md
C:\Users\User\taskflow-copilot-javiermhdz-cloud\pom.xml
C:\Users\User\taskflow-copilot-javiermhdz-cloud\src\main\java\com\taskflow\TaskflowApiApplication.java
C:\Users\User\taskflow-copilot-javiermhdz-cloud\src\main\java\com\taskflow\config\SecurityConfig.java
~\taskflow-copilot-javiermhdz-cloud [B main] Session: 2.94 AIC used
```

```
Administrador: C:\Program Files\WindowsApps\Microsoft.PowerShell_7.6.6.0_x64__8wekyb3d8bbwe\pwsh.exe
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Test-Path C:\Users\User\taskflow-copilot-javiermhdz-cloud\README.md
True
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Test-Path C:\Users\User\taskflow-copilot-javiermhdz-cloud\pom.xml
True
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Test-Path C:\Users\User\taskflow-copilot-javiermhdz-cloud\src\main\j
ava\com\taskflow\TaskflowApiApplication.java
True
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Test-Path C:\Users\User\taskflow-copilot-javiermhdz-cloud\src\main\j
ava\com\taskflow\config\SecurityConfig.java
True
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Test-Path C:\Users\User\taskflow-copilot-javiermhdz-cloud\src\main\j
ava\com\taskflow\controller\AuthController.java
True
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Test-Path C:\Users\User\taskflow-copilot-javiermhdz-cloud\src\main\j
ava\com\taskflow\controller\ProjectController.java
True
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

- Comparador para ordenar por urgencia: com.taskflow.service.TaskOrders – referencia Task::estaVencida en la línea 48 (POR_URGENCIA).
- Dentro de la misma entidad: toString() usa estaVencida() en Task.java línea 261 (añade " VENCIDA" al texto).

Archivos leídos para esta respuesta:

- C:\Users\User\taskflow-copilot-javiermhdz-cloud\src\main\java\com\taskflow\model\Task.java
- C:\Users\User\taskflow-copilot-javiermhdz-cloud\src\main\java\com\taskflow\service\TaskOrders.java

```
~\taskflow-copilot-javiermhdz-cloud [B main] Session: 4.91 AIC used
```

```
Administrador: C:\Program Files\WindowsApps\Microsoft.PowerShell_7.6.6.0_x64_8wekyb3d8bbwe\pwsh.exe
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Get-ChildItem -Recurse -Filter *.java src | Select-String -Pattern 'estaVencida' | Select-Object Filename, LineNumber

Filename      LineNumber
-----
Task.java     152
Task.java     261
TaskOrders.java 39
TaskOrders.java 44
TaskOrders.java 48

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```
• No hay un endpoint que devuelva solo "tarefas vencidas".
  Ruta HTTP y método que las expone (ordenadas primero):

  • GET /tasks – TaskController.getTasks(TaskStatus status, Priority priority) (controlador:
    src\main\java\com\taskflow\controller\TaskController.java, @GetMapping("/tasks") around la línea 60).

  Por qué: cuando no se pasa ?status, el controller llama taskService.listar(); ese método ordena con
  TaskOrders.POR_URGENCIA, que usa Task.estaVencida() para poner las vencidas primero.

  Archivos leídos:

  • src\main\java\com\taskflow\controller\TaskController.java
  • src\main\java\com\taskflow\service\TaskService.java
  • src\main\java\com\taskflow\service\TaskOrders.java
  • src\main\java\com\taskflow\model\Task.java

~\taskflow-copilot-javiermhdz-cloud [ @ main] Session: 7.24 AIC used
```

```
Administrador: C:\Program Files\WindowsApps\Microsoft.PowerShell_7.6.6.0_x64_8wekyb3d8bbwe\pwsh.exe
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Get-ChildItem src\main\java\com\taskflow\controller -Filter *.java |
Select-String -Pattern '@(Get|Post|Put|Patch|Delete)Mapping\(' | Select-Object Filename, LineNumber, Line

Filename      LineNumber Line
-----
AuthController.java 47  @PostMapping("/register")
AuthController.java 57  @PostMapping("/login")
AuthController.java 68  @GetMapping("/me")
InfoController.java 40  @GetMapping("/info")
ProjectController.java 52  @GetMapping("/projects")
ProjectController.java 62  @GetMapping("/projects/{id}")
ProjectController.java 76  @GetMapping("/projects/{id}/tasks")
ProjectController.java 96  @PostMapping("/projects")
ProjectController.java 110 @PutMapping("/projects/{id}")
ProjectController.java 129 @DeleteMapping("/projects/{id}")
TaskController.java 60  @GetMapping("/tasks")
TaskController.java 78  @GetMapping("/tasks/{id}")
TaskController.java 92  @PostMapping("/projects/{projectId}/tasks")
TaskController.java 109 @PutMapping("/tasks/{id}")
TaskController.java 120 @DeleteMapping("/tasks/{id}")
TaskController.java 132 @PatchMapping("/tasks/{id}/status")

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```
• Ejecutando mvn -q test para verificar rápidamente si la suite de tests termina correctamente en esta máquina (salida mínima). Ejecutando el comando.

$ Shell Run Maven tests quietly 7s
mvn -q test; if ($LASTEXITCODE -eq 0) { Write-Output 'EXIT_SUCCESS' } else { Write-Output "EXIT_FAILURE:$LASTEXITC...

Run Maven tests quietly

mvn -q test; if ($LASTEXITCODE -eq 0) { Write-Output 'EXIT_SUCCESS' } else { Write-Output "EXIT_FAILURE:$LASTEXITCODE"; exit $LASTEXITCODE }

Do you want to run this command?
1. Yes
2. No, and tell Copilot what to do differently (Esc to stop)

↑/↓ to navigate · enter to select · esc to cancel
```

```
• Ejecutando mvn -q test para verificar rápidamente si la suite de tests termina correctamente en esta máquina (salida mínima). Ejecutando el comando.

$ Shell Run Maven tests quietly 7 lines... 1m 51s
mvn -q test; if ($LASTEXITCODE -eq 0) { Write-Output 'EXIT_SUCCESS' } else { Write-Output "EXIT_FAILURE:$LASTEXITC...

• Terminó bien.

~\taskflow-copilot-javiermhdz-cloud [ @ main] Session: 8.52 AIC used
```

```
• Borra la carpeta target. 14:15

• Removing the project's build output directory (target) to free space and ensure a clean rebuild. Running a PowerShell command that checks for the directory and deletes it if present.

$ Shell Delete target directory if it exists 6s
if (Test-Path 'C:\Users\User\taskflow-copilot-javiermhdz-cloud\target') { Remove-Item -LiteralPath 'C:\Users\User\...

Delete target directory if it exists

if (Test-Path 'C:\Users\User\taskflow-copilot-javiermhdz-cloud\target') { Remove-Item -LiteralPath 'C:\Users\User\taskflow-copilot-javiermhdz-cloud\target' -Recurse -Force -ErrorAction Stop; Write-Output 'DELETED' } else { Write-Output 'NOT_FOUND' }

Do you want to run this command?
1. Yes
2. No, and tell Copilot what to do differently (Esc to stop)

↑/↓ to navigate · enter to select · esc to cancel
```

```
Delete target directory if it exists

if (Test-Path 'C:\Users\User\taskflow-copilot-javiermhdz-cloud\target') { Remove-Item -LiteralPath 'C:\Users\User\taskflow-copilot-javiermhdz-cloud\target' -Recurse -Force -ErrorAction Stop; Write-Output 'DELETED' } else { Write-Output 'NOT_FOUND' }

Do you want to run this command?
1. Yes
2. No, borres nada y no hagas nada más. (Esc to stop)
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Test-Path target
True
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

• Operación cancelada: no se borró la carpeta target ni se hizo ningún cambio. ¿Quieres que lo borre ahora o prefieres otra acción?

☐ Agrega al final de README.md esta línea: Repositorio de práctica de la Semana 6. 14:27

```
Edit file
README.md +2 -0
C:\Users\User\taskflow-copilot-javiermhdz-cloud

209     `src/main/resources/static/`, hay que abrirla en `SecurityConfig` – con el `anyRequest()
210     .authenticated()` actual, hasta el CSS responde `401`.
211
212 +   Repositorio de práctica de la Semana 6.
213 +

Do you want to edit C:\Users\User\taskflow-copilot-javiermhdz-cloud\README.md?
☐ 1. Yes
2. Yes, and don't ask again for file operations when in this repo (~\taskflow-copilot-javiermhdz-cloud)
3. No, and tell Copilot what to do differently (Esc to stop)
```

• He añadido la línea al final del README.md.

Archivo editado:
C:\Users\User\taskflow-copilot-javiermhdz-cloud\README.md

¿Quieres que haga commit del cambio?

~\taskflow-copilot-javiermhdz-cloud [☐ main*]

```
~\taskflow-copilot-javiermhdz-cloud [☐ main*]
/diff_
```

```
Files (1)
M README.md +2 -0
@@ -208,3 +208,5 @@ y te manda a revisar si el demonio está encendido, que no era el problema.
208 - **Sin frontend**: TaskFlow es una API. Si algún día se le sirve una UI estática desde
209     `src/main/resources/static/`, hay que abrirla en `SecurityConfig` – con el
210     .authenticated()` actual, hasta el CSS responde `401`.
211 +
212 +   Repositorio de práctica de la Semana 6.
```

¿Quieres que haga commit del cambio?

- ☒ /rewind Rewind the last turn and revert file changes
- ☐ /refine Rewrite a rough, stream-of-consciousness prompt

/rewind_

Rewind to a previous point

- ☒ 6. Agrega al final de README.md esta línea: Reposito... (+2 -0, 15m ago)
- 5. Borra la carpeta target. (27m ago)
- 4. Corre mvn -q test y dime solo si terminó bien o c... (33m ago)
- 3. ¿Qué endpoint de la API devuelve las tareas venci... (49m ago)
- 2. ¿Dónde está la regla que decide si una tarea está... (1h ago)
- 1. Explicame este repositorio a alguien que llega nu... (1h ago)

Rewind turn 6

Agrega al final de README.md esta línea: Repositorio ...

- Conversation only Files left untouched
- ☒ Conversation + files Review and restore 1 file
- Cancel

Rewind turn 6 · restore 1 file

File	Action	Impact
README.md	modified	+2 -0

- Rewound conversation and restored 1 file(s).

~\taskflow-copilot-javiermhdz-cloud [☒ main*]

—

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git status --short
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```
/init
/init suppress Stop suggesting init for this folder
```

```
/init_[suppress]
```

Create .github directory

```
New-Item -ItemType Directory -Path 'C:\Users\User\taskflow-copilot-javiermhdz-cloud\github' {
```

Do you want to run this command?

1. Yes
2. No, and tell Copilot what to do differently (Esc to stop)

Do you want to create C:\Users\User\taskflow-copilot-javiermhdz-cloud\github\copilot-instructions.md?

1. Yes
2. Yes, and don't ask again for file operations when in this repo (~\taskflow-copilot-javiermhdz-cloud)
3. No, and tell Copilot what to do differently (Esc to stop)

```
Administrador: C:\Program Files\WindowsApps\Microsoft.PowerShell_7.6.6.0_x64__8wekyb3d8bbwe\pwsh.exe
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Get-Content .github\copilot-instructions.md -TotalCount 12
# Copilot instructions for taskflow-api

This file tells Copilot sessions how to work effectively with this repository. Keep it focused on repo-specific commands
, architecture and conventions.

1. Build, test, and lint commands

- Build and run tests (full):
  - mvn verify
- Run tests (fast):
  - mvn -q test
- Run a single test class:
  - mvn -Dtest=ClassNameTest test
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> _
```

```
Administrador: C:\Program Files\WindowsApps\Microsoft.PowerShell_7.6.6.0_x64__8wekyb3d8bbwe\pwsh.exe
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> New-Item -ItemType Directory -Force .github | Out-Null
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Copy-Item $HOME\academyMty\copilot\dia-1\copilot-instructions.md .github\copilot-instructions.md -Force
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Select-String -Path .github\copilot-instructions.md -Pattern '^# Instruccion
es de Copilot para TaskFlow API'
.github\copilot-instructions.md:1:# Instrucciones de Copilot para TaskFlow API
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> _
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> New-Item -ItemType Directory -Force .github | Out-Null
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Copy-Item $HOME\academyMty\copilot\dia-1\copilot-instructions.md .github\copilot-instructions.md -Force
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Select-String -Path .github\copilot-instructions.md -Pattern '^# Instrucciones de Copilot para TaskFlow API'

.github\copilot-instructions.md:1:# Instrucciones de Copilot para TaskFlow API
```

```
/exit
/exit print Print the session after exiting

/exit_[print]
```

```
PowerShell 7.6.6
PS C:\Windows\System32> copilot_login
```

```
/instructions View and toggle custom instruction files
/compact Summarize conversation history to reduce c
/env Show loaded environment details (instructions)
/init Initialize Copilot instructions for this r

/instructions_
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git add .github\copilot-instructions.md
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git commit -m "Instrucciones de Copilot del curso"
[main 0d87982] Instrucciones de Copilot del curso
1 file changed, 65 insertions(+)
create mode 100644 .github\copilot-instructions.md
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 2.31 KiB | 2.31 MiB/s, done.
Total 4 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/javiermhdz-cloud/taskflow-copilot-javiermhdz.git
e2fe7f9..0d87982 main -> main
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> |
```

Preview Code Blame 65 lines (52 loc) · 3.72 KB



🔗 Instrucciones de Copilot para TaskFlow API

Este archivo lo lee Copilot en cada sesión que abras dentro de este repositorio. Describe cómo está hecho el proyecto y qué convenciones seguir. Si una respuesta del agente contradice este archivo, gana este archivo.

~\taskflow-copilot-javiermhdz-cloud [main] Session: 0 AIC used

Escribe el archivo docs/ARQUITECTURA.md para un desarrollador que llega nuevo a TaskFlow. Explica: las capas y paquetes; el recorrido completo de POST /projects/{projectId}/tasks desde el controlador hasta la base de datos; dónde viven las reglas de negocio; cómo funciona la seguridad con JWT; y cómo están organizados los tests. Escribe entre backticks cada clase del proyecto (por ejemplo `TaskService`) y cada archivo con su ruta desde la raíz del repositorio (por ejemplo `src/main/java/com/taskflow/model/Task.java`). No modifiques ningún otro archivo.

• Creando la carpeta `docs` en el repositorio (si no existe) y luego escribiendo `docs/ARQUITECTURA.md` con la documentación en español. Ejecución: crear carpeta.

```
$ Shell Create docs directory if missing
New-Item -ItemType Directory -Path 'C:\Users\User\taskflow-copilot-javiermhdz-cloud\docs' -Force
```

Create docs directory if missing

```
New-Item -ItemType Directory -Path 'C:\Users\User\taskflow-copilot-javiermhdz-cloud\docs' -Force
```

Do you want to run this command?

- ☒ 1. Yes
2. Yes, and don't ask again for `New-Item` in this repo (~\taskflow-copilot-javiermhdz-cloud)
3. No, and tell Copilot what to do differently (Esc to stop)

Do you want to create C:\Users\User\taskflow-copilot-javiermhdz-cloud\docs\ARQUITECTURA.md?

- ☒ 1. Yes
2. Yes, and don't ask again for file operations when in this repo (~\taskflow-copilot-javiermhdz-cloud)
3. No, and tell Copilot what to do differently (Esc to stop)

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Test-Path docs\ARQUITECTURA.md
True
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git status --short
?? docs/
```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> & $HOME\academyMty\copilot\dia-1\verificar-arquitectura.ps1
Verificando docs\ARQUITECTURA.md contra C:\Users\User\taskflow-copilot-javiermhdz-cloud

[OK] línea 3 endpoint POST /projects/{projectId}/tasks -> POST en src\main\java\com\taskflow\controller\TaskController.java
[OK] línea 7 paquete com.taskflow.controller -> src\main\java\com\taskflow\controller
[OK] línea 7 clase TaskController -> src\main\java\com\taskflow\controller\TaskController.java
[OK] línea 8 ruta src/main/java/com/taskflow/controller/TaskController.java -> src\main\java\com\taskflow\controller\TaskController.java
[OK] línea 8 ruta src/main/java/com/taskflow/controller/ProjectController.java -> src\main\java\com\taskflow\controller\ProjectController.java
[OK] línea 10 paquete com.taskflow.service -> src\main\java\com\taskflow\service
[OK] línea 11 clase TaskService -> src\main\java\com\taskflow\service\TaskService.java
[OK] línea 11 clase ProjectService -> src\main\java\com\taskflow\service\ProjectService.java
[OK] línea 12 ruta src/main/java/com/taskflow/service/TaskService.java -> src\main\java\com\taskflow\service\TaskService.java

```

```

Resumen: 46 OK · 3 REVISAR · 3 EXTERNA · 7 NO EXISTE · 17 sin verificar
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>

```

```

Lo que NO EXISTE (corrígelo con el agente):
línea 29: src/main/java/com/taskflow/security/JwtAuthFilter.java
línea 39: TaskController.create
línea 39: TaskService.crearTarea
línea 49: Task.pasarA
línea 68: JwtAuthFilter
línea 75: src/test/java/com/taskflow/service/TaskServiceTest.java
línea 91: src/main/java/com/taskflow/exception/GlobalExceptionHandler.java
línea 93: TaskDateValidator
línea 93: src/main/java/com/taskflow/service/TaskDateValidator.java

```

```

Resumen: 46 OK · 3 REVISAR · 3 EXTERNA · 9 NO EXISTE · 17 sin verificar
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>

```

```

~\taskflow-copilot-javiermhdz-cloud [0 main%] Session: 1.86 AIC used

Lee evidencia/dia1/verificador.txt: la sección «Lo que NO EXISTE» lista menciones de docs/ARQUITECTURA.md que no existen en el repositorio. Corrige solo esas líneas de docs/ARQUITECTURA.md: pon la clase y el archivo reales o borra la frase. No modifiques nada más.

```

MD Edit ARQUITECTURA.md

Edit file

ARQUITECTURA.md +1 -1

C:\Users\User\taskflow-copilot-javiermhdz-cloud\docs

```
26
27 - Configuración y seguridad: paquete `com.taskflow.config` y `com.taskflow.security`.
28 - JWT, filtros y `ProjectSecurity` para autorización específica.
29 - Archivos: `src/main/java/com/taskflow/security/JwtAuthFilter.java`,
    `src/main/java/com/taskflow/security/ProjectSecurity.java`.
29 + - Archivos: `src/main/java/com/taskflow/security/JwtAuthenticationFilter.java`,
    `src/main/java/com/taskflow/security/ProjectSecurity.java`.
30
31 - Recursos estáticos: `src/main/resources/static` para la UI embebida.
32
```

Do you want to edit C:\Users\User\taskflow-copilot-javiermhdz-cloud\docs\ARQUITECTURA.md?

- ☒ 1. Yes
- 2. Yes, and don't ask again for file operations when in this repo (~\taskflow-copilot-javiermhdz-cloud)
- 3. No, and tell Copilot what to do differently (Esc to stop)

• He corregido las líneas indicadas en docs/ARQUITECTURA.md (solo esas, sin tocar nada más). Cambios principales:

- JwtAuthFilter → JwtAuthenticationFilter y ruta actualizada a src/main/java/com/taskflow/security/JwtAuthenticationFilter.java .
- TaskController.create → TaskController.createTask .
- TaskService.crearTarea → TaskService.crear .
- Task.pasarA(Estado.DONE) → Task.setStatus(TaskStatus.DONE) .
- Ruta de test corregida a src/test/java/com/taskflow/unit/TaskServiceTest.java .
- Ruta de GlobalExceptionHandler corregida a src/main/java/com/taskflow/advice/GlobalExceptionHandler.java .
- TaskDateValidator reemplazado por la validación en Task.crear (src/main/java/com/taskflow/model/Task.java).

¿Quieres que vuelva a ejecutar el verificador para confirmar todo?

~\taskflow-copilot-javiermhdz-cloud [@ main%]

Session: 6.55 AIC used

Resumen: 54 OK · 3 REVISAR · 2 EXTERNA · 0 NO EXISTE · 17 sin verificar

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Select-String -Path src\main\java\com\taskflow\controller\TaskController.java -Pattern 'projectService.buscarPorId|taskService.crear'
```

```
src\main\java\com\taskflow\controller\TaskController.java:96:         projectService.buscarPorId(projectId)
src\main\java\com\taskflow\controller\TaskController.java:98:         Task creada = taskService.crear(request,
projectId);
```

~\taskflow-copilot-javiermhdz-cloud [@ main%]

Session: 6.55 AIC used

En docs/ARQUITECTURA.md corrige solo el recorrido de POST /projects/{projectId}/tasks para que coincida con el código: TaskController.createTask comprueba que el proyecto existe con ProjectService.buscarPorId; TaskService.crear convierte con TaskMapper.aEntidadNueva y guarda con TaskRepository.save; y TaskController responde 201 con TaskMapper.aResponse. Léelo en esos archivos antes de escribir. No modifiques nada más.


```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Select-String -Path src\main\java\com\taskflow\service\TaskService.java -Pattern 'ProjectRepository'
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Select-String -Path docs\ARQUITECTURA.md -Pattern 'buscarPorId'
```

```
docs\ARQUITECTURA.md:38:2. El controlador comprueba que el proyecto existe usando
'ProjectService.buscarPorId(projectId)' y lanza 'ProjectNotFoundException' si no existe.
```

```
🔍 /usage          Display session usage metrics and statistics
/compact         Summarize conversation history to reduce context
/context         Show context window token usage and visualize

/usage_
```



```

{} uso-integrador.json X
C: > Users > User > taskflow-copilot-javiermhdz-cloud > evidencia > dia1 > {} uso-integrador.json > ...
1  {
2    "totalPremiumRequestCost": 0,
3    "totalUserRequests": 3,
4    "totalNanoAiu": 8350670000,
5    "tokenDetails": {
6      "input": {
7        "tokenCount": 122702
8      },
9      "cache_read": {
10       "tokenCount": 1019648
11     },
12     "cache_write": {
13       "tokenCount": 0
14     },
15     "output": {
16       "tokenCount": 13670
17     }
18   },
19   "totalApiDurationMs": 307405,
20   "sessionStartTime": "2026-09-15T21:44:40.952Z",
21   "codeChanges": {
22     "linesAdded": 109,
23     "linesRemoved": 17,
24     "filesModifiedCount": 1,
25     "filesModified": [
26       "C:\\Users\\User\\taskflow-copilot-javiermhdz-cloud\\docs\\ARQUITECTURA.md"
27     ]
28   },

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> $u = Get-Content evidencia\dia1\uso-integrador.json -Raw | ConvertFrom-Json
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> 'AI Credits del integrador: {0:N2} · modelo: {1}' -f ($u.totalNanoAiu / 1e9), $u.currentModel | Set-Content evidencia\dia1\usage.txt
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Get-Content evidencia\dia1\usage.txt
AI Credits del integrador: 8.35 · modelo: gpt-5-mini

```

```

Resumen: 56 OK · 3 REVISA · 2 EXTERNA · 0 NO EXISTE · 17 sin verificar
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> copilot --version | Out-File evidencia\dia1\copilot-version.txt
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Get-ChildItem evidencia\dia1 | Select-Object Name, Length

```

Name	Length
copilot-version.txt	72
usage.txt	55
uso-integrador.json	2237
verificador.txt	8576

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git add docs evidencia
warning: in the working copy of 'evidencia/dia1/uso-integrador.json', LF will be replaced by CRLF the next time Git touches it
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git commit -m "Día 1: ARQUITECTURA.md verificado y evidencia"
[main 974c221] Día 1: ARQUITECTURA.md verificado y evidencia
5 files changed, 262 insertions(+)
create mode 100644 docs/ARQUITECTURA.md
create mode 100644 evidencia/dia1/copilot-version.txt
create mode 100644 evidencia/dia1/usage.txt
create mode 100644 evidencia/dia1/uso-integrador.json
create mode 100644 evidencia/dia1/verificador.txt
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git push
Enumerating objects: 11, done.
Counting objects: 100% (11/11), done.
Delta compression using up to 8 threads
Compressing objects: 100% (8/8), done.
Writing objects: 100% (10/10), 5.31 KiB | 776.00 KiB/s, done.
Total 10 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/javiermhdz-cloud/taskflow-copilot-javiermhdz.git
 0d87982..974c221  main -> main
```

```
Get-ChildItem copilot\dia-2 | Select-Object -ExpandProperty Name
```