

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> [Console]::OutputEncoding = [Text.UTF8Encoding]::new()
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> cd ..
PS C:\Users\User> cd academyMty
PS C:\Users\User\academyMty> git pull
Already up to date.
PS C:\Users\User\academyMty> Get-ChildItem copilot\dia-2 | Select-Object -ExpandProperty Name
referencia
specs
checklist-revision.md
mutar-orden.ps1
PS C:\Users\User\academyMty> _

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git switch main
Already on 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git pull
Already up to date.
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git switch -c feature/overdue
Switched to a new branch 'feature/overdue'
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> New-Item -ItemType Directory specs -Force | Out-Null
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Copy-Item $HOME\academyMty\copilot\dia-2\specs\overdue.md specs\
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git add specs
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git commit -m "spec: GET /tasks/overdue"
[feature/overdue 044ed37] spec: GET /tasks/overdue
1 file changed, 42 insertions(+)
create mode 100644 specs/overdue.md
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> _

```



```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Get-Clipboard | Set-Content $HOME\usage-dia2-inicio.txt
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Select-String -Path $HOME\usage-dia2-inicio.txt -Pattern '\d+ / [\d
]+ AIC'
C:\Users\User\usage-dia2-inicio.txt:2: 45 / 1,500 AIC

```

```

~\taskflow-copilot-javiermhdz-cloud [feature/overdue] Session: 0 AIC used
Implementa la especificación de specs/overdue.md al pie de la letra. Cuando termines, corre mvn -q test y confirma que pasa.

```

```
$ Shell Run Maven tests 7 lines...
mvn -q test
```

- Read shell output Waiting up to 1 second for command output 1 line...
- He implementado la especificación de specs/overdue.md:
 - Añadido TaskService.vencidas() (filtra Task::estaVencida y ordena con TaskOrders.POR_FECHA).
 - Añadido endpoint GET /tasks/overdue en TaskController.
 - Añadidos tests: unitario en TaskServiceTest y slice en TaskControllerTest.

Archivos modificados:

- src/main/java/com/taskflow/service/TaskService.java
- src/main/java/com/taskflow/controller/TaskController.java
- src/test/java/com/taskflow/unit/TaskServiceTest.java
- src/test/java/com/taskflow/slice/TaskControllerTest.java

Ejecutado mvn -q test – la suite terminó con exit code 0 (tests OK).

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> $LASTEXITCODE
0
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git status --short
M src/main/java/com/taskflow/controller/TaskController.java
M src/main/java/com/taskflow/service/TaskService.java
M src/test/java/com/taskflow/slice/TaskControllerTest.java
M src/test/java/com/taskflow/unit/TaskServiceTest.java
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git add src
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git commit -m "wip: GET /tasks/overdue tal como lo dejo el agente"
[feature/overdue 448db80] wip: GET /tasks/overdue tal como lo dejo el agente
4 files changed, 64 insertions(+)
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> New-Item -ItemType Directory evidencia\dia2 -Force | Out-Null
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git diff --stat main | Tee-Object evidencia\dia2\checklist-overdue.txt
specs/overdue.md | 42 ++++++
.../com/taskflow/controller/TaskController.java | 12 ++++++
.../java/com/taskflow/service/TaskService.java | 11 +++++
.../com/taskflow/slice/TaskControllerTest.java | 20 ++++++
.../java/com/taskflow/unit/TaskServiceTest.java | 21 ++++++
5 files changed, 106 insertions(+)
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git diff --numstat main -- src/test | Tee-Object -Append evidencia\dia2\checklist-overdue.txt
20 0 src/test/java/com/taskflow/slice/TaskControllerTest.java
21 0 src/test/java/com/taskflow/unit/TaskServiceTest.java
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git diff main -- src/test | Select-String '^-[~]'
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git diff main -- src/test | Select-String '@Disabled'
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git diff main -- src | Select-String -NoEmphasis '^\.s*(//|/\\|\\*)'
| Tee-Object -Append evidencia\dia2\checklist-overdue.txt

+ /**
+  * GET /tasks/overdue - lista las tareas vencidas de todos los proyectos. Orden por dueDate asc.
+  */
+ /**
+  * Devuelve las tareas vencidas según la regla del dominio (Task.estaVencida()).
+  * Ordena por fecha ascendente usando la estrategia POR_FECHA.
+  */
+ // ===== GET (contra el stub del service, no una semilla) =====
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> & $HOME\academyMty\copilot\dia-2\mutar-orden.ps1 -Metodo vencidas |
Tee-Object -Append evidencia\dia2\checklist-overdue.txt
MUTANTE: quitado .sorted(TaskOrders.POR_FECHA) de vencidas()
Mockito is currently self-attaching to enable the inline-mock-maker. This will no longer work in future releases of the
JDK. Please add Mockito as an agent to your build as described in Mockito's documentation: https://javadoc.io/doc/org.mo
ckito/mockito-core/latest/org.mockito/org/mockito/Mockito.html#0.3
WARNING: A Java agent has been loaded dynamically (C:\Users\User\.m2\repository\net\bytebuddy\byte-buddy-agent\1.17.6\by
te-buddy-agent-1.17.6.jar)
WARNING: If a serviceability tool is in use, please run with -XX:+EnableDynamicAgentLoading to hide this warning
WARNING: If a serviceability tool is not in use, please run with -Djdk.instrument.traceUsage for more information
WARNING: Dynamic loading of agents will be disallowed by default in a future release
Java HotSpot(TM) 64-Bit Server VM warning: Sharing is only supported for boot loader classes because bootstrap classpath
has been appended

[ERROR] Tests run: 8, Failures: 1, Errors: 0, Skipped: 0
[INFO] BUILD FAILURE
RESTAURADO: TaskService.java quedó exactamente como estaba.
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git diff main -- src/test/java/com/taskflow/slice | Select-String -NoEmphasis '^\.s*(//|/\\|\\*)' | Tee-Object -Append evidencia\dia2\checklist-overdue.txt

+ .andExpect(jsonPath("$.title").value("Reciente"));
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git diff main -- src/main | Select-String 'estaVencida|POR_FECHA' |
Tee-Object -Append evidencia\dia2\checklist-overdue.txt

+         description = "Lista de tareas cuya Task.estaVencida() es true. Orden por dueDate asc.")
+     * Devuelve las tareas vencidas según la regla del dominio (Task.estaVencida()).
+     * Ordena por fecha ascendente usando la estrategia POR_FECHA.
+         .filter(Task::estaVencida)
+         .sorted(TaskOrders.POR_FECHA)
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git diff main -- src/main | Select-String 'isBefore|isAfter|Comparat
or|@Autowired|public List<Task> get'
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> mvn test | Select-String -CaseSensitive 'Tests run:.*Skipped: \d+&[B
UILD]' | Tee-Object -Append evidencia\dia2\checklist-overdue.txt
Mockito is currently self-attaching to enable the inline-mock-maker. This will no longer work in future releases of the
JDK. Please add Mockito as an agent to your build as described in Mockito's documentation: https://javadoc.io/doc/org.mo
ckito/mockito-core/latest/org.mockito/org/mockito/Mockito.html#0.3
Java HotSpot(TM) 64-Bit Server VM warning: Sharing is only supported for boot loader classes because bootstrap classpath
has been appended
WARNING: A Java agent has been loaded dynamically (C:\Users\User\.m2\repository\net\bytebuddy\byte-buddy-agent\1.17.6\by
te-buddy-agent-1.17.6.jar)
WARNING: If a serviceability tool is in use, please run with -XX:+EnableDynamicAgentLoading to hide this warning
WARNING: If a serviceability tool is not in use, please run with -Djdk.instrument.traceUsage for more information
WARNING: Dynamic loading of agents will be disallowed by default in a future release

[INFO] Tests run: 69, Failures: 0, Errors: 0, Skipped: 0
[INFO] BUILD SUCCESS
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Test-Path evidencia\dia2\checklist-overdue.txt
True
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> _
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> (git diff main -- src/test | Select-String '^\\s*@Test').Count
2
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```
~\taskflow-copilot-javiermhdz-cloud [ @ feature/overdue*] Session: 5.68 AIC used
B /review Revisa solo lo que cambi3 en esta rama respecto a main (git diff main). Busca comentarios que afirman algo
falso, tests que no prueban lo que dice su nombre, tests que existían y se modificaron, y reglas de
.github/copilot-instructions.md que no se cumplen. No edites archivos: lista los hallazgos con archivo y línea._
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git status --short
?? evidencia/dia2/
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git log --oneline main..HEAD
448db80 (HEAD -> feature/overdue) wip: GET /tasks/overdue tal como lo dejo el agente
044ed37 spec: GET /tasks/overdue
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git switch -c feature/unassigned
Switched to a new branch 'feature/unassigned'
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Copy-Item $HOME\academyMty\copilot\dia-2\specs\unassigned.md specs\
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git add specs
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git commit -m "spec: GET /tasks/unassigned"
[feature/unassigned 5c0f4f3] spec: GET /tasks/unassigned
1 file changed, 50 insertions(+)
create mode 100644 specs/unassigned.md
```

```
~\taskflow-copilot-javiermhdz-cloud [ @ feature/overdue%] Session: 0 AIC used
B /plan Implementa la especificación de specs/unassigned.md al pie de la letra. Cuando termines, corre mvn -q test y
confirma que pasa._
```

Plan Ready for Review

Plan: Implementar specs/unassigned.md

Resumen

- Implementar exactamente la especificación en specs/unassigned.md: servicio, endpoint y tests.
- Cambios permitidos: TaskService.java, TaskController.java, TaskServiceTest.java, TaskControllerTest.java.
- Validación: ejecutar `mvn -q test` y confirmar que la suite completa pasa.

Enfoque propuesto

1. Analizar código existente (repositorio de tareas, mappers y órdenes) para reusar ReportService.SIN_ASIGNAR y TaskOrders.POR_FECHA y TaskMapper.
2. Implementar método `public List<Task> sinResponsable()` en TaskService:
 - Usar el repositorio con el predicado ReportService.SIN_ASIGNAR.
 - Aplicar la orden TaskOrders.POR_FECHA.
3. Añadir endpoint en TaskController: `@GetMapping("/tasks/unassigned")` que delegue a `taskService.sinResponsable()` y devuelva TaskResponse mediante TaskMapper.aResponse.
4. Añadir pruebas:
 - Unit: en TaskServiceTest, `@Nested` class SinResponsable con dos tests descritos en la especificación (orden y lista vacía).
 - Slice: en TaskControllerTest, test para GET /tasks/unassigned que verifica 200 y que `assigneeId` es null en el JSON.
5. Ejecutar `mvn -q test` y verificar que pasa.

Al terminar esta planificación, aprobar el plan para proceder con la implementación.

1. Accept plan and build on default permissions (recommended)
2. Accept plan and build on autopilot
3. Exit plan mode and I will prompt myself
4. Suggest changes

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git status --short
M src/main/java/com/taskflow/controller/TaskController.java
M src/main/java/com/taskflow/service/TaskService.java
M src/test/java/com/taskflow/slice/TaskControllerTest.java
M src/test/java/com/taskflow/unit/TaskServiceTest.java
?? evidencia/dia2/
?? mvn-output.txt
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> _
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git add src
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git commit -m "wip: GET /tasks/unassigned tal como lo dejo el agente"
[feature/unassigned b598c90] wip: GET /tasks/unassigned tal como lo dejo el agente
4 files changed, 77 insertions(+)
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> _
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git diff --stat feature/overdue
specs/unassigned.md | 50 ++++++
.../com/taskflow/controller/TaskController.java | 8 +++
.../java/com/taskflow/service/TaskService.java | 11 +++++
.../com/taskflow/slice/TaskControllerTest.java | 19 ++++++
.../java/com/taskflow/unit/TaskServiceTest.java | 39 ++++++
5 files changed, 127 insertions(+)
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git diff --numstat feature/overdue -- src/test
19      0      src/test/java/com/taskflow/slice/TaskControllerTest.java
39      0      src/test/java/com/taskflow/unit/TaskServiceTest.java
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git diff feature/overdue -- src | Select-String -NoEmphasis '^+\s*(
//|/\*|\s*)'

+ /**
+  * Devuelve las tareas sin responsable (assigneeId == null) en orden por fecha asc (nulls last).
+  * Reusa el predicado nombrado y la estrategia de orden del dominio.
+  */
+
+      // repositorio devuelve EN ESTE ORDEN cuatro tareas (t10, conAssignee, sinFecha, t2)
+      // Debe venir en orden: la de 2 días (t2 -> 40), la de 10 días (t10 -> 10), y la sin fecha (30)
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> & $HOME\academyMty\copilot\dia-2\mutar-orden.ps1 -Metodo sinResponsa
ble
MUTANTE: quitado .sorted(TaskOrders.POR_FECHA) de sinResponsable()
Mockito is currently self-attaching to enable the inline-mock-maker. This will no longer work in future releases of the
JDK. Please add Mockito as an agent to your build as described in Mockito's documentation: https://javadoc.io/doc/org.mo
ckito/mockito-core/latest/org.mockito/org/mockito/Mockito.html#0.3
WARNING: A Java agent has been loaded dynamically (C:\Users\User\.m2\repository\net\bytebuddy\byte-buddy-agent\1.17.6\by
te-buddy-agent-1.17.6.jar)
WARNING: If a serviceability tool is in use, please run with -XX:+EnableDynamicAgentLoading to hide this warning
WARNING: If a serviceability tool is not in use, please run with -Djdk.instrument.traceUsage for more information
WARNING: Dynamic loading of agents will be disallowed by default in a future release
Java HotSpot(TM) 64-Bit Server VM warning: Sharing is only supported for boot loader classes because bootstrap classpath
has been appended

[ERROR] Tests run: 10, Failures: 1, Errors: 0, Skipped: 0
[INFO] BUILD FAILURE
RESTAURADO: TaskService.java quedó exactamente como estaba.
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git diff feature/overdue -- src/test/java/com/taskflow/slice | Selec
t-String -NoEmphasis '^+.*\s*[1\]'

+
+      .andExpect(jsonPath("$.id").value(6))
+      .andExpect(jsonPath("$.assigneeId").value(org.hamcrest.Matchers.nullValue()));
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git diff feature/overdue -- src/main | Select-String 'SIN_ASSIGNAR|PO
R_FECHA'

+
+      .sorted(TaskOrders.[7mPOR_FECHA][0m])
+      .filter(ReportService.[7mSIN_ASSIGNAR][0m])
+      .sorted(TaskOrders.[7mPOR_FECHA][0m])
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git diff feature/overdue -- src/main | Select-String 'getAssigneeId\
(\) == null|Comparator\.@Autowired|public List<Task> get'
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> mvn test | Select-String -CaseSensitive 'Tests run:.*Skipped: \d+&[B
UILD'
Mockito is currently self-attaching to enable the inline-mock-maker. This will no longer work in future releases of the
JDK. Please add Mockito as an agent to your build as described in Mockito's documentation: https://javadoc.io/doc/org.mo
ckito/mockito-core/latest/org.mockito/org/mockito/Mockito.html#0.3
Java HotSpot(TM) 64-Bit Server VM warning: Sharing is only supported for boot loader classes because bootstrap classpath
has been appended
WARNING: A Java agent has been loaded dynamically (C:\Users\User\.m2\repository\net\bytebuddy\byte-buddy-agent\1.17.6\by
te-buddy-agent-1.17.6.jar)
WARNING: If a serviceability tool is in use, please run with -XX:+EnableDynamicAgentLoading to hide this warning
WARNING: If a serviceability tool is not in use, please run with -Djdk.instrument.traceUsage for more information
WARNING: Dynamic loading of agents will be disallowed by default in a future release

[INFO] Tests run: 72, Failures: 0, Errors: 0, Skipped: 0
[INFO] BUILD SUCCESS
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud\evidencia\dia2> git switch -c experimento/rompelo
Switched to a new branch 'experimento/rompelo'
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud\evidencia\dia2> _
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> mvn test | Select-String -CaseSensitive 'Tests run:.*Skipped: \d+$[B
UILD|FAILURE!|expected'
Mockito is currently self-attaching to enable the inline-mock-maker. This will no longer work in future releases of the
JDK. Please add Mockito as an agent to your build as described in Mockito's documentation: https://javadoc.io/doc/org.mo
ckito/mockito-core/latest/org.mockito/org/mockito/Mockito.html#0.3
Java HotSpot(TM) 64-Bit Server VM warning: Sharing is only supported for boot loader classes because bootstrap classpath
has been appended
WARNING: A Java agent has been loaded dynamically (C:\Users\User\.m2\repository\net\bytebuddy\byte-buddy-agent\1.17.6\by
te-buddy-agent-1.17.6.jar)
WARNING: If a serviceability tool is in use, please run with -XX:+EnableDynamicAgentLoading to hide this warning
WARNING: If a serviceability tool is not in use, please run with -Djdk.instrument.traceUsage for more information
WARNING: Dynamic loading of agents will be disallowed by default in a future release

[ERROR] Tests run: 1, Failures: 1, Errors: 0, Skipped: 0, Time elapsed: 0.072 s <<< FAILURE! -- in
com.taskflow.unit.TaskServiceTest
[ERROR] com.taskflow.unit.TaskServiceTest.vencidas_devuelveSoloVencidasYOrdenadas -- Time elapsed: 0.011 s <<< FAILURE!
org.opentest4j.AssertionFailedError: expected: <2> but was: <0>
[ERROR] TaskServiceTest.vencidas_devuelveSoloVencidasYOrdenadas:220 expected: <2> but was: <0>
[ERROR] Tests run: 72, Failures: 1, Errors: 0, Skipped: 0
[INFO] BUILD FAILURE
```

```
~\taskflow-copilot-javiermhdz-cloud [feature/unassigned%]
```

```
Los tests fallan, haz que pasen._
```

```
$ Shell Run Maven tests after fixing estaVencida 7 lines...
mvn -q test

• Read shell output Waiting up to 1 second for command output 1 line...

• Read 1789591007132-copilot-tool-output-4200-a9edaa39-a9d3-4164-9364-21d80e9ec051.txt L1:200 (126 lines read)
• Read 1789591007132-copilot-tool-output-4200-a9edaa39-a9d3-4164-9364-21d80e9ec051.txt L127:260 (64 lines read)

• Encontrado y arreglado: Task.estaVencida usaba isAfter() por error; ahora comprueba isBefore(LocalDate.now()). Archivo modificado:
src/main/java/com/taskflow/model/Task.java. Ejecutados mvn -q test - la suite completa pasa (72 tests, 0 fallos).
```

```
~\taskflow-copilot-javiermhdz-cloud [experimento/rompelo%]
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git log --oneline feature/unassigned..HEAD
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git diff --stat feature/unassigned -- src
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Select-String -Path src\main\java\com\taskflow\model\Task.java -Patt
ern 'isAfter'
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> mvn -q test
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> $LASTEXITCODE
0
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git status --short
?? evidencia/dia2/
?? mvn-output.txt
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git restore --source feature/unassigned --staged --worktree src
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git switch feature/unassigned
Switched to branch 'feature/unassigned'
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git branch -D experimento/rompelo
Deleted branch experimento/rompelo (was b598c90).
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git status --short
?? evidencia/dia2/
?? mvn-output.txt
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git status --short
?? evidencia/dia2/
?? mvn-output.txt
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git branch
feature/overdue
* feature/unassigned
main
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git push -u origin feature/unassigned
Enumerating objects: 63, done.
Counting objects: 100% (63/63), done.
Delta compression using up to 8 threads
Compressing objects: 100% (37/37), done.
Writing objects: 100% (46/46), 7.32 KiB | 1.46 MiB/s, done.
Total 46 (delta 20), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (20/20), completed with 9 local objects.
remote:
remote: Create a pull request for 'feature/unassigned' on GitHub by visiting:
remote:   https://github.com/javiermhdz-cloud/taskflow-copilot-javiermhdz/pull/new/feature/unassigned
remote:
To https://github.com/javiermhdz-cloud/taskflow-copilot-javiermhdz.git
 * [new branch]      feature/unassigned -> feature/unassigned
branch 'feature/unassigned' set up to track 'origin/feature/unassigned'.
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

Open a pull request

Create a new pull request by comparing changes across two branches. If you ne



base: main



compare: feature/unassigned


Able to merge



Add a title *

GET /tasks/overdue y GET /tasks/unassigned



Add a description

Write Preview

Implementa specs/overdue.md y specs/unassigned.md. Revisado con el checklist del Día 2.

Markdown is supported Paste, drop, or click to add files

Create pull request

GET /tasks/overdue y GET /tasks/unassigned #2

Open

javiermhdz-cloud wants to merge 4 commits into main from feature/unassigned

Conversation 0

Commits 4

Checks 0

Files changed 6

Reviewers



Copilot Lite



Request

Still in progress? [Convert to draft](#)



**Copilot** AI reviewed 7 minutes ago

[View reviewed changes](#)

Copilot AI left a comment

...

 **Approval recommended**

No unresolved issues were identified.

▶ Pull request overview

▶ File summaries

▶ Review details

 [Add a `code-review` agent skill](#) or configure MCP servers for context-aware, tailored reviews. [Learn more in the docs.](#)



Approval recommended

No unresolved issues were identified.

▼ Pull request overview

Implementa endpoints protegidos para consultar tareas vencidas y sin responsable.

Changes:

- Añade filtros y ordenamiento en `TaskService`.
- Expone `GET /tasks/overdue` y `GET /tasks/unassigned`.
- Incorpora pruebas unitarias, de slice y especificaciones funcionales.

▼ File summaries

File	Description
<code>src/test/java/com/taskflow/unit/TaskServiceTest.java</code>	Pruebas de filtrado y ordenamiento.
<code>src/test/java/com/taskflow/slice/TaskControllerTest.java</code>	Pruebas de respuestas JSON.
<code>src/main/java/com/taskflow/service/TaskService.java</code>	Filtrado y ordenamiento de tareas.
<code>src/main/java/com/taskflow/controller/TaskController.java</code>	Nuevos endpoints REST.
<code>specs/unassigned.md</code>	Especificación del endpoint sin responsable.
<code>specs/overdue.md</code>	Especificación del endpoint de tareas vencidas.

▼ Review details

- Files reviewed: 6/6 changed files
- Comments generated: 0
- Review effort level: Lite

```
~\taskflow-copilot-javiermhdz-cloud [B experimento/rompelo%] Session: 0 AIC used
3 Lee los comentarios de la revisión de Copilot en el pull request abierto de la rama feature/unassigned de este repositorio. Aplica solo los que no pidan probar el
orden en TaskControllerTest, ni tocar archivos fuera de specs/overdue.md, specs/unassigned.md, TaskService.java, TaskController.java, TaskServiceTest.java y
TaskControllerTest.java, ni modificar tests que existían en main. Además, en specs/overdue.md cambia «el JSON trae las tareas en orden» por «el JSON trae el id y
el title de las tareas que devuelve el servicio (el orden se prueba en el unit)». Al terminar corre mvn -q test y dime qué comentarios aplicaste y cuáles no, con
el motivo._
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> $s = 'specs\overdue.md'
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> (Get-Content $s -Raw) -replace 'Ojo; tiene que declararse de\s+forma
que no lo capture', 'Spring la elige antes que' -replace '\(hoy `GET /tasks/overdue` responde', 'sin importar el orden
de declaración: no escribas comentarios sobre ese orden (hoy `GET /tasks/overdue` responde' | Set-Content $s -NoNewline
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> _
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git status --short
 M specs/overdue.md
?? evidencia/dia2/
?? mvn-output.txt
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> $t = (Get-Content specs\overdue.md -Raw) -replace '\s+', ' '
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> $t.Contains('el orden se prueba en el unit'), $t.Contains('sin impor
tar el orden de declaración'), $t.Contains('declararse de'), $t.Contains('trae las tareas en orden')
True
True
False
False
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git diff --numstat main -- src/test
39      0      src/test/java/com/taskflow/slice/TaskControllerTest.java
60      0      src/test/java/com/taskflow/unit/TaskServiceTest.java
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> mvn test | Select-String -CaseSensitive 'Tests run:.*Skipped: \d+$/[B
UILD'
Mockito is currently self-attaching to enable the inline-mock-maker. This will no longer work in future releases of the
JDK. Please add Mockito as an agent to your build as described in Mockito's documentation: https://javadoc.io/doc/org.mo
ckito/mockito-core/latest/org.mockito/org.mockito/Mockito.html#0.3
WARNING: A Java agent has been loaded dynamically (C:\Users\User\.m2\repository\net\bytebuddy\byte-buddy-agent\1.17.6\by
te-buddy-agent-1.17.6.jar)
WARNING: If a serviceability tool is in use, please run with -XX:+EnableDynamicAgentLoading to hide this warning
WARNING: If a serviceability tool is not in use, please run with -Djdk.instrument.traceUsage for more information
WARNING: Dynamic loading of agents will be disallowed by default in a future release
Java HotSpot(TM) 64-Bit Server VM warning: Sharing is only supported for boot loader classes because bootstrap classpath
has been appended

[INFO] Tests run: 72, Failures: 0, Errors: 0, Skipped: 0
[INFO] BUILD SUCCESS
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git add src specs
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git commit -m "review: comentarios de Copilot code review atendidos"

[feature/unassigned 7e8d211] review: comentarios de Copilot code review atendidos
 1 file changed, 2 insertions(+), 3 deletions(-)
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git push
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 613 bytes | 613.00 KiB/s, done.
Total 4 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/javiermhdz-cloud/taskflow-copilot-javiermhdz.git
   b598c90..7e8d211  feature/unassigned -> feature/unassigned
```



No conflicts with base branch

Merging can be performed automatically.

Merge pull request

You can also merge this with the command line. [View command line instructions.](#)



Commit message

Merge pull request #2 from javiermhdz-cloud/feature/unassigned

Extended description

GET /tasks/overdue y GET /tasks/unassigned

This commit will be authored by javier.macossay.hdz@gmail.com.

Confirm merge

Cancel



Pull request successfully merged and closed

You're all set — the `feature/unassigned` branch can be safely deleted.

Delete branch

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git switch main
Already on 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git pull
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (1/1), 916 bytes | 305.00 KiB/s, done.
From https://github.com/javiermhdz-cloud/taskflow-copilot-javiermhdz
 974c221..a52d674  main      -> origin/main
Updating 974c221..a52d674
Fast-forward
 specs/overdue.md                  | 41 ++++++++
 specs/unassigned.md              | 50 ++++++++
 .../com/taskflow/controller/TaskController.java | 20 +++++
 .../java/com/taskflow/service/TaskService.java | 22 +++++
 .../com/taskflow/slice/TaskControllerTest.java | 39 ++++++++
 .../java/com/taskflow/unit/TaskServiceTest.java | 60 ++++++++
 6 files changed, 232 insertions(+)
 create mode 100644 specs/overdue.md
 create mode 100644 specs/unassigned.md
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>

```

```

[INFO] Tests run: 72, Failures: 0, Errors: 0, Skipped: 0
[INFO] BUILD SUCCESS

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git log --oneline -1
a52d674 (HEAD -> main, origin/main, origin/HEAD) Merge pull request #2 from javiermhdz-cloud/feature/unassigned

```

```

2026-09-16T16:11:26.339-06:00 INFO 4140 --- [taskflow-api] [ main] com.taskflow.TaskflowApiApplication
Started TaskflowApiApplication in 3.477 seconds (process running for 3.746)

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> $login = Invoke-RestMethod -Method Post http://localhost:8080/auth/login -ContentType 'application/json' -Body '{"username":"ana","password":"ana123"}'
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> $h = @{ Authorization = "Bearer $($login.token)" }
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> "overdue: " + ((Invoke-RestMethod http://localhost:8080/tasks/overdue -Headers $h).id -join ', ') | Tee-Object evidencia\dia2\comprobacion.txt
overdue: 7
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> "unassigned: " + ((Invoke-RestMethod http://localhost:8080/tasks/unassigned -Headers $h).id -join ', ') | Tee-Object -Append evidencia\dia2\comprobacion.txt
unassigned: 4, 6
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> $(try { Invoke-RestMethod http://localhost:8080/tasks/overdue } catch { "sin token: " + $_.Exception.Response.StatusCode.value__ }) | Tee-Object -Append evidencia\dia2\comprobacion.txt
sin token: 401
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>

```

```
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 05:17 min
[INFO] Finished at: 2026-09-16T16:16:38-06:00
[INFO] -----

¿Desea terminar el trabajo por lotes (S/N)? S
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> _
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> "PR: $((git remote get-url origin) -replace '\.git$', '')/pull/$n" |
Tee-Object evidencia\dia2\pr.txt
PR: https://github.com/javiermhdz-cloud/taskflow-copilot-javiermhdz/pull/2
```

```
Changes      +1 -1
AI Credits   2.4 (23m 55s)
Tokens       ↑ 220.8k (165.9k cached) • ↓ 3.1k (1.7k reasoning)
  gpt-5-mini ↑ 220.8k (165.9k cached) • ↓ 3.1k (1.7k reasoning) • 2.4 AIC
Plan         ██████████ 7% used • resets in 14 days
            105 / 1,500 AIC
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Select-String -Path evidencia\dia2\usage.txt -Pattern '\d+ / [\d,]+
AIC'

evidencia\dia2\usage.txt:2:          105 / 1,500 AIC
evidencia\dia2\usage.txt:5:          45 / 1,500 AIC
evidencia\dia2\usage.txt:8:          45 / 1,500 AIC
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git add evidencia
warning: in the working copy of 'evidencia/dia2/usage.txt', LF will be replaced by CRLF the next time Git touches it
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git commit -m "evidencia: dia 2"
[main 8d9d1c7] evidencia: dia 2
5 files changed, 61 insertions(+)
create mode 100644 evidencia/dia2/checklist-overdue.txt
create mode 100644 evidencia/dia2/comprobacion.txt
create mode 100644 evidencia/dia2/pr.txt
create mode 100644 evidencia/dia2/suite-main.txt
create mode 100644 evidencia/dia2/usage.txt
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git push
Enumerating objects: 11, done.
Counting objects: 100% (11/11), done.
Delta compression using up to 8 threads
Compressing objects: 100% (8/8), done.
Writing objects: 100% (9/9), 1.44 KiB | 1.44 MiB/s, done.
Total 9 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/javiermhdz-cloud/taskflow-copilot-javiermhdz.git
 a52d674..8d9d1c7  main -> main
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Invoke-RestMethod http://localhost:8080/info
Invoke-RestMethod: No se puede establecer una conexión ya que el equipo de destino denegó expresamente dicha conexión.
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git branch -d feature/overdue feature/unassigned
Deleted branch feature/overdue (was 448db80).
Deleted branch feature/unassigned (was 7e8d211).
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git branch
* main
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> _
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git push origin --delete feature/unassigned
error: unable to delete 'feature/unassigned': remote ref does not exist
error: failed to push some refs to 'https://github.com/javiermhdz-cloud/taskflow-copilot-javiermhdz.git'
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```