

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> copilot mcp disable taskflow
Disabled MCP server "taskflow".
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> copilot mcp disable playwright
Disabled MCP server "playwright".
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> copilot mcp disable aws-knowledge
Disabled MCP server "aws-knowledge".
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> copilot mcp list
User servers:
  aws-knowledge (http, disabled)
  playwright (local, disabled)
  taskflow (local, disabled)

```

```

PS C:\Users\User\academyMty> cd $HOME\taskflow-copilot-javiermhdz-cloud
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git switch -c dia4-equipo
Switched to a new branch 'dia4-equipo'
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> New-Item -ItemType Directory -Force specs, evidencia\dia4 | Out-Null
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Copy-Item $HOME\academyMty\copilot\dia-3\issues\summary.md specs\summary.md
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git add specs
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git commit -m "specs: GET /projects/{id}/summary, el issue de ayer"
[dia4-equipo 16b2159] specs: GET /projects/{id}/summary, el issue de ayer
1 file changed, 65 insertions(+)
create mode 100644 specs/summary.md
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git log --oneline -1
16b2159 (HEAD -> dia4-equipo) specs: GET /projects/{id}/summary, el issue de ayer
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git branch --show-current
dia4-equipo
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> _

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> New-Item -ItemType Directory -Force .github\skills | Out-Null
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Copy-Item -Recurse -Force $HOME\academyMty\copilot\dia-4\.github\skills\crear-endpoint-taskflow, $HOME\academyMty\copilot\dia-4\.github\skills\verificar-taskflow .github\skills\
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> copilot skill list
Project skills:
  crear-endpoint-taskflow - Crea un endpoint REST Nuevo en TaskFlow API (Spring Boot 3.5, Java 21) con las convenciones del proyecto - DTO record, mapper manual, método en el service que ya inyecta el controller reutilizando las reglas del

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Test-Path .github\skills\crear-endpoint-taskflow\SKILL.md
True
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> _

```

```

✗The following skills failed to load:
  • .github\skills\verificar-taskflow\SKILL.md: missing or malformed YAML frontmatter

```

```
Session exported to: C:\Users\User\taskflow-copilot-javiermhdz-cloud\evidencia\dia4\summary-sesion.md
```

```
Changes      +211 -8
AI Credits 6.2 (5m 44s)
Tokens      ↑ 487.5k (367.2k cached) • ↓ 11.4k (6.4k reasoning)
Resume      copilot --resume=0b988156-ab10-4b73-b967-d4c0bd7aa4c0
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> mvn test | Select-String -CaseSensitive 'Tests run:.*Skipped: \d+%\BUILD'
```

```
[INFO] ←[7mTests run: 76, Failures: 0, Errors: 0, Skipped: 0←[0m
[INFO] ←[7mBUILD←[0m SUCCESS
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git status --porcelain src
M src/main/java/com/taskflow/controller/ProjectController.java
M src/main/java/com/taskflow/mapper/ProjectMapper.java
M src/main/java/com/taskflow/service/ProjectService.java
?? src/main/java/com/taskflow/dto/ProjectSummaryResponse.java
?? src/test/java/com/taskflow/slice/ProjectControllerSummaryTest.java
?? src/test/java/com/taskflow/unit/ProjectServiceTest.java
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git restore src
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git clean -fd src
Removing src/main/java/com/taskflow/dto/ProjectSummaryResponse.java
Removing src/test/java/com/taskflow/slice/ProjectControllerSummaryTest.java
Removing src/test/java/com/taskflow/unit/ProjectServiceTest.java
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> _
```

```
[INFO] Tests run: 76, Failures: 0, Errors: 0, Skipped: 0
[INFO] BUILD SUCCESS
```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git add .github src
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git commit -m "feat: GET /projects/{id}/summary (version de referencia)"
[dia4-equipos d9bf392] feat: GET /projects/{id}/summary (version de referencia)
10 files changed, 742 insertions(+)
create mode 100644 .github/skills/crear-endpoint-taskflow/SKILL.md
create mode 100644 .github/skills/crear-endpoint-taskflow/plantillas.md
create mode 100644 .github/skills/verificar-taskflow/SKILL.md
create mode 100644 .github/skills/verificar-taskflow/verificar.ps1
create mode 100644 src/main/java/com/taskflow/dto/ProjectSummaryResponse.java
create mode 100644 src/test/java/com/taskflow/slice/ProjectSummaryControllerTest.java
create mode 100644 src/test/java/com/taskflow/unit/ProjectSummaryServiceTest.java

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Select-String -Path evidencia\dia4\summary-sesion.md -Pattern 'Skill "crear-endpoint-taskflow" loaded'

evidencia\dia4\summary-sesion.md:45:Skill "crear-endpoint-taskflow" loaded successfully. Follow the instructions in the skill context.

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> (Get-Content evidencia\dia4\summary-sesion.md) | Where-Object { $_ -notmatch 'generated security password' } | Set-Content evidencia\dia4\summary-sesion.md -Encoding utf8
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Select-String -Path evidencia\dia4\* -Pattern 'generated security password'
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git add -A
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git commit -m "feat: GET /projects/{id}/summary con la skill crear-endpoint-taskflow"
[dia4-equipos 79e074f] feat: GET /projects/{id}/summary con la skill crear-endpoint-taskflow
2 files changed, 2288 insertions(+)
create mode 100644 evidencia/dia4/summary-sesion.md
create mode 100644 mvn-output.txt
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> pwsh -NoProfile -File .github\skills\verificar-taskflow\verificar.ps1 | Tee-Object evidencia\dia4\verificar.txt
Repositorio: C:\Users\User\taskflow-copilot-javiermhdz-cloud
URL de la app: http://127.0.0.1:8080
Empaquetando con Maven (mvn -q package -DskipTests), tarda unos segundos...
App arrancando (PID 18824). Esperando a que /info responda...
App lista en 19 s.
[OK] GET /tasks/overdue devuelve solo la tarea 7
[OK] GET /tasks/unassigned devuelve las tareas 4 y 6
[OK] GET /projects/1/summary
[OK] GET /projects/2/summary
[OK] GET /projects/3/summary
[OK] GET /projects/99/summary responde 404
[OK] GET /projects/1/summary sin token responde 401
App detenida (PID 18824).
[OK] App apagada: el puerto 8080 ya no responde
RESULTADO: 8/8 OK

```

```

Salida del script registrada. Copiando las líneas relevantes de verificación y el
resultado exacto. Aquí tienes:[OK] GET /tasks/overdue devuelve solo la tarea
7
[OK] GET /tasks/unassigned devuelve las tareas 4 y 6
[OK] GET /projects/1/summary
[OK] GET /projects/2/summary
[OK] GET /projects/3/summary
[OK] GET /projects/99/summary responde 404
[OK] GET /projects/1/summary sin token responde 401
App detenida (PID 6296).
[OK] App apagada: el puerto 8080 ya no responde
RESULTADO: 8/8 OK

Session exported to: C:\Users\User\taskflow-copilot-javiermhdz-cloud\evidencia\dia4\verificar-sesion.md

Changes      +0 -0
AI Credits   0.64 (56s)
Tokens      ↑ 42.7k (29.1k cached) • ↓ 1.1k (704 reasoning)
Resume      copilot --resume=381dfb35-67f1-4950-a2c9-cea01614a4b7

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Select-String -Path evidencia\dia4\verificar-sesion.md -Pattern '^RESULTADO: 8/8 OK$' -Context 0,1

> evidencia\dia4\verificar-sesion.md:96:RESULTADO: 8/8 OK
evidencia\dia4\verificar-sesion.md:97:<shellId: 0 completed with exit code 0>
> evidencia\dia4\verificar-sesion.md:118:RESULTADO: 8/8 OK
evidencia\dia4\verificar-sesion.md:119:

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> pwsh -NoProfile -File .github
/skills/verificar-taskflow/verificar.ps1
Repositorio: C:\Users\User\taskflow-copilot-javiermhdz-cloud
URL de la app: http://127.0.0.1:8080
Empaquetando con Maven (mvn -q package -DskipTests), tarda unos segundos...
App arrancando (PID 20904). Esperando a que /info responda...
App lista en 17 s.
[OK] GET /tasks/overdue devuelve solo la tarea 7
[OK] GET /tasks/unassigned devuelve las tareas 4 y 6
[OK] GET /projects/1/summary
[OK] GET /projects/2/summary
[OK] GET /projects/3/summary
[OK] GET /projects/99/summary responde 404
[OK] GET /projects/1/summary sin token responde 401
App detenida (PID 20904).
[OK] App apagada: el puerto 8080 ya no responde
RESULTADO: 8/8 OK

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> New-Item -ItemType Directory
-Force .github\agents | Out-Null
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Copy-Item -Force $HOME\academ
yMty\copilot\dia-4\.github\agents\revisor.agent.md, $HOME\academyMty\copilot\dia-
4\.github\agents\tester.agent.md .github\agents\
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git add .github
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git commit -m "equipo: agente
s revisor y tester"
[dia4-equip 61adcf5] equipo: agentes revisor y tester
2 files changed, 99 insertions(+)
create mode 100644 .github/agents/revisor.agent.md
create mode 100644 .github/agents/tester.agent.md
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> _

```

```

[ ] /agent
    /agent revisor
    /agent tester

```

```

[ ] /agent_[name]

```

Custom Agents

- > 1. Default ✓
- 2. revisor · project
- 3. tester · project

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git diff main --output=evidencia\dia4\summary.diff -- src
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> copilot --agent revisor -p "Revisa evidencia/dia4/summary
.diff contra la especificación specs/summary.md." --max-ai-credits 30 --share evidencia\dia4\revision.md
```

Veredicto: APROBADO.

Session exported to: C:\Users\User\taskflow-copilot-javiermhdz-cloud\evidencia\dia4\revision.md

```
Changes      +0 -0
AI Credits 1 (41s)
Tokens      ↑ 27.5k (14.1k cached) • ↓ 3.2k (2.4k reasoning)
Resume      copilot --resume=b930eec7-300d-48a2-b462-02d0da71e5ca
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Select-String -Path evidencia
\dia4\revision.md -Pattern 'Veredicto:|Casos sin test'
```

```
evidencia\dia4\revision.md:786:Casos sin test:
evidencia\dia4\revision.md:789:Veredicto: APROBADO.
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git status --porcelain src
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> _
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> copilot --agent revisor -p "C
orriges tú mismo, editando los archivos, el primer hallazgo de evidencia/dia4/revi
sion.md." --allow-all-tools --max-ai-credits 30 --share evidencia\dia4\revisor-no
-edita.md_
```

Session exported to: C:\Users\User\taskflow-copilot-javiermhdz-cloud\evidencia\di
a4\revisor-no-edita.md

```
Changes      +0 -0
AI Credits 2.11 (1m 22s)
Tokens      ↑ 79.9k (49.0k cached) • ↓ 6.1k (4.9k reasoning)
Resume      copilot --resume=f6d1fbe5-f228-4d26-8a66-699ec9a11bf8
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git status --porcelain -- src
.github
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Test-Path evidencia\dia4\revi
sor-no-edita.md
True
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> copilot --agent tester -p "Le
e specs/summary.md, la sección Casos sin test de evidencia/dia4/revision.md y los
tests de GET /projects/{id}/summary. Escribe los tests que falten y corre mvn -q
test." --allow-tool=write --allow-tool='shell(mvn:*)' --max-ai-credits 30 --shar
e evidencia\dia4\tester-sesion.md
```

```
Session exported to: C:\Users\User\taskflow-copilot-javiermhdz-cloud\evidencia\dia4\tester-sesion.md
```

```
Changes      +17 -0
AI Credits   4.4 (5m 0s)
Tokens       ↑ 384.6k (331.8k cached) • ↓ 11.3k (8.2k reasoning)
Resume       copilot --resume=b06b6b9a-bcbb-4cdd-8dd1-8fc833fda17a
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git status --porcelain
 M src/test/java/com/taskflow/slice/ProjectSummaryControllerTest.java
?? evidencia/dia4/revision.md
?? evidencia/dia4/revisor-no-edita.md
?? evidencia/dia4/summary.diff
?? evidencia/dia4/tester-sesion.md
?? evidencia/dia4/verificar-sesion.md
?? evidencia/dia4/verificar.txt
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git diff --numstat -- src/test
17      0      src/test/java/com/taskflow/slice/ProjectSummaryControllerTest.java
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```
[INFO] Tests run: 77, Failures: 0, Errors: 0, Skipped: 0
[INFO] BUILD SUCCESS
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> foreach ($f in Get-ChildItem evidencia\dia4\*.md) { (Get-Content $f) | Where-Object { $_ -notmatch 'generated security password' } | Set-Content $f -Encoding utf8 }
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Select-String -Path evidencia\dia4\* -Pattern 'generated security password'
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git add -A
warning: in the working copy of 'evidencia/dia4/summary.diff', LF will be replaced by CRLF the next time Git touches it
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git commit -m "test: casos de summary del agente tester + la revision"
[dia4-equipo 53f9b37] test: casos de summary del agente tester + la revision
7 files changed, 3754 insertions(+)
create mode 100644 evidencia/dia4/revision.md
create mode 100644 evidencia/dia4/revisor-no-edita.md
create mode 100644 evidencia/dia4/summary.diff
create mode 100644 evidencia/dia4/tester-sesion.md
create mode 100644 evidencia/dia4/verificar-sesion.md
create mode 100644 evidencia/dia4/verificar.txt
```

```

us-east-1 +
~ $ aws iam create-user --user-name mcp-readonly
{
  "User": {
    "Path": "/",
    "UserName": "mcp-readonly",
    "UserId": "AIDAQ46KCOQBX5NQH67HP",
    "Arn": "arn:aws:iam::062163940355:user/mcp-readonly",
    "CreateDate": "2026-09-17T20:54:31+00:00"
  }
}
~ $ aws iam attach-user-policy --user-name mcp-readonly --policy-arn arn:aws:iam::aws:policy/job-function/ViewOnlyAccess
~ $ aws iam create-access-key --user-name mcp-readonly
{
  "AccessKey": {
    "UserName": "mcp-readonly",
    "AccessKeyId": "AKIAQ46KCOQB4TOYMN0Y",
    "Status": "Active",
    "SecretAccessKey": "ubiELt1YnbxMOV/q9vSS+c2dHbVRSimVwM4Gtm/p",
    "CreateDate": "2026-09-17T20:54:50+00:00"
  }
}
~ $

```

```

PS C:\Windows\System32> aws configure --profile mcp-readonly

Tip: You can deliver temporary credentials to the AWS CLI using your AWS Console session by running the command 'aws login'.

AWS Access Key ID [None]: AKIAQ46KCOQB4TOYMN0Y
AWS Secret Access Key [None]: ubiELt1YnbxMOV/q9vSS+c2dHbVRSimVwM4Gtm/p
Default region name [None]: us-east-1
Default output format [None]: json
PS C:\Windows\System32> aws sts get-caller-identity --profile mcp-readonly
{
  "UserId": "AIDAQ46KCOQBX5NQH67HP",
  "Account": "062163940355",
  "Arn": "arn:aws:iam::062163940355:user/mcp-readonly"
}

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> winget install --id astral-sh.uv -e
Found uv [astral-sh.uv] Version 0.12.15

```

```

Successfully verified installer hash
Extracting archive...
Successfully extracted archive
Starting package install...
Command line alias added: "uvx"
Command line alias added: "uv"
Command line alias added: "uvw"
Path environment variable modified; restart your shell to use the new value.
Successfully installed
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> winget install --id astral-sh.uv -e
Found uv [astral-sh.uv] Version 0.12.15

```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> uvx --from mcp-proxy-for-aws-cli@1.6.6 python -m mcp_proxy_for_aws.server --help
```

MCP Proxy for AWS v1.6.6

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Copy-Item -Force $HOME\academyMty\copilot\dia-4\.github\agents\auditor-aws.agent.md .github\agents\
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Copy-Item -Recurse -Force $HOME\academyMty\copilot\dia-4\.github\skills\limpieza-aws .github\skills\
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> copilot skill list
Project skills:
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> copilot skill list
Project skills:
```

crear-endpoint-taskflow - Crea un endpoint REST nuevo en TaskFlow API
yecto - DTO record, mapper manual, método en el service que ya inyecta
oller sin prefijo /api, test unitario con Mockito y test slice con @Web
siempre que pidan agregar, implementar o exponer un endpoint o una ruta
a especificación o un issue de la API.

limpieza-aws - Checklist de limpieza de AWS de la Semana 5 (EC2, Elasti
DB, CodePipeline, CodeBuild, CodeDeploy, CloudFront, roles de IAM y acc
de solo lectura con el servidor MCP de AWS. Úsala cuando pidan revisar
itar la limpieza o comprobar que la cuenta está limpia.

verificar-taskflow - Verifica TaskFlow API de punta a punta con la ap
h2 en segundo plano, hace login y comprueba GET /tasks/overdue, GET /t
datos de la semilla, y apaga la app al final. Úsala cuando pidan verifi
o comprobar que los endpoints responden lo esperado antes de un PR.

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> copilot --agent auditor-aws -p "/limp  
ieza-aws Audita mi cuenta de AWS: lista mis instancias EC2, buckets S3 y tablas DynamoDB  
y todo lo del checklist." --allow-all-tools --max-ai-credits 30 --share evidencia\dia4\au  
ditoria-aws.md
```

Session exported to: C:\Users\User\taskflow-copilot-javiermhdz-cloud\evidencia\dia4\audit
oria-aws.md

```
Changes      +0 -0
AI Credits    2.3 (1m 51s)
Tokens       ↑ 102.8k (74.4k cached) • ↓ 7.0k (5.7k reasoning)
Resume       copilot --resume=7480f41b-78d8-409e-acff-5cb4319cfd4f
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Select-String -Path evidencia\dia4\auditoria-aws.md -SimpleMatch '##
# `aws-ro-aws__run_script`'

evidencia\dia4\auditoria-aws.md:171:### `aws-ro-aws run script`

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Select-String -Path evidencia\dia4\auditoria-aws.md -Pattern '^Vered
icto: (CUENTA LIMPIA|QUEDAN \d+ RECURSOS)'
```

evidencia\dia4\auditoria-aws.md:216:Veredicto: CUENTA LIMPIA

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> copilot --agent auditor-aws -p "Comprueba que no puedes escribir en
mi cuenta: intenta una sola vez crear en us-east-1 el bucket de S3 prueba-escritura-javiermhdz-cloud-mcp y muéstrame el
error tal cual." --allow-all-tools --max-ai-credits 30 --share evidencia\dia4\escritura-aws.md
```

An error occurred (AccessDenied) when calling the CreateBucket operation: User: arn:aws:iam::062163940355:user/mcp-readonly is not authorized to perform: s3:CreateBucket on resource: "arn:aws:s3:::prueba-escritura-javiermhdz-cloud-mcp" because no identity-based policy allows the s3:CreateBucket action

```
Session exported to: C:\Users\User\taskflow-copilot-javiermhdz-cloud\evidencia\dia4\escritura-aws.md

Changes      +0 -0
AI Credits   0.63 (44s)
Tokens       ↑ 23.1k (20.6k cached) • ↓ 2.6k (1.9k reasoning)
Resume       copilot --resume=68e3fd11-3663-4f78-b19b-3cd8a906e509
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> █
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Select-String -Path evidencia\dia4\escritura-aws.md -SimpleMatch 'is
not authorized to perform: s3:CreateBucket' | Select-Object -First 1

evidencia\dia4\escritura-aws.md:73:{"status": "success", "stdout": "[no output - script produced no stdout and no
return value]", "stderr": "Error calling function call boto3 with arguments {'service_name': 's3', 'operation_name':
'CreateBucket', 'region_name': 'us-east-1', 'params': {'Bucket': 'prueba-escritura-javiermhdz-cloud-mcp'}}: An error
occurred (AccessDenied) when calling the CreateBucket operation: User: arn:aws:iam::062163940355:user/mcp-readonly is
not authorized to perform: s3:CreateBucket on resource: \"arn:aws:s3:::prueba-escritura-javiermhdz-cloud-mcp\" because
no identity-based policy allows the s3:CreateBucket action\n", "return_value": null, "warning": null, "api_calls":
[{"service": "s3", "operation": "CreateBucket", "status": "error", "error": "AccessDenied: An error occurred
(AccessDenied) when calling the CreateBucket operation: User: arn:aws:iam::062163940355:user/mcp-readonly is not
authorized to perform: s3:CreateBucket on resource: \"arn:aws:s3:::prueba-escritura-javiermhdz-cloud-mcp\" because no
identity-based policy allows the s3:CreateBucket action"}]}
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> (Select-String -Path evidencia\dia4\auditoria-aws.md -Pattern '^Vere
dicto: ' | Select-Object -First 1).Line | Set-Content evidencia\dia4\aws-resultado.txt
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> ((Select-String -Path evidencia\dia4\escritura-aws.md -SimpleMatch '
is not authorized to perform: s3:CreateBucket' | Select-Object -First 1).Line -replace '\d{12}', '<cuenta>') | Add-Conte
nt evidencia\dia4\aws-resultado.txt
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Get-Content evidencia\dia4\aws-resultado.txt
Veredicto: CUENTA LIMPIA
{"status": "success", "stdout": "[no output - script produced no stdout and no return value]", "stderr": "Error calling
function call boto3 with arguments {'service_name': 's3', 'operation_name': 'CreateBucket', 'region_name': 'us-east-1',
'params': {'Bucket': 'prueba-escritura-javiermhdz-cloud-mcp'}}: An error occurred (AccessDenied) when calling the Create
Bucket operation: User: arn:aws:iam::<cuenta>:user/mcp-readonly is not authorized to perform: s3:CreateBucket on resourc
e: \"arn:aws:s3:::prueba-escritura-javiermhdz-cloud-mcp\" because no identity-based policy allows the s3:CreateBucket ac
tion\n", "return_value": null, "warning": null, "api_calls": [{"service": "s3", "operation": "CreateBucket", "status": "
error", "error": "AccessDenied: An error occurred (AccessDenied) when calling the CreateBucket operation: User: arn:aws:
iam::<cuenta>:user/mcp-readonly is not authorized to perform: s3:CreateBucket on resource: \"arn:aws:s3:::prueba-escritu
ra-javiermhdz-cloud-mcp\" because no identity-based policy allows the s3:CreateBucket action"}]}
```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> $aws = "$HOME\evidencia-aws-dia4"
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> New-Item -ItemType Directory -Force $aws | Out-Null
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Move-Item -Force evidencia\dia4\auditoria-aws.md, ev
idencia\dia4\escritura-aws.md $aws -ErrorAction SilentlyContinue
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Test-Path evidencia\dia4\auditoria-aws.md, evidencia
\dia4\escritura-aws.md
False
False

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Get-ChildItem -Recurse src\main -Filter *.java | Whe
re-Object Name -notin 'TaskOrders.java', 'TaskService.java' | Select-String -Pattern 'Task::estaVencida'

src\main\java\com\taskflow\service\ProjectService.java:121:      long vencidas =
tareas.stream().filter(Task::estaVencida).count();

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> $f = (Get-ChildItem -Recurse src\main -Filter *.java
| Where-Object Name -notin 'TaskOrders.java', 'TaskService.java' | Select-String -Pattern 'Task::estaVe
ncida' | Select-Object -First 1).Path
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> $t = Get-Content $f -Raw
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> ($t -replace '(:[\w.]+\.)?Task::estaVencida', 't ->
t.getDueDate() != null && t.getDueDate().isBefore(java.time.LocalDate.now())') | Set-Content $f -NoNewl
ine
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git diff --stat
src/main/java/com/taskflow/service/ProjectService.java | 2 +-
1 file changed, 1 insertion(+), 1 deletion(-)

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> mvn test | Select-String -CaseSensitive 'Tests run:..
*Skipped: \d+${BUILD}'
Mockito is currently self-attaching to enable the inline-mock-maker. This will no longer work in future
releases of the JDK. Please add Mockito as an agent to your build as described in Mockito's documentatio
n: https://javadoc.io/doc/org.mockito/mockito-core/latest/org.mockito/org/mockito/Mockito.html#0.3
WARNING: A Java agent has been loaded dynamically (C:\Users\User\.m2\repository\net\bytebuddy\byte-buddy
-agent\1.17.6\byte-buddy-agent-1.17.6.jar)
WARNING: If a serviceability tool is in use, please run with -XX:+EnableDynamicAgentLoading to hide this
warning
WARNING: If a serviceability tool is not in use, please run with -Djdk.instrument.traceUsage for more in
formation
WARNING: Dynamic loading of agents will be disallowed by default in a future release
Java HotSpot(TM) 64-Bit Server VM warning: Sharing is only supported for boot loader classes because boo
tstrap classpath has been appended

[ERROR] Tests run: 77, Failures: 1, Errors: 0, Skipped: 0
[INFO] BUILD FAILURE

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> # 3. Ejecuta el script de verificación del curso
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> pwsh -NoProfile -File .github\skills\verificar-taskf
low\verificar.ps1
Repositorio: C:\Users\User\taskflow-copilot-javiermhdz-cloud
URL de la app: http://127.0.0.1:8080
Empaquetando con Maven (mvn -q package -DskipTests), tarda unos segundos...
App arrancando (PID 21200). Esperando a que /info responda...
App lista en 21 s.
[OK] GET /tasks/overdue devuelve solo la tarea 7
[OK] GET /tasks/unassigned devuelve las tareas 4 y 6
[FALLA] GET /projects/1/summary
esperaba: HTTP 200 projectId=1 totalTasks=5 TODO=3 IN_PROGRESS=1 DONE=1 overdue=0 projectNameOk=
True
obtuve: HTTP 200 projectId=1 totalTasks=5 TODO=3 IN_PROGRESS=1 DONE=1 overdue=1 projectNameOk=
True
[FALLA] GET /projects/2/summary
esperaba: HTTP 200 projectId=2 totalTasks=4 TODO=1 IN_PROGRESS=2 DONE=1 overdue=1 projectNameOk=
True
obtuve: HTTP 200 projectId=2 totalTasks=4 TODO=1 IN_PROGRESS=2 DONE=1 overdue=2 projectNameOk=
True
[OK] GET /projects/3/summary
[OK] GET /projects/99/summary responde 404
[OK] GET /projects/1/summary sin token responde 401
App detenida (PID 21200).
[OK] App apagada: el puerto 8080 ya no responde
RESULTADO: 2 de 8 con FALLA. Logs de la app: C:\Users\User\taskflow-copilot-javiermhdz-cloud\target\veri
ficar-8080-app.log

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> # 1. Restaura el archivo modificado en src a su esta
do original del commit
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git restore src/main/java/com/taskflow/service/Proje
ctService.java
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> # 2. Comprueba que git status -s src ya no imprima n
ada (cero modificaciones pendientes)
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git status -s src
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> # 3. Vuelve a correr el script de verificación y gua
rda el resultado
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> pwsh -NoProfile -File .github\skills\verificar-taskf
low\verificar.ps1 | Tee-Object evidencia\dia4\verificar.txt
Repositorio: C:\Users\User\taskflow-copilot-javiermhdz-cloud
URL de la app: http://127.0.0.1:8080
Empaquetando con Maven (mvn -q package -DskipTests), tarda unos segundos...
App arrancando (PID 10348). Esperando a que /info responda...
App lista en 6 s.
[OK] GET /tasks/overdue devuelve solo la tarea 7
[OK] GET /tasks/unassigned devuelve las tareas 4 y 6
[OK] GET /projects/1/summary
[OK] GET /projects/2/summary
[OK] GET /projects/3/summary
[OK] GET /projects/99/summary responde 404
[OK] GET /projects/1/summary sin token responde 401
App detenida (PID 10348).
[OK] App apagada: el puerto 8080 ya no responde
RESULTADO: 8/8 OK
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git status --porcelain src
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Select-String -Path evidencia\dia4\* -CaseSensitive
-Pattern 'AKIA[0-9A-Z]{16}|aws_secret_access_key|SecretAccessKey|generated security password|arn:aws:[a-
z0-9-]*:[a-z0-9-]*:\d{12}'
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>

```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git add -A
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git commit -m "equipo: verificar final y, si hiciste el 5, auditor-aws y limpieza-aws"
[dia4-equipo b24e5ea] equipo: verificar final y, si hiciste el 5, auditor-aws y limpieza-aws
5 files changed, 199 insertions(+), 3 deletions(-)
create mode 100644 .github/agents/auditor-aws.agent.md
create mode 100644 .github/skills/limpieza-aws/SKILL.md
create mode 100644 .github/skills/limpieza-aws/auditoria.py
create mode 100644 evidencia/dia4/aws-resultado.txt
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git push -u origin dia4-equipo
Enumerating objects: 98, done.
Counting objects: 100% (98/98), done.
Delta compression using up to 8 threads
Compressing objects: 100% (70/70), done.
Writing objects: 100% (77/77), 70.53 KiB | 4.41 MiB/s, done.
Total 77 (delta 29), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (29/29), completed with 11 local objects.
remote:
remote: Create a pull request for 'dia4-equipo' on GitHub by visiting:
remote:   https://github.com/javiermhdz-cloud/taskflow-copilot-javiermhdz/pull/new/dia4-equipo
remote:
To https://github.com/javiermhdz-cloud/taskflow-copilot-javiermhdz.git
 * [new branch]      dia4-equipo -> dia4-equipo
branch 'dia4-equipo' set up to track 'origin/dia4-equipo'.
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```



Add a title *

GET /projects/{id}/summary con el equipo de .github



Add a description

Write

Preview

Closes #N

RESULTADO: 8/8 OK copiada de evidencia/dia4/verificar.txt

Markdown is supported
 Paste, drop, or click to add files

Create pull request



No conflicts with base branch

Merging can be performed automatically.

Merge pull request

You can also merge this



Commit message

Merge pull request #5 from javiermhdz-cloud/dia4-equipos

Extended description

GET /projects/{id}/summary con el equipo de .github

This commit will be authored by javier.macossay.hdz@gmail.com.

Confirm merge

Cancel

Merged

GET /projects/{id}/summary con el equipo de .github #5

javiermhdz-cloud merged 6 commits into `main` from `dia4-equipos`



Pull request successfully merged and closed

You're all set — the `dia4-equipos` branch can be safely deleted.

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> copilot skill list
Project skills:
  crear-endpoint-taskflow - Crea un endpoint REST nuevo en TaskFlow API (Spring Boot 3.5, Java 21) con las convenciones del proyecto - DTO record, mapper manual, método en el service que ya inyecta el controller reutilizando las reglas del dominio, controller sin prefijo /api, test unitario con Mockito y test signed y GET /projects/{id}/summary contra los datos de la semilla, y mvn -q test al final. Úsala siempre que pidan agregar, implementar o exponer un endpoint o una ruta GET/POST/PUT/PATCH/DELETE de TaskFlow, o implementar una especificación o un issue de la API.
  limpieza-aws - Checklist de limpieza de AWS de la Semana 5 (EC2, Elastic IP, EBS, key pairs, security groups, RDS, S3, DynamoDB, CodePipeline, CodeBuild, CodeDeploy, CloudFront, roles de IAM y access keys de taskflow-admin) convertido en una auditoría de solo lectura con el servidor MCP de AWS. Úsala cuando pidan revisar si quedó algo vivo o que cueste en la cuenta de AWS, auditar la limpieza o comprobar que la cuenta está limpia.
  verificar-taskflow - Verifica TaskFlow API de punta a punta con la app arrancada de verdad - empaqueta, arranca con el perfil h2 en segundo plano, hace login y comprueba GET /tasks/overdue, GET /tasks/unassigned y GET /projects/{id}/summary contra los datos de la semilla, y apaga la app al final. Úsala cuando pidan verificar, probar contra la app corriendo, hacer un smoke test o comprobar que los endpoints respondan lo esperado antes de un PR.
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
Get-ChildItem evidencia\dia4 | Select-Object Name

Name
----
aws-resultado.txt
revision.md
revisor-no-edita.md
summary-sesion.md
summary.diff
tester-sesion.md
verificar-sesion.md
verificar.txt
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> copilot mcp enable taskflow
>> copilot mcp enable playwright
>> copilot mcp enable aws-knowledge
>> copilot mcp list
Enabled MCP server "taskflow".
Enabled MCP server "playwright".
Enabled MCP server "aws-knowledge".
User servers:
  aws-knowledge (http)
  playwright (local)
  taskflow (local)
```

CloudShell

Actions ▼



us-east-1



```
~ $ for k in $(aws iam list-access-keys --user-name mcp-readonly --query 'AccessKeyMetadata[].AccessKeyId' --output text)
; do aws iam delete-access-key --user-name mcp-readonly --access-key-id "$k"; done
~ $ aws iam detach-user-policy --user-name mcp-readonly --policy-arn arn:aws:iam::aws:policy/job-function/ViewOnlyAccess
~ $ aws iam delete-user --user-name mcp-readonly
~ $ aws iam get-user --user-name mcp-readonly
```

```
aws: [ERROR]: An error occurred (NoSuchEntity) when calling the GetUser operation: The user with name mcp-readonly cannot
be found.
```

```
~ $ █
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> aws sts get-caller-identity --profile mcp-readonly
aws: [ERROR]: The config profile (mcp-readonly) could not be found
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> aws configure list-profiles | Select-String -Simple
Match mcp-readonly
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```