

```

PS C:\Users\User\academyMty> cd $HOME\taskflow-copilot-javiermhdz-cloud
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git switch main
Already on 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git pull
Already up to date.
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Test-Path .github\copilot-instructions.md
ue (Día 1)
>> Test-Path taskflow-mcp\target\taskflow-mcp.jar # True (Día 3)
>> Test-Path .github\skills\crear-endpoint-taskflow\SKILL.md # True (Día 4)
>> Test-Path .github\skills\verificar-taskflow\verificar.ps1 # True (Día 4)
>> Test-Path .github\agents\revisor.agent.md # True (Día 4)
>> Test-Path .github\agents\tester.agent.md # True (Día 4)
>> copilot --version # 1.0.83 o mayor
>> $env:COPILOT_MODEL # gpt-5-mini
True
True
True
True
True
True
GitHub Copilot CLI 1.0.85.
Run 'copilot update' to check for updates.
gpt-5-mini
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Select-String -Path $HOME\.copilot\settings.json -Pattern inherit
# una línea con tres "inherit" (Día 2)

C:\Users\User\.copilot\settings.json:5:      "model": "inherit"
C:\Users\User\.copilot\settings.json:8:      "model": "inherit"
C:\Users\User\.copilot\settings.json:11:     "model": "inherit"

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>


```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> mvn test | Select-String -CaseSensitive 'Tests run:.*Skipped: \d+$|BUILD'
Mockito is currently self-attaching to enable the inline-mock-maker. This will no longer work in future releases of the
JDK. Please add Mockito as an agent to your build as described in Mockito's documentation: https://javadoc.io/doc/org.mo
ckito/mockito-core/latest/org.mockito/org/mockito/Mockito.html#0.3
Java HotSpot(TM) 64-Bit Server VM warning: Sharing is only supported for boot loader classes because bootstrap classpath
has been appended
WARNING: A Java agent has been loaded dynamically (C:\Users\User\.m2\repository\net\bytebuddy\byte-buddy-agent\1.17.6\by
te-buddy-agent-1.17.6.jar)
WARNING: If a serviceability tool is in use, please run with -XX:+EnableDynamicAgentLoading to hide this warning
WARNING: If a serviceability tool is not in use, please run with -Djdk.instrument.traceUsage for more information
WARNING: Dynamic loading of agents will be disallowed by default in a future release

[INFO] Tests run: 77, Failures: 0, Errors: 0, Skipped: 0
[INFO] BUILD SUCCESS



```





```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> winget install --id Microsoft.VisualStudioCode -e
Found an existing package already installed. Trying to upgrade the installed package...
Found Microsoft Visual Studio Code [Microsoft.VisualStudioCode] Version 1.138.0
This application is licensed to you by its owner.
Microsoft is not responsible for, nor does it grant any licenses to, third-party packages.
Downloading https://vscode.download.prss.microsoft.com/dbazure/download/stable/7debc0e2acdea1c52de81bf9ee162044407dda/VSCodeUserSetup-x64-1.138.0.exe
225 MB / 225 MB
Successfully verified installer hash
Starting package install...
Successfully installed
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> code --version
1.138.0
7debc0e2acdea1c52de81bf9ee162044407dda
x64
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> code --install-extension GitHub.copilot-chat
Installing extensions...
Extension 'github.copilot-chat' v0.66.0 is already installed. Use '--force' option to update to latest version or provide '@<version>' to install a specific version, for example: 'github.copilot-chat@1.2.3'.
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> code .
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```





```

public class TaskService {
    > porPrioridad Aa ab .* 1 of 1
    /** STRETCH – filtro por prioridad (?priority=): MISMO patrón
    public List<Task> porPrioridad(Priority priority) {
        return repository.findAll().stream()
            .filter(t -> t.getPriority() == priority)
            .toList();
    }
}

```

```



/** Tareas de una prioridad, la de fecha más próxima primero (
public List<Task> porPrioridadPorFecha(Priority priority) {
    return repository.findAll().stream()
        .filter(t -> t.getPriority() == priority)
        .sorted(TaskOrders.POR_FECHA)
        .toList();
}

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git restore src/main/java/com/taskflow/service/TaskService.java
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git status --porcelain

```



Chat

Task.estaVencida() métodos y ubicación

Start Over

¿Qué hace Task.estaVencida() y qué métodos

11:28 AM

Completed 8 steps in 35s

`Task.estaVencida()` devuelve `true` cuando:

- tiene fecha límite (`dueDate != null`);
- la fecha ya pasó (`dueDate.isBefore(LocalDate.now())`);
- la tarea no está en estado `DONE` .

Está definido en `Task.java:152-153` .

Usos directos en la API:

- `Task.toString()` añade `*VENCIDA*` al texto cuando corresponde: `Task.java:261` .
- `TaskService.vencidas()` filtra las tareas vencidas para el endpoint de tareas overdue: `TaskService.java:122` .

+ `TaskService.java`

Describe what to build

+ Agent Auto Balance




Local Default permissions

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Get-ChildItem src, taskflow-mcp\src -Recurse -Filter *.java | Select
-String -Pattern 'estaVencida'

src\main\java\com\taskflow\controller\TaskController.java:143:      description = "Lista de tareas cuya
Task.estaVencida() es true. Orden por dueDate asc.")
src\main\java\com\taskflow\model\Task.java:152:      public boolean estaVencida() {
src\main\java\com\taskflow\model\Task.java:261:          + (estaVencida() ? " *VENCIDA*" : "")
src\main\java\com\taskflow\service\ProjectService.java:112:      * estado y cuántas están vencidas. Vencida =
Task.estaVencida(); la regla no se reescribe aquí.
src\main\java\com\taskflow\service\ProjectService.java:121:      long vencidas =
tareas.stream().filter(Task::estaVencida).count();
src\main\java\com\taskflow\service\TaskOrders.java:39:      * 1) las VENCIDAS primero (estaVencida() == true antes
que false),
src\main\java\com\taskflow\service\TaskOrders.java:44:      * reverseOrder() deja HIGH primero. Y reverseOrder() sobre
el boolean de estaVencida() deja
src\main\java\com\taskflow\service\TaskOrders.java:48:      Comparator.comparing(Task::estaVencida,
Comparator.reverseOrder())
src\main\java\com\taskflow\service\TaskService.java:127:      * Devuelve las tareas vencidas según la regla del dominio
(Task.estaVencida()).
src\main\java\com\taskflow\service\TaskService.java:132:      .filter(Task::estaVencida)
taskflow-mcp\src\main\java\com\taskflow\mcp\Vencidas.java:9: * Es la MISMA regla que Task.estaVencida() de
taskflow-api: tiene fecha límite, la fecha es anterior
taskflow-mcp\src\main\java\com\taskflow\mcp\Vencidas.java:23:      public static boolean estaVencida(Tarea tarea,
LocalDate hoy) {
taskflow-mcp\src\main\java\com\taskflow\mcp\Vencidas.java:32:      .filter(t -> estaVencida(t, hoy))
taskflow-mcp\src\test\java\com\taskflow\mcp\VencidasTest.java:12: * Cada test es un caso de la regla de

```



Corre `mvn -q test` en la terminal y dime si

11:44 AM

Voy a ejecutar `mvn -q test` desde la raíz del proyecto y revisaré el código de salida y el resumen de Maven. No haré cambios en

Model: GPT-5.6 Luna

Execution: Ejecutar suite Maven — Running `mvn -q test` ▾

En la raíz del workspace ejecuta exactamente ``mvn -q test``. No modifiques ningún archivo. Devuelve...

- 1 pending confirmation

Run pwsh command? — Ejecutar suite Maven



`mvn -q test`



Runs Maven tests — verifies test results without modifying files.



Allow



Skip

Execution: Ejecutar suite Maven — Running `mvn -q test`

En la raíz del workspace ejecuta exactamente ``mvn -q test``. No modifiques ningún archivo. Devuelve...






Running `mvn -q test` ▾





`mvn -q test`






Analyzing




```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git status --porcelain
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> _
```





Agrega un comentario de una línea al inici

Estoy en modo revisor, así que no puedo editar archivos. El comentario debe agregarlo otra persona o cambiarse a un agente con permisos de edición.



```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git status --porcelain
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> _
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> New-Item -ItemType Directory -Force .vscode | Out-Null
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Copy-Item $HOME\academyMty\copilot\dia-5\.vscode\mcp.json .vscode\
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> code .vscode\mcp.json
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> pwsh -NoProfile -File $HOME\academyMty\copilot\dia-5\comprobar-mcp.ps1

[OK] .vscode/mcp.json es JSON válido y define 3 servidores: taskflow, playwright, aws-knowledge
[OK] taskflow (stdio): java → taskflow-mcp 1.0.0, 3 herramientas: crear_tarea, listar_proyectos, listar_tareas_vencidas
[OK] playwright (stdio): npx → Playwright 1.64.0-alpha-2026-09-14, 26 herramientas: browser_close, browser_resize, brow
ser_console_messages, browser_handle_dialog, browser_evaluate, browser_file_upload, browser_drop, browser_find, browser_fi
ll_form, browser_press_key, browser_type, browser_navigate, browser_navigate_back, browser_network_requests, browser_netwo
rk_request, browser_run_code_unsafe, browser_take_screenshot, browser_snapshot, browser_click, browser_drag, browser_hover
, browser_select_option, browser_tabs, browser_wait_for, browser_webmcp_list, browser_webmcp_call
[OK] aws-knowledge (http): https://knowledge-mcp.global.api.aws → AWSKnowledgeMCP, 5 herramientas: aws__read_documenta
tion, aws__search_documentation, aws__list_regions, aws__get_regional_availability, aws__retrieve_skill
RESULTADO: todos los servidores respondieron
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

Problems Output Debug Console **Terminal** Ports

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

Problems Output Debug Console **Terminal** Ports

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> mvn spring-boot:run "-Dspring-boot.run.
profiles=h2"
```

```
TaskflowApiApplication : Started TaskflowApiApplication in 10.091 seconds (process run
ning for 11.554)
```

```
1 {
2   "servers": {
3     "taskflow": {
4       "type": "stdio",
5       "command": "java",
```

```
1 {
2   "servers": {
3     "taskflow": {
4       "type": "stdio",
```

Tip: Try the [Plan agent](#) to research and plan before implementing changes.

+ {} mcp.json

Describe what to build

+ Agent GPT-5 mini Medium ↕ 🔊 ↑

+ {} mcp.json

...

Usa la herramienta listar_tareas_vencidas del servidor MCP taskflow y dime el id y el título de cada tarea vencida.


...

+ Agent GPT-5 mini Medium ↕ 🔊 ↑

Usa la herramienta listar_tareas_venc

Completed 8 steps in 1m 20s

- id: 7 — título: Corregir bug de fechas




Usa la herramienta listar_tareas_venc

Completed 3 steps in 16s

Voy a llamar a la API de TaskFlow para listar las tareas vencidas y extraer sus id y título.

Ran listar_tareas_vencidas – taskflow (MCP Server)

- Id: 7 — Título: Corregir bug de fechas



```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> $t = (Invoke-RestMethod -Method Post http://localhost:8080/auth/login -ContentType 'application/json' -Body '{"username": "ana", "password": "ana123"}').token
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> (Invoke-RestMethod http://localhost:8080/tasks/overdue -Headers @{ Authorization = "Bearer $t" }).id
7
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> _
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git switch main
Already on 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git pull
Already up to date.
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git switch -c feature/assignee
Switched to a new branch 'feature/assignee'
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> New-Item -ItemType Directory -Force specs, semana6 | Out-Null
```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git add .vscode/mcp.json
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git commit -m "chore: servidores MCP para VS Code"
[main 56d634a] chore: servidores MCP para VS Code
 1 file changed, 21 insertions(+)
 create mode 100644 .vscode/mcp.json
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 598 bytes | 598.00 KiB/s, done.
Total 4 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/javiermhdz-cloud/taskflow-copilot-javiermhdz.git
 bf56bdd..56d634a  main -> main
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Copy-Item $HOME\academyMty\copilot\dia-5\proyecto-final\specs\assignee.md specs\
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git add specs
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git commit -m "spec: <feature> (proyecto final)"
[feature/assignee a571d30] spec: <feature> (proyecto final)
 1 file changed, 92 insertions(+)
 create mode 100644 specs/assignee.md
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git branch --show-current
feature/assignee
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git log --oneline -1
a571d30 (HEAD -> feature/assignee) spec: <feature> (proyecto final)
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> copilot -p "Los tests ReasignarTareaControllerTest y ReasignarTareaServiceTest fallan con UnfinishedStubbingException. Corre mvn -q test -Dtest='Reasignar*', lee el stack y arréglos usando doReturn(...).when(...) y doThrow(...).when(...) en vez de when(...).thenReturn(...). Solo puedes cambiar esas dos clases de test. Al terminar corre mvn -q test." --allow-tool=write --allow-tool='shell(mvn:*)' --max-ai-credits 30 --share semana6\sesion-correccion-tests.md --disable-mcp-server taskflow --disable-mcp-server playwright --disable-mcp-server aws-knowledge

```

```

Session exported to: C:\Users\User\taskflow-copilot-javiermhdz-cloud\semana6\sesion-correccion-tests.md

Changes      +15 -14
AI Credits   6.44 (6m 40s)
Tokens       ↑ 803.4k (695.8k cached) • ↓ 10.0k (5.8k reasoning)
Resume       copilot --resume=b97c1b02-ca8d-4fac-97a4-265732054c2b
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>

```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> mvn test | Select-String -CaseSensitive 'Tests run:.*Skipped: \d+$/BUILD'
Mockito is currently self-attaching to enable the inline-mock-maker. This will no longer work in future releases of the JDK. Please add Mockito as an agent to your build as described in Mockito's documentation: https://javadoc.io/doc/org.mockito/mockito-core/latest/org.mockito/org/mockito/Mockito.html#0.3
Java HotSpot(TM) 64-Bit Server VM warning: Sharing is only supported for boot loader classes because bootstrap classpath has been appended
WARNING: A Java agent has been loaded dynamically (C:\Users\User\.m2\repository\net\bytebuddy\byte-buddy-agent\1.17.6\byte-buddy-agent-1.17.6.jar)
WARNING: If a serviceability tool is in use, please run with -XX:+EnableDynamicAgentLoading to hide this warning
WARNING: If a serviceability tool is not in use, please run with -Djdk.instrument.traceUsage for more information
WARNING: Dynamic loading of agents will be disallowed by default in a future release

[INFO] Tests run: 83, Failures: 0, Errors: 0, Skipped: 0
[INFO] BUILD SUCCESS
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git add src
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git diff --cached --name-status main -- src/test
A      src/test/java/com/taskflow/slice/ReassignarTareaControllerTest.java
A      src/test/java/com/taskflow/unit/ReassignarTareaServiceTest.java
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git diff --cached --stat main
specs/assignee.md | 92 ++++++
.../com/taskflow/controller/TaskController.java | 15 ++++
.../taskflow/dto/TaskAssigneeUpdateRequest.java | 15 ++++
.../java/com/taskflow/service/TaskService.java | 12 +++
.../slice/ReassignarTareaControllerTest.java | 93 ++++++
.../taskflow/unit/ReassignarTareaServiceTest.java | 58 ++++++
6 files changed, 285 insertions(+)
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Select-String -Path semana6\sesion-implementacion.md -Pattern 'Skill "crear-endpoint-taskflow" loaded'
semana6\sesion-implementacion.md:45:Skill "crear-endpoint-taskflow" loaded
successfully. Follow the instructions in the skill context.
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> foreach ($f in Get-ChildItem semana6\*.md) { (Get-Content $f.FullName) | Where-Object { $_ -notmatch 'generated security password' } | Set-Content $f.FullName -Encoding utf8 }
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Select-String -Path semana6\*.md -Pattern 'security password','Bearer ey','ghp_','gho_','github_pat_','AKIA'
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git add src semana6
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git commit -m "feat: assignee con la skill crear-endpoint-taskflow"
[feature/assignee 2dd67e2] feat: assignee con la skill crear-endpoint-taskflow
8 files changed, 6241 insertions(+)
create mode 100644 semana6/sesion-correccion-tests.md
create mode 100644 semana6/sesion-implementacion-intento1.md
create mode 100644 semana6/sesion-implementacion.md
create mode 100644 src/main/java/com/taskflow/dto/TaskAssigneeUpdateRequest.java
create mode 100644 src/test/java/com/taskflow/slice/ReasignarTareaControllerTest.java
create mode 100644 src/test/java/com/taskflow/unit/ReasignarTareaServiceTest.java
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> copilot --agent revisor -p "Revisa semana6/proyecto-final.diff contra la especificación specs/assignee.md." --max-ai-credits 30 --share semana6\revision.md
Leeré el diff y la especificación para identificar los archivos implicados. Ejecutando la lectura de semana6/proyecto-final.diff y specs/assignee.md en paralelo.

```

```

Veredicto: APROBADO.

Session exported to: C:\Users\User\taskflow-copilot-javiermhdz-cloud\semana6\revision.md

Changes      +0 -0
AI Credits 1.58 (54s)
Tokens      ↑ 32.5k (15.5k cached) • ↓ 5.6k (4.8k reasoning)
Resume      copilot --resume=b697bc59-b631-4fcf-a1a3-a7c935654cc0
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Select-String -Path semana6\revision.md -Pattern 'Veredicto:|Casos sin test'

semana6\revision.md:1135:Casos sin test: ninguno (todos los escenarios del spec están cubiertos: 200 con assignee, 422 para DONE, 404 tarea inexistente, 400 cuerpo inválido; unit tests para TODO y DONE).
semana6\revision.md:1137:Veredicto: APROBADO.

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git status --porcelain src
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>

```

```

PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Copy-Item $HOME\academyMty\copilot\dia-5\proyecto-final\verificar\casos-assignee.ps1 .github\skills\verificar-taskflow\verificar.ps1
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>

```

```
try {
} else {
    foreach ($id in 1, 2, 3) {
        $texto = if ($r.Codigo -eq 200) { (TextoResumen $r.Cuerpo) + " projectNameOk=$( $r.Cuerpo.pr
        Informar "GET /projects/$id/summary" "HTTP $($r.Codigo) $texto" "HTTP 200 $($esperado["summ
    }

    $r = Pedir '/projects/99/summary' $auth
    Informar 'GET /projects/99/summary responde 404' "HTTP $($r.Codigo)" 'HTTP 404'

    $r = Pedir '/projects/1/summary'
    Informar 'GET /projects/1/summary sin token responde 401' "HTTP $($r.Codigo)" 'HTTP 401'
}
}
```

```
try {
} else {
    foreach ($id in 1, 2, 3) {
        $texto = if ($r.Codigo -eq 200) { (TextoResumen $r.Cuerpo) + " projectNameOk=$( $r.Cu
        Informar "GET /projects/$id/summary" "HTTP $($r.Codigo) $texto" "HTTP 200 $($esperad
    }

    $r = Pedir '/projects/99/summary' $auth
    Informar 'GET /projects/99/summary responde 404' "HTTP $($r.Codigo)" 'HTTP 404'

    $r = Pedir '/projects/1/summary'
    Informar 'GET /projects/1/summary sin token responde 401' "HTTP $($r.Codigo)" 'HTTP 401'
    . (Join-Path $PSScriptRoot 'casos-assignee.ps1')
}
}
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> pwsh -NoProfile -File .github/skills
/verificar-taskflow/verificar.ps1
Repositorio: C:\Users\User\taskflow-copilot-javiermhdz-cloud
URL de la app: http://127.0.0.1:8080
Empaquetando con Maven (mvn -q package -DskipTests), tarda unos segundos...
App arrancando (PID 11848). Esperando a que /info responda...
App lista en 17 s.
[OK] GET /tasks/overdue devuelve solo la tarea 7
[OK] GET /tasks/unassigned devuelve las tareas 4 y 6
[OK] GET /projects/1/summary
[OK] GET /projects/2/summary
[OK] GET /projects/3/summary
[OK] GET /projects/99/summary responde 404
[OK] GET /projects/1/summary sin token responde 401
[OK] PATCH /tasks/4/assignee asigna a luis
[OK] GET /tasks/4 conserva el responsable nuevo
[OK] PATCH /tasks/4/status a DONE ahora responde 200
[OK] PATCH /tasks/2/assignee (DONE) responde 422
[OK] PATCH /tasks/99/assignee responde 404
[OK] PATCH /tasks/6/assignee con {} responde 400 y nombra assigneeId
[OK] PATCH /tasks/6/assignee con 0 responde 400
[OK] PATCH /tasks/6/assignee sin token responde 401
App detenida (PID 11848).
[OK] App apagada: el puerto 8080 ya no responde
RESULTADO: 16/16 OK
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git add .github/skills/verificar-taskflow semana6
warning: in the working copy of 'semana6/proyecto-final.diff', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'semana6/revision.md', LF will be replaced by CRLF the next time Git touches it
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git status --short
A .github/skills/verificar-taskflow/casos-assignee.ps1
M .github/skills/verificar-taskflow/verificar.ps1
A semana6/proyecto-final.diff
A semana6/revision.md
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git commit -m "test: casos REST de <feature> en verificar.ps1"
[feature/assignee 8aea05b] test: casos REST de <feature> en verificar.ps1
4 files changed, 1440 insertions(+)
create mode 100644 .github/skills/verificar-taskflow/casos-assignee.ps1
create mode 100644 semana6/proyecto-final.diff
create mode 100644 semana6/revision.md
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git branch --show-current
feature/assignee
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git push -u origin feature/assignee
Enumerating objects: 60, done.
Counting objects: 100% (60/60), done.
Delta compression using up to 8 threads
Compressing objects: 100% (35/35), done.
Writing objects: 100% (39/39), 66.52 KiB | 3.70 MiB/s, done.
Total 39 (delta 20), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (20/20), completed with 12 local objects.
remote:
remote: Create a pull request for 'feature/assignee' on GitHub by visiting:
remote:   https://github.com/javiermhdz-cloud/taskflow-copilot-javiermhdz/pull/new/feature/assignee
remote:
To https://github.com/javiermhdz-cloud/taskflow-copilot-javiermhdz.git
 * [new branch]      feature/assignee -> feature/assignee
branch 'feature/assignee' set up to track 'origin/feature/assignee'.
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> _
```

 taskflow-copilot-javiermhdz Public

 Pin 

 feature/assignee had recent pushes 3 minutes ago

[Compare & pull request](#)



Add a title *

feat: assignee (proyecto final)



Copilot AI reviewed 1 minute ago

[View reviewed changes](#)

Copilot AI left a comment

...

Copilot review overview

Changes recommended

Unresolved issues remain in smoke-test authentication, validation messages, and controller test coverage; the slice test also needs the project's MockitoBean convention.

Get a fresh assessment by requesting another Copilot review.

Review effort: Lite

Findings: 2 Medium · 1 Low

▼ Open (3)

- Medium [La cabecera Authorization no usa el JWT real ni incluye Bearer](#) · New
- Medium [Faltan mensajes de validación en español para los campos inválidos](#) · New
- Low [Usa @MockBean en lugar de @MockitoBean](#) · New

Changes recommended

Unresolved issues remain in smoke-test authentication, validation messages, and controller test coverage; the slice test also needs the project's MockitoBean convention.

Get a fresh assessment by requesting another Copilot review.

Review effort: Lite

Findings: 2 Medium · 1 Low

▼ Open (3)

- Medium [La cabecera Authorization no usa el JWT real ni incluye Bearer](#) · New
- Medium [Faltan mensajes de validación en español para los campos inválidos](#) · New
- Low [Usa @MockBean en lugar de @MockitoBean](#) · New

► What changed in this PR

💡 [Add a code-review agent skill](#) or configure MCP servers for context-aware, tailored reviews. [Learn more in the docs.](#)

Fix batch with Copilot





No conflicts with base branch

Merging can be performed automatically.

Merge pull request

You can also merge this with the command line. [View command line instructions.](#)



Commit message

Merge pull request #6 from javiermhdz-cloud/feature/assignee

Extended description

feat: assignee (proyecto final)

This commit will be authored by javier.macossay.hdz@gmail.com.

Confirm merge

Cancel



javiermhdz-cloud merged commit b54fc26 into main now

1 check passed



Pull request successfully merged and closed

You're all set — the `feature/assignee` branch can be safely deleted.

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git log --oneline -1 --merges  
b54fc26 (HEAD -> main, origin/main, origin/HEAD) Merge pull request #6 from javier  
mhdz-cloud/feature/assignee  
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> pwsh -NoProfile -File .github/  
skills/verificar-taskflow/verificar.ps1  
Repositorio: C:\Users\User\taskflow-copilot-javiermhdz-cloud  
URL de la app: http://127.0.0.1:8080  
Empaquetando con Maven (mvn -q package -DskipTests), tarda unos segundos...  
App arrancando (PID 13280). Esperando a que /info responda...  
App lista en 23 s.  
[OK] GET /tasks/overdue devuelve solo la tarea 7  
[OK] GET /tasks/unassigned devuelve las tareas 4 y 6  
[OK] GET /projects/1/summary  
[OK] GET /projects/2/summary  
[OK] GET /projects/3/summary  
[OK] GET /projects/99/summary responde 404  
[OK] GET /projects/1/summary sin token responde 401  
[OK] PATCH /tasks/4/assignee asigna a luis  
[OK] GET /tasks/4 conserva el responsable nuevo  
[OK] PATCH /tasks/4/status a DONE ahora responde 200  
[OK] PATCH /tasks/2/assignee (DONE) responde 422  
[OK] PATCH /tasks/99/assignee responde 404  
[OK] PATCH /tasks/6/assignee con {} responde 400 y nombra assigneeId  
[OK] PATCH /tasks/6/assignee con 0 responde 400  
[OK] PATCH /tasks/6/assignee sin token responde 401  
App detenida (PID 13280).  
[OK] App apagada: el puerto 8080 ya no responde  
RESULTADO: 16/16 OK  
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud>
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> mvn test | Select-String -Case  
Sensitive 'Tests run:.*Skipped: \d+>' | Select-Object -Last 1  
Mockito is currently self-attaching to enable the inline-mock-maker. This will no  
longer work in future releases of the JDK. Please add Mockito as an agent to your  
build as described in Mockito's documentation: https://javadoc.io/doc/org.mockito/  
mockito-core/latest/org.mockito/org/mockito/Mockito.html#0.3  
WARNING: A Java agent has been loaded dynamically (C:\Users\User\.m2\repository\ne  
t\bytebuddy\byte-buddy-agent\1.17.6\byte-buddy-agent-1.17.6.jar)  
WARNING: If a serviceability tool is in use, please run with -XX:+EnableDynamicAge  
ntLoading to hide this warning  
WARNING: If a serviceability tool is not in use, please run with -Djdk.instrument.  
traceUsage for more information  
WARNING: Dynamic loading of agents will be disallowed by default in a future relea  
se  
Java HotSpot(TM) 64-Bit Server VM warning: Sharing is only supported for boot load  
er classes because bootstrap classpath has been appended  
  
[INFO] Tests run: 83, Failures: 0, Errors: 0, Skipped: 0
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Copy-Item $HOME\academyMty\copilot\dia-5\semana6-README.md semana6\README.md
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> code semana6\README.md
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> _
```

AI usage

Included credits ⓘ

Copilot Pro

211 / 1500 AI credits



Resets in 13 days on Sep 30, 2026

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> Select-String -Path semana6\README.md -Pattern '<pega','<(feature|tu-usuario)>','<','>','[ \]'
```

```
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git add semana6/README.md
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git commit -m "docs: documento del proyecto final"
[main 8167315] docs: documento del proyecto final
1 file changed, 90 insertions(+)
create mode 100644 semana6/README.md
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> git push
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 2.05 KiB | 2.05 MiB/s, done.
Total 4 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/javiermhdz-cloud/taskflow-copilot-javiermhdz.git
b54fc26..8167315 main -> main
PS C:\Users\User\taskflow-copilot-javiermhdz-cloud> _
```