



Data Access Guide

Analytical databases **wansoft** and **zenput** | Fonda Argentina | Version 2026-09-28

Contents

1. What is where	2
2. Golden rules (read before writing any query)	2
3. Branch crosswalk	4
4. Which table answers which question	6
4.1 Available history	7
5. Domains	8
5.1 Sales (Wansoft, all branches)	8
5.2 Costs (Wansoft; new branches from Odoo)	8
5.3 Purchases (Wansoft history + Odoo, merged)	9
5.4 Inventory	10
5.5 Zenput (zenput database)	11
5.6 Governance tables	11
6. Do not use	11
7. Freshness and schedule	12
8. Access	12

Audience: external teams building their own ETL on top of these databases (for example, a question-and-answer / chatbot layer). It tells you **which table to use for each business question, which fields matter, how tables join, and the traps to avoid**. Every rule here was checked against the live schema and data on 2026-09-28. PDF version: [data-access-guide.en.pdf](#).

1. What is where

Two MySQL (MariaDB 10.4) databases on the same server:

Database	Content
wansoft	Sales, costs, purchases, inventory and the unified analytical layer
zenput	Operational checklists (forms, answers) and tasks from Zenput

Source systems behind them:

Source	What it provides	How it arrives
Wansoft (POS/ERP)	Sales for all branches, costs, cash closing, and purchases/inventory for branches not yet on Odoo	Daily download via its SOAP API
Odoo	Purchases and inventory for the branches migrated to Odoo	Daily read-only extraction
Zenput	Checklists and tasks	Daily API download

Layers inside wansoft:

Layer	Tables	Use it for
Raw Wansoft copies	get*, costeomensual*	Sales, costs, cash closing, Wansoft-side detail
Canonical	canonical_purchase_*	Internal: Odoo and Wansoft purchases merged into one shape. Prefer the analytics layer
Analytics (business-ready)	analytics_*	Purchases and inventory for all branches, both sources merged
Dimensions	dim_company_analytical, dim_product, dim_vendor, dim_time	Descriptions and attributes for the analytics layer

2. Golden rules (read before writing any query)

1. **A branch is identified three different ways** depending on the table. Use the crosswalk in Section 3; never join tables on branch names blindly.
2. Short key (Acoxa, Oceania): sales tables (Sucursal) and the analytics layer (company_source_key).
3. **Numeric Wansoft id (5320)**: costs (subsidiary_id) and the inventory tables — where the id is stored in a column confusingly named subsidiary_name.
4. Long Wansoft name (Fonda Argentina - Acoxa): costs (subsidiary_name) and invoices (getexpenses_factura.Sucursal).

5. **getexpenses_factura.Sucursal** contains the same branch spelled two ways because of historical encoding damage (Cancún and Canc??n, Oceanía and Ocean??a). Map it to the crosswalk before grouping.
6. **Sales tables store amounts and dates as text** (varchar). Cast them: `CAST(Total AS DECIMAL(14,2))`, `DATE(Fecha)` (format 2026-09-01T00:00:00).
7. **Analytics tables carry include_in_business_views**. Filter `include_in_business_views = 1` for business numbers; the other rows are kept for audit (internal providers, unmapped products, review cases) and carry an `exclude_reason`.
8. **Purchases and inventory come from two systems; the analytics layer already merges them without overlap** (Section 5.3). Do not rebuild the merge from raw tables.
9. **Data is loaded once a day, at about 01:30, through the previous day**. Each run also re-checks recent days (sales 10 days, Wansoft costs/inventory 5, purchases 35), so the last few days can still change.
10. Costs tables are **cumulative snapshots**, not daily amounts (Section 5.2).

3. Branch crosswalk

Wansoft id	Short key (Lucursa, company source key)	Wansoft long name (costs)	Odoo company	Purchases & inventory source	Odoo start date
5320	Acoxa	Fonda Argentina - Acoxa	FONDA COSTA NERA	Odoo	2026-07-01
4959	Aeropuerto	Fonda Argentina - Aeropuerto	FONDA ARGENTINA AEROPUERTO	Wansoft	—
4960	Antenas	Fonda Argentina - Antenas	FONDA ARGENTINA LAS ANTENAS	Odoo	2026-06-01
6175	Cancun	Fonda Argentina - Cancún	—	Wansoft	—
12802	CentroMyJ	Fonda Argentina - Centro Mario y July	MARIO Y JULY	Odoo (born on Odoo)	2026-06-01
4958	Isabel La Católica	Fonda Argentina - Isabel La Católica	FONDA ARGENTINA	Wansoft → Odoo from 2026-10-01	2026-10-01
12057	La Esquina Coyoacán	Fonda Argentina - Coyoacan	FONDA ARGENTINA COYOACAN	Odoo	2026-06-01
4752	Metepec	Fonda Argentina - Tollocan	FONDA ARGENTINA TOLLOCAN	Wansoft	—
4433	Napoles	Fonda Argentina - Nápoles	FONDA ARGENTINA POLYFORUM	Wansoft	—
5943	Oceanía	Fonda Argentina - Oceanía	FONDA ARGENTINA ENCUESTRO OCEANIA	Odoo	2026-06-30
6174	Playa del Carmen	Fonda Argentina - Playa del Carmen	—	Wansoft	—
12806	Puebla	Fonda Argentina - Puebla	FONDA ARGENTINA PUEBLA	Odoo (born on Odoo)	2026-06-10
5319	San Jeronimo	Fonda Argentina – San Jerónimo	FONDA ARGENTINA SAN JERONIMO	Wansoft → Odoo from 2026-10-01	2026-10-01
5321	Taquería parroquia	Fonda Argentina – Taquería Parroquia	—	Wansoft	—
4962	Taquería Viaducto	Fonda Argentina - Taqueria Viaducto	—	Wansoft	—
6560	Tepeyac	Fonda Argentina - Tepeyac	FONDA ARGENTINA MAQ	Odoo	2026-06-01
5396	Versalles	Fonda Argentina - Taquería Exhibimex	—	Wansoft	—
5318	Vía Vallejo	Fonda Argentina – Vía Vallejo	FONDA ARGENTINA VALLEJO	Wansoft → Odoo from 2026-10-01	2026-10-01
4961	Viaducto	Fonda Argentina - Viaducto	FONDA ARGENTINA VIADUCTO	Wansoft	—

Notes:

- Names differ between systems for the same branch: Metepec = "Tollocan", Napoles = "Polyforum", Versalles = "Taquería Exhibimex", Acoxpa = "Costa Nera" in Odoo. Long names use either a hyphen (-) or an en dash (–).
- 7697 "Taqueria San Fernando" appears in historical costs only; it is not one of the 19 current branches.
- **Sales always come from Wansoft for every branch**, whatever the purchases source.
- **New branches** (today Puebla and CentroMyJ, and every branch opened from now on) are born on Odoo: purchases, inventory and costs come from Odoo; in Wansoft they only record sales and daily closings.
- **Costs of migrated branches:** they still come from Wansoft today, on purpose and temporarily. As a safety measure these branches keep entering their purchases in Wansoft too (a fallback if Odoo failed, and a way to validate that Odoo purchases match Wansoft's), so Wansoft still computes their full cost. Once they stop entering purchases in Wansoft and only sales and daily closings remain there, their cost will be computed from Odoo. See Section 5.2.
- Internal providers **El Bodegón de Fito** and **Las Empanadas de María Eva** (central kitchens) are excluded as buying companies from business views.
- The same information, as data: `dim_company_analytical` and `analytics_company_domain_coverage` (Section 5.6). They use the short key and do not carry the Wansoft id; use this table for that link.

4. Which table answers which question

Question	Table	Filter / note
Sales, tickets, covers per day/branch	<code>getallordenesbyday_new_venta</code>	one row per ticket
What was sold (dishes, groups)	<code>getallordenesbyday_new_detalleventa</code>	one row per line
Payment methods, tips	<code>getallordenesbyday_new_pago</code>	one row per payment
Official daily close (Z report), cancellations, courtesies, discounts	<code>getglobalcashclosing</code>	one row per branch per closing
Monthly cost of sales, waste, margin	<code>costeomensual</code>	month-to-date snapshot; take the last day
Weekly cost	<code>costeomensual_semanapyq</code>	week-to-date snapshot
Daily cost of sales	<code>gettotalcostbydate</code>	one row per branch per day
Butchery yields	<code>gettablajeriareport</code>	history of Wansoft branches only; being phased out (see 5.2)
Purchases (goods) for any branch, any period	<code>analytics_purchase_order_lines / analytics_purchase_orders / analytics_purchase_daily_company_product</code>	<code>include_in_business_views = 1</code>
Spend by accounting account (Costo operativo, Gastos directos, ...)	<code>getexpenses_factura</code>	Wansoft only (see 5.3)
Inventory entries/exits detail (Wansoft)	<code>getinputinventory_entrada, getoutgoinginventory_salida</code>	Wansoft branches
Current stock	<code>analytics_inventory_current_product_location, analytics_inventory_balance</code>	<code>include_in_business_views = 1</code>
Checklist results	<code>zenput.submissions + zenput.submission_answers</code>	—
Tasks	<code>zenput.zenput_tasks</code>	—
Which source feeds each branch	<code>analytics_company_domain_coverage</code>	—

4.1 Available history

Dates measured in production on 2026-09-28. Tables keep filling daily through the previous day.

Data	Table	Source	Since	Notes
Sales: tickets, lines, modifiers	getallordenesbyday_new_venta, _new_detallevta, _new_modificador	Wansoft	2021-09-01	2021-12-14 to 2021-12-31 has almost no tickets (a gap in the source history, accepted)
Sales: payments per ticket	getallordenesbyday_new_pago	Wansoft	2025-01-01	No payments per ticket before 2025; use the cash closing
Daily cash closing	getglobalcashclosing	Wansoft	2022-01-01	—
Daily cost of sales	gettotalcostbydate	Wansoft (new branches: Odoo)	2021-07-31	—
Month-to-date cost	costeomensual	Wansoft (new branches: Odoo)	2022-01-01	—
Week-to-date cost	costeomensual_semanapyq	Wansoft (new branches: Odoo)	2024-01-02	—
Butchery yields	gettablajeriareport	Wansoft	2022-01-01	Being phased out (Section 5.2)
Supplier invoices by accounting account	getexpenses_factura	Wansoft	2019-02-18	The oldest history; only while a branch enters purchases in Wansoft
Inventory entries	getinputinventory_entrada	Wansoft	2021-09-01	—
Inventory exits	getoutgoinginventory_salida	Wansoft	2020-11-30	About 1.15 million rows have an empty date (0000-00-00); exclude them
Unified purchases	analytics_purchase_order_lines, analytics_purchase_orders, analytics_purchase_daily_company_product	Wansoft + Odoo	2021-09-01	Wansoft until each branch's Odoo start date, Odoo from then on (June 2026 onward). Checked year by year: same rows and amounts as production's Wansoft invoices
Unified stock	analytics_inventory_current_product_location, analytics_inventory_balance	Wansoft + Odoo	Current snapshot	No history by design; the Wansoft balance is recomputed nightly from every movement since 2020-11-30
Checklists	zenput.submissions, zenput.submission_answers	Zenput	2025-06-11	—
Tasks	zenput.zenput_tasks	Zenput	2025-06-03	—
Calendar	dim_time	—	2020-01-01	Until 2035-12-31

5. Domains

5.1 Sales (Wansoft, all branches)

`getallordenesbyday_new_venta` — ticket header.

Field	Meaning
<code>Sucursal</code>	Branch short key
<code>Movimiento</code>	Ticket id within the branch (sic, no "I"); join key
<code>Fecha</code>	Business date, text <code>YYYY-MM-DDT00:00:00</code>
<code>Total</code> , <code>Subtotal</code> , <code>IVA</code> , <code>IEPS</code> , <code>Descuento</code>	Amounts, text
<code>Personas</code>	Covers
<code>Mesa</code> , <code>Mesero</code> , <code>Orden</code> , <code>Terminal</code>	Table, waiter, order number, terminal
<code>TipoOrden</code>	<code>Restaurant</code> , <code>Para llevar</code> , <code>eCommerce</code>
<code>HoraApertura</code> , <code>HoraCierre</code>	Open / close time
<code>Estatus</code>	Always 0 in current data

Joins (both columns needed, the ticket id repeats across branches): `venta.Sucursal = detalle.Sucursal AND venta.Movimiento = detalle.Movimiento_Id`; same for `getallordenesbyday_new_pago` and `getallordenesbyday_new_modificador`.

`getallordenesbyday_new_detalleventa` — lines: `Platillo`, `CodigoPlatillo`, `Grupo`, `TipoGrupo` (e.g. food / drinks), `Cantidad`, `PrecioUnitario`, `Total`, `Costo`, `Cortesía`, `Hora`.

`getallordenesbyday_new_pago` — `MetodoDePago`, `Total`, `Propina`, `Terminal`.

Waiters: delivery and app orders are attributed to a **placeholder waiter** whose name varies by branch (`APLICACIONES`, `Apps Llevar`). Exclude it when ranking real waiters.

```
SELECT Sucursal, DATE(Fecha) AS dia,
       COUNT(*) AS tickets,
       SUM(CAST(Personas AS UNSIGNED)) AS comensales,
       SUM(CAST(Total AS DECIMAL(14,2))) AS venta
FROM getallordenesbyday_new_venta
WHERE Fecha >= '2026-09-01' AND Fecha < '2026-10-01'
GROUP BY Sucursal, DATE(Fecha);
```

`getglobalcashclosing` — the official close per branch (`subsidiary_id`, `fecha_corte`): `total_ventas`, `no_ordenes`, `total_personas`, averages, and counts/amounts of courtesies, cancellations, discounts, voids, promotions. Amounts here are **sale value**. Use it to reconcile daily totals.

5.2 Costs (Wansoft; new branches from Odoo)

Where each branch's cost comes from:

Branch type	Cost source today
Wansoft only	Wansoft cost report

Migrated to Odoo (Acoxa, Antenas, Tepeyac, Oceanía, La Esquina Coyoacán; from 2026-10-01 also Isabel La Católica, San Jeronimo, Vía Vallejo)	Wansoft cost report, temporarily : they keep entering purchases in Wansoft in parallel as a fallback and to validate Odoo. Moves to Odoo when they stop
New, born on Odoo (Puebla, CentroMyJ and any branch opened later)	Computed from Odoo accounting (direct-cost accounts) and stored in the same tables

Keyed by `subsidiary_id` (Wansoft id). All three are **snapshots**:

Table	One row =	How to read it
<code>costeomensual</code>	Month-to-date cumulative, from the 1st through <code>created_date</code>	Month total = the row with the latest <code>created_date</code> of that month
<code>costeomensual_semanapyq</code>	Week-to-date cumulative, Monday through the day before <code>created_date</code>	Week total = latest row of the week
<code>gettotalcostbydate</code>	Cost of sales of the single day <code>created_date</code>	Sum over days

`mes_and` is text `MM-YYYY`. Unique per (`subsidiary_id`, `created_date`).

Fields in `costeomensual` and how the owner's reports use them:

Report figure	Formula
Costo Total	<code>CostoTotal - CostoDeConsumo</code>
Costo Teórico	<code>CostoDeProductosVendidos</code>
Gasto de Venta	<code>CostoDeConsumo</code>
Costo de Mermas	<code>CostoDeMerma</code>
Cortesías / Cancelaciones	<code>CostoDeCortesías</code> , <code>CostoDeCancelaciones</code> (sale value, from the cash closing)

```
-- Month cost per branch: last snapshot of the month
SELECT c.subsidiary_id, c.subsidiary_name, c.created_date,
       c.CostoTotal - c.CostoDeConsumo AS costo_total,
       c.CostoDeProductosVendidos AS costo_teorico
FROM   costeomensual c
JOIN   (SELECT subsidiary_id, MAX(created_date) AS d
       FROM   costeomensual
       WHERE  created_date >= '2026-08-01' AND created_date < '2026-09-01'
       GROUP BY subsidiary_id) last ON last.subsidiary_id = c.subsidiary_id AND last.d = c.created_date;
```

Butchery yields (`gettablajeriareport`) are being phased out. They only exist for branches that enter purchases and inventory in Wansoft: new branches (Puebla, CentroMyJ) have none, and migrated branches will stop having them once they stop entering purchases in Wansoft. Odoo does not record butchery this way: it applies calculated yields, and at month end the real inventory is checked against the calculated one. Use this table only as history for Wansoft branches.

5.3 Purchases (Wansoft history + Odoo, merged)

Use the **analytics layer**. It already merges both sources with this rule per branch:

- Branch purchasing in Wansoft: Wansoft invoices-type entries (`getinputinventory_entrada` with `TipoEntrada = 'Factura'`).

- Branch migrated to Odoo: Wansoft history **before** its Odoo start date (Section 3), then confirmed Odoo purchase orders (**state** purchase/done) from that date on. No overlap, no gap.
- Internal providers as buying company are excluded; a branch buying *from* an internal provider is kept.

`source_system` (wansoft/odoo) tells where each row came from; `final_purchase_source_status` explains why it was kept (for example `wansoft_history_before_odoo`).

Table	Grain	Key fields
<code>analytics_purchase_order_lines</code>	purchase line	<code>company_source_key</code> , <code>order_date</code> , <code>vendor_name</code> , <code>product_name</code> , <code>wansoft_code</code> , <code>wansoft_department</code> , <code>product_qty</code> , <code>price_unit</code> , <code>price_subtotal</code> (before tax), <code>price_total</code> (with tax), <code>source_system</code>
<code>analytics_purchase_orders</code>	purchase order / invoice	same header fields plus totals
<code>analytics_purchase_daily_company_product</code>	branch × day × product	<code>business_price_subtotal_total</code> , <code>business_product_qty_total</code> (already business-filtered)

Join to dimensions with `product_analytical_key` → `dim_product`, `vendor_analytical_key` → `dim_vendor`,
`company_analytical_key` → `dim_company_analytical`, `order_date_key` → `dim_time.date_key`.

```
SELECT company_source_key, DATE_FORMAT(order_date, '%Y-%m') AS mes,
       source_system, SUM(price_subtotal) AS compras_sin_iva
FROM analytics_purchase_order_lines
WHERE include_in_business_views = 1
      AND order_date >= '2026-01-01'
GROUP BY company_source_key, mes, source_system;
```

Real example (Acoxa, Odoo start 2026-07-01): January to June come back with `source_system = 'wansoft'` and July onward with `'odoo'`, with no month repeated or missing.

getexpenses_factura is a different thing: every Wansoft supplier invoice classified by accounting account (`Cuenta`: Costo operativo, Gastos de venta, Gastos directos, Sueldos y salarios, Fletes, ...), including services, software and payroll that are not goods. Odoo purchase orders only cover goods. So:

- For goods purchases across both systems, use the analytics layer.
- To compare with Wansoft's "Compras" reports, use only `Cuenta = 'Costo operativo'`.
- **Non-goods spend** (rent, services, software, payroll, freight...) of branches already operating on Odoo is **not** extracted from Odoo today. In `getexpenses_factura` those branches only have invoices up to their Odoo start date. From Odoo accounting only the cost of sales is taken (Section 5.2).

Some Wansoft invoices have an empty `Cuenta`. Amounts and dates in this table are text. **Estatus = 'Por pagar'** **does not mean unpaid**: invoices are rarely marked paid in Wansoft (payment is recorded elsewhere), so do not use that field for accounts payable.

5.4 Inventory

- **Wansoft movements** (Wansoft branches, and history of migrated ones): `getinputinventory_entrada` (entries; `TipoEntrada`: Factura, Transferencia, Entrada con canal, Producto procesado, Ajuste de inventario) and `getoutgoinginventory_salida` (exits, ~37 million rows: always filter by `Fecha` and `subsidiary_name`). Branch = Wansoft id in `subsidiary_name`. Quantity `Cantidad`, cost `CostoUnitario`.

- **Current stock, unified:** `analytics_inventory_current_product_location` (Odoo stock by product and location) and `analytics_inventory_balance` (Wansoft balance = entries – exits by product). Filter `include_in_business_views = 1`.
- There is **no inventory valuation** (money) for Odoo branches yet, only quantities.

5.5 Zenput (zenput database)

Table	Grain	Key fields
<code>form_templates</code>	checklist template	<code>form_id</code> , <code>title</code> , <code>category_name</code>
<code>submissions</code>	one filled checklist	<code>submission_id</code> , <code>form_template_id</code> → <code>form_templates.form_id</code> , <code>location_name</code> , <code>user_display_name</code> , <code>date_submitted</code>
<code>submission_answers</code>	one answer	<code>submission_id</code> , <code>title</code> (question), <code>field_type</code> , <code>value_as_string</code>
<code>zenput_tasks</code>	task	<code>task_id</code> , <code>title</code> , <code>account_name</code> (location), <code>status_name</code> , <code>assignee_display_name</code> , <code>date_due</code> , <code>is_closed</code> , <code>is_completed_late</code>

`location_name` / `account_name` are Zenput's own location names, not the short key; some Zenput locations have no POS branch.

5.6 Governance tables

- `dim_company_analytical`: one row per company, flags (`is_active_branch`, `is_internal_provider`, `is_final_operating_branch`), source per domain, `operational_start_date`.
- `analytics_company_domain_coverage`: which source feeds each domain per branch, with counts and a `coverage_status`.
- `dim_time`: calendar (`date_key` = YYYYMMDD), weeks, months, ISO weeks.

6. Do not use

Tables	Why
<code>canonical_purchase_*</code> , <code>odoo_purchase_*</code> , <code>odoo_inventory_*</code>	Intermediate layers; the analytics tables are the business-ready result
<code>inventory_*</code> , <code>product_catalog_mapping</code> , <code>backup_product_catalog_mapping</code> , <code>product_replacement_candidates</code> , <code>stg_*</code>	Mapping and review workbench
<code>odoo_company_migration_policy</code> , <code>odoo_cutover_validation_log</code>	Pipeline control
<code>getinventorybydepartment</code> , <code>getstockinventory_inventario</code> , <code>getinventorybyday_*</code>	Old snapshots, not refreshed daily
<code>vw_inventory_*</code>	Diagnostic views
<code>tmp_*</code>	Temporary

7. Freshness and schedule

- Daily pipeline at **01:30** (Mexico City time); data through the previous day.
- Rolling re-checks: sales 10 days (reconciled against Wansoft's own daily close), Wansoft costs/inventory/cash closing 5 days, purchases 35 days.
- Costs in Wansoft can be recalculated by Wansoft after the fact; the latest snapshot wins.
- Weekly backup Thursdays 18:00. Avoid heavy queries at 01:30–03:00.

8. Access

Access is through a dedicated **read-only** database user limited to the tables in Sections 4–5, provided separately (credentials are never written in this document). Query `getoutgoinginventory_salida` and the sales detail tables with date filters: they hold tens of millions of rows. Each user is limited to 4 simultaneous connections and 30 minutes per query.