



Data Access Guide

Analytical databases **wansoft** and **zenput** | Fonda Argentina | Version 2026-09-28

Contents

1. What is where	2
2. Golden rules (read before writing any query)	2
3. Branch crosswalk	4
4. Which table answers which question	6
4.1 Available history	7
5. Domains	8
5.1 Sales (Wansoft, all branches)	8
5.2 Costs (Wansoft or Odoo, by branch)	8
5.3 Purchases (Wansoft history + Odoo, merged)	10
5.4 Inventory	11
5.5 Zenput (zenput database)	11
5.6 Governance tables	11
6. Do not use	12
7. Freshness and schedule	12
8. Access	12

Audience: external teams building their own ETL on top of these databases (for example, a question-and-answer / chatbot layer). It tells you **which table to use for each business question, which fields matter, how tables join, and the traps to avoid**. Every rule here was checked against the live schema and data on 2026-09-28 and updated on 2026-09-30. PDF version: [data-access-guide.en.pdf](#).

1. What is where

Two MySQL (MariaDB 10.4) databases on the same server:

Database	Content
wansoft	Sales, costs, purchases, inventory and the unified analytical layer
zenput	Operational checklists (forms, answers) and tasks from Zenput

Source systems behind them:

Source	What it provides	How it arrives
Wansoft (POS/ERP)	Sales and cash closing for all branches; costs, purchases and inventory for branches not yet on Odoo, and the others' history	Daily download via its SOAP API
Odoo	Purchases, inventory and costs of the branches operating on Odoo, from their start date	Daily read-only extraction
Zenput	Checklists and tasks	Daily API download

Layers inside wansoft:

Layer	Tables	Use it for
Operational tables	get*, costeomensual*	Sales, cash closing and Wansoft-side detail (Wansoft copies); costs of every branch, computed from Wansoft or Odoo per branch (Section 5.2)
Canonical	canonical_purchase_*	Internal: Odoo and Wansoft purchases merged into one shape. Prefer the analytics layer
Analytics (business-ready)	analytics_*	Purchases and inventory for all branches, both sources merged
Dimensions	dim_company_analytical, dim_product, dim_vendor, dim_time	Descriptions and attributes for the analytics layer

2. Golden rules (read before writing any query)

1. **A branch is identified three different ways** depending on the table. Use the crosswalk in Section 3; never join tables on branch names blindly.
2. Short key (Acoxpa, Oceanía): sales tables (Sucursal) and the analytics layer (company_source_key).
3. **Numeric Wansoft id (5320)**: costs (subsidiary_id) and the inventory tables — where the id is stored in a column confusingly named subsidiary_name.

4. Long Wansoft name (Fonda Argentina - Acoypa): costs (`subsidiary_name`) and invoices (`getexpenses_factura.Sucursal`).
5. `getexpenses_factura.Sucursal` contains the same branch spelled two ways because of historical encoding damage (`Cancún` and `Canc??n`, `Oceanía` and `Ocean??a`). Map it to the crosswalk before grouping.
6. Sales tables store amounts and dates as text (`varchar`). Cast them: `CAST(Total AS DECIMAL(14,2))`, `DATE(Fecha)` (format `2026-09-01T00:00:00`).
7. Analytics tables carry `include_in_business_views`. Filter `include_in_business_views = 1` for business numbers; the other rows are kept for audit (internal providers, unmapped products, review cases) and carry an `exclude_reason`.
8. Purchases and inventory come from two systems; the analytics layer already merges them without overlap (Section 5.3). Do not rebuild the merge from raw tables.
9. Data is loaded once a day, at about 01:30, through the previous day. Each run also re-checks recent days (sales 10 days, costs and butchery 10, Wansoft invoices/inventory/cash closing 5, purchases 35), so the last few days can still change.
10. Costs tables are cumulative snapshots, not daily amounts (Section 5.2).

3. Branch crosswalk

Wansoft id	Short key (Sucursal, company source key)	Wansoft long name (costs)	Odoo company	Purchases & inventory source	Odoo start date
5320	Acoxa	Fonda Argentina - Acoxa	FONDA COSTA NERA	Wansoft → Odoo from 2026-10-01	2026-10-01
4959	Aeropuerto	Fonda Argentina - Aeropuerto	FONDA ARGENTINA AEROPUERTO	Wansoft	—
4960	Antenas	Fonda Argentina - Antenas	FONDA ARGENTINA LAS ANTENAS	Wansoft → Odoo from 2026-10-01	2026-10-01
6175	Cancun	Fonda Argentina - Cancún	—	Wansoft	—
12802	CentroMyJ	Fonda Argentina - Centro Mario y July	MARIO Y JULY	Odoo (born on Odoo)	2026-06-01
4958	Isabel La Católica	Fonda Argentina - Isabel La Católica	FONDA ARGENTINA	Wansoft → Odoo from 2026-10-01	2026-10-01
12057	La Esquina Coyoacán	Fonda Argentina - Coyoacan	FONDA ARGENTINA COYOACAN	Wansoft → Odoo from 2026-10-01	2026-10-01
4752	Metepec	Fonda Argentina - Tollocan	FONDA ARGENTINA TOLLOCAN	Wansoft	—
4433	Napoles	Fonda Argentina - Nápoles	FONDA ARGENTINA POLYFORUM	Wansoft	—
5943	Oceanía	Fonda Argentina - Oceanía	FONDA ARGENTINA ENCUESTRO OCEANIA	Wansoft → Odoo from 2026-10-01	2026-10-01
6174	Playa del Carmen	Fonda Argentina - Playa del Carmen	—	Wansoft	—
12806	Puebla	Fonda Argentina - Puebla	FONDA ARGENTINA PUEBLA	Odoo (born on Odoo)	2026-06-10
5319	San Jeronimo	Fonda Argentina – San Jerónimo	FONDA ARGENTINA SAN JERONIMO	Wansoft → Odoo from 2026-10-01	2026-10-01
5321	Taquería parroquia	Fonda Argentina – Taquería Parroquia	—	Wansoft	—
4962	Taquería Viaducto	Fonda Argentina - Taqueria Viaducto	—	Wansoft	—
6560	Tepeyac	Fonda Argentina - Tepeyac	FONDA ARGENTINA MAQ	Wansoft → Odoo from 2026-10-01	2026-10-01
5396	Versalles	Fonda Argentina - Taquería Exhibimex	—	Wansoft	—
5318	Vía Vallejo	Fonda Argentina – Vía Vallejo	FONDA ARGENTINA VALLEJO	Wansoft → Odoo from 2026-10-01	2026-10-01
4961	Viaducto	Fonda Argentina - Viaducto	FONDA ARGENTINA VIADUCTO	Wansoft	—

Notes:

- Names differ between systems for the same branch: Metepec = "Tollocan", Napoles = "Polyforum", Versalles = "Taquería Exhibimex", Acoxpa = "Costa Nera" in Odoo. Long names use either a hyphen (-) or an en dash (–).
- 7697 "Taqueria San Fernando" appears in historical costs only; it is not one of the 19 current branches.
- **Sales always come from Wansoft for every branch**, whatever the purchases source.
- **New branches** (today Puebla and CentroMyJ, and every branch opened from now on) are born on Odoo: purchases, inventory and costs come from Odoo; in Wansoft they only record sales and daily closings.
- **Costs:** every branch operating on Odoo, migrated or new, takes its cost from Odoo **from its start date on**, and from Wansoft before that date. **Temporary exception:** **Antenas** keeps Wansoft costs while its Odoo database is repaired (it was the prototype). **Isabel La Católica, San Jeronimo and Vía Vallejo** keep Wansoft costs until Odoo has their cost of sales (they wait for their opening inventory balances); each one switches to Odoo by itself on the first day Odoo has data. See Section 5.2.
- Internal providers **El Bodegón de Fito** and **Las Empanadas de María Eva** (central kitchens) are excluded as buying companies from business views.
- The same information, as data: `dim_company_analytical` and `analytics_company_domain_coverage` (Section 5.6). They use the short key and do not carry the Wansoft id; use this table for that link.

4. Which table answers which question

Question	Table	Filter / note
Sales, tickets, covers per day/branch	<code>getallordenesbyday_new_venta</code>	one row per ticket
What was sold (dishes, groups)	<code>getallordenesbyday_new_detalleventa</code>	one row per line
Payment methods, tips	<code>getallordenesbyday_new_pago</code>	one row per payment
Official daily close (Z report), cancellations, courtesies, discounts	<code>getglobalcashclosing</code>	one row per branch per closing
Monthly cost of sales, waste, margin	<code>costeomensual</code>	month-to-date snapshot; take the last day
Weekly cost	<code>costeomensual_semanapyq</code>	week-to-date snapshot
Daily cost of sales	<code>gettotalcostbydate</code>	one row per branch per day
Butchery yields	<code>gettablajeriareport</code>	history of Wansoft branches only; being phased out (see 5.2)
Purchases (goods) for any branch, any period	<code>analytics_purchase_order_lines / analytics_purchase_orders / analytics_purchase_daily_company_product</code>	<code>include_in_business_views = 1</code>
Spend by accounting account (Costo operativo, Gastos directos, ...)	<code>getexpenses_factura</code>	Wansoft only (see 5.3)
Inventory entries/exits detail (Wansoft)	<code>getinputinventory_entrada, getoutgoinginventory_salida</code>	Wansoft branches
Current stock	<code>analytics_inventory_current_product_location, analytics_inventory_balance</code>	<code>include_in_business_views = 1</code>
Checklist results	<code>zenput.submissions + zenput.submission_answers</code>	—
Tasks	<code>zenput.zenput_tasks</code>	—
Which source feeds each branch	<code>analytics_company_domain_coverage</code>	—

4.1 Available history

Dates measured in production on 2026-09-28. Tables keep filling daily through the previous day.

Data	Table	Source	Since	Notes
Sales: tickets, lines, modifiers	getallordenesbyday_new_venta, _new_detallevta, _new_modificador	Wansoft	2021-09-01	2021-12-14 to 2021-12-31 has almost no tickets (a gap in the source history, accepted)
Sales: payments per ticket	getallordenesbyday_new_pago	Wansoft	2025-01-01	No payments per ticket before 2025; use the cash closing
Daily cash closing	getglobalcashclosing	Wansoft	2022-01-01	—
Daily cost of sales	gettotalcostbydate	Wansoft or Odoo (5.2)	2021-07-31	—
Month-to-date cost	costeomensual	Wansoft or Odoo (5.2)	2022-01-01	Puebla and CentroMyJ have costs from July 2026 (5.2)
Week-to-date cost	costeomensual_semanapyq	Wansoft or Odoo (5.2)	2024-01-02	—
Butchery yields	gettablajeriareport	Wansoft	2022-01-01	Being phased out (Section 5.2)
Supplier invoices by accounting account	getexpenses_factura	Wansoft	2019-02-18	The oldest history; only while a branch enters purchases in Wansoft
Inventory entries	getinputinventory_entrada	Wansoft	2021-09-01	—
Inventory exits	getoutgoinginventory_salida	Wansoft	2020-11-30	About 1.15 million rows have an empty date (0000-00-00); exclude them
Unified purchases	analytics_purchase_order_lines, analytics_purchase_orders, analytics_purchase_daily_company_product	Wansoft + Odoo	2021-09-01	Wansoft until each branch's Odoo start date, Odoo from then on (2026-10-01 for the migrated branches; Puebla and CentroMyJ since they opened in June). Checked year by year: same rows and amounts as production's Wansoft invoices
Unified stock	analytics_inventory_current_product_location, analytics_inventory_balance	Wansoft + Odoo	Current snapshot	No history by design; the Wansoft balance is recomputed nightly from every movement since 2020-11-30
Checklists	zenput.submissions, zenput.submission_answers	Zenput	2025-06-11	—
Tasks	zenput.zenput_tasks	Zenput	2025-06-03	—
Calendar	dim_time	—	2020-01-01	Until 2035-12-31

5. Domains

5.1 Sales (Wansoft, all branches)

`getallordenesbyday_new_venta` — ticket header.

Field	Meaning
<code>Sucursal</code>	Branch short key
<code>Movimiento</code>	Ticket id within the branch (sic, no "I"); join key
<code>Fecha</code>	Business date, text <code>YYYY-MM-DDT00:00:00</code>
<code>Total</code> , <code>Subtotal</code> , <code>IVA</code> , <code>IEPS</code> , <code>Descuento</code>	Amounts, text
<code>Personas</code>	Covers
<code>Mesa</code> , <code>Mesero</code> , <code>Orden</code> , <code>Terminal</code>	Table, waiter, order number, terminal
<code>TipoOrden</code>	<code>Restaurant</code> , <code>Para llevar</code> , <code>eCommerce</code>
<code>HoraApertura</code> , <code>HoraCierre</code>	Open / close time
<code>Estatus</code>	Always 0 in current data

Joins (both columns needed, the ticket id repeats across branches): `venta.Sucursal = detalle.Sucursal AND venta.Movimiento = detalle.Movimiento_Id`; same for `getallordenesbyday_new_pago` and `getallordenesbyday_new_modificador`.

`getallordenesbyday_new_detalleventa` — lines: `Platillo`, `CodigoPlatillo`, `Grupo`, `TipoGrupo` (e.g. food / drinks), `Cantidad`, `PrecioUnitario`, `Total`, `Costo`, `Cortesía`, `Hora`.

`getallordenesbyday_new_pago` — `MetodoDePago`, `Total`, `Propina`, `Terminal`.

Waiters: delivery and app orders are attributed to a **placeholder waiter** whose name varies by branch (`APLICACIONES`, `Apps Llevar`). Exclude it when ranking real waiters.

```
SELECT Sucursal, DATE(Fecha) AS dia,
       COUNT(*) AS tickets,
       SUM(CAST(Personas AS UNSIGNED)) AS comensales,
       SUM(CAST(Total AS DECIMAL(14,2))) AS venta
FROM getallordenesbyday_new_venta
WHERE Fecha >= '2026-09-01' AND Fecha < '2026-10-01'
GROUP BY Sucursal, DATE(Fecha);
```

`getglobalcashclosing` — the official close per branch (`subsidiary_id`, `fecha_corte`): `total_ventas`, `no_ordenes`, `total_personas`, averages, and counts/amounts of courtesies, cancellations, discounts, voids, promotions. Amounts here are **sale value**. Use it to reconcile daily totals.

5.2 Costs (Wansoft or Odoo, by branch)

Where each branch's cost comes from:

Branch type	Cost source today
Wansoft only	Wansoft cost report

Migrated to Odoo (Acoxa, Tepeyac, Oceanía, La Esquina Coyoacán)	Wansoft through 2026-09-30; Odoo from 2026-10-01
October wave (Isabel La Católica, San Jeronimo, Vía Vallejo)	Wansoft until Odoo has their cost of sales; from that day (different for each), Odoo. Until then their October Wansoft rows carry merma and consumo as 0, since these are no longer captured there
New, born on Odoo (Puebla, CentroMyJ and any branch opened later)	Odoo since it opened. Odoo has no cost of sales for CentroMyJ before July 2026 nor for Puebla before 2026-07-27: those days are 0
Antenas (temporary exception)	Wansoft, while its Odoo database is repaired

Odoo cost is computed from Odoo accounting (direct-cost accounts) and stored in the same tables. It fills `CostoTotal`, `CostoDeProductosVendidos` and `CostoDeMerma`; `CostoDeCortesías` and `CostoDeCancelaciones` come from the cash closing; the other columns stay empty (no Odoo equivalent). **In Odoo rows the columns with no equivalent are NULL:** use `COALESCE(column, 0)` when adding or subtracting, or the result is NULL (e.g. `CostoTotal - CostoDeConsumo` is NULL for Puebla). The switch is per day: days before the start date keep Wansoft's cost. When the switch falls in the middle of a month or week, the accumulated tables (`costeomensual`, `costeomensual_semanapyq`) stay whole: they add Wansoft's part up to the day before the switch to Odoo's from that day, with no day counted twice. On Odoo rows `CostoTotal` no longer includes consumo.

Keyed by `subsidiary_id` (Wansoft id). All three are **snapshots**:

Table	One row =	How to read it
<code>costeomensual</code>	Month-to-date cumulative, from the 1st through <code>created_date</code>	Month total = the row with the latest <code>created_date</code> of that month
<code>costeomensual_semanapyq</code>	Week-to-date cumulative, Monday through the day before <code>created_date</code>	Week total = latest row of the week
<code>gettotalcostbydate</code>	Cost of sales of the single day <code>created_date</code>	Sum over days

`mes_ano` is text `MM-YYYY`. Unique per (`subsidiary_id`, `created_date`).

Fields in `costeomensual` and how the owner's reports use them:

Report figure	Formula
Costo Total	<code>CostoTotal - COALESCE(CostoDeConsumo, 0)</code>
Costo Teórico	<code>CostoDeProductosVendidos</code>
Gasto de Venta	<code>CostoDeConsumo</code>
Costo de Mermas	<code>CostoDeMerma</code>
Cortesías / Cancelaciones	<code>CostoDeCortesías</code> , <code>CostoDeCancelaciones</code> (sale value, from the cash closing)

```
-- Month cost per branch: last snapshot of the month
SELECT c.subsidiary_id, c.subsidiary_name, c.created_date,
       c.CostoTotal - COALESCE(c.CostoDeConsumo, 0) AS costo_total,
       c.CostoDeProductosVendidos AS costo_teorico
FROM   costeomensual c
JOIN   (SELECT subsidiary_id, MAX(created_date) AS d
FROM   costeomensual
WHERE  created_date >= '2026-08-01' AND created_date < '2026-09-01'
GROUP BY subsidiary_id) last ON last.subsidiary_id = c.subsidiary_id AND last.d = c.created_date;
```

Butchery yields (gettablajeriareport) are being phased out. They only exist for branches that enter purchases and inventory in Wansoft: new branches (Puebla, CentroMyJ) have none, and migrated branches will stop having them once they stop entering purchases in Wansoft. Odoo does not record butchery this way: it applies calculated yields, and at month end the real inventory is checked against the calculated one. Use this table only as history for Wansoft branches.

5.3 Purchases (Wansoft history + Odoo, merged)

Use the analytics layer. It already merges both sources with this rule per branch:

- Branch purchasing in Wansoft: Wansoft invoices-type entries (getinputinventory_entrada with TipoEntrada = 'Factura').
- Branch migrated to Odoo: Wansoft history **before** its Odoo start date (Section 3), then confirmed Odoo purchase orders (state purchase/done) from that date on. No overlap, no gap.
- Internal providers as buying company are excluded; a branch buying *from* an internal provider is kept.

source_system (wansoft/odoo) tells where each row came from; final_purchase_source_status explains why it was kept (for example wansoft_history_before_odoo).

Table	Grain	Key fields
analytics_purchase_order_lines	purchase line	company_source_key, order_date, vendor_name, product_name, wansoft_code, wansoft_department, product_qty, price_unit, price_subtotal (before tax), price_total (with tax), source_system
analytics_purchase_orders	purchase order / invoice	same header fields plus totals
analytics_purchase_daily_company_product	branch × day × product	business_price_subtotal_total, business_product_qty_total (already business-filtered)

Join to dimensions with product_analytical_key → dim_product, vendor_analytical_key → dim_vendor, company_analytical_key → dim_company_analytical, order_date_key → dim_time.date_key.

```
SELECT company_source_key, DATE_FORMAT(order_date, '%Y-%m') AS mes,
       source_system, SUM(price_subtotal) AS compras_sin_iva
FROM analytics_purchase_order_lines
WHERE include_in_business_views = 1
      AND order_date >= '2026-01-01'
GROUP BY company_source_key, mes, source_system;
```

Example: the migrated branches (Acoxpa, Antenas, Tepeyac, Oceanía, Coyoacán) come back with source_system = 'wansoft' through September 2026 and with 'odoo' from October, with no month repeated or missing; Puebla and CentroMyJ, born on Odoo, come back with 'odoo' since they opened in June 2026.

getexpenses_factura is a different thing: every Wansoft supplier invoice classified by accounting account (Cuenta: Costo operativo, Gastos de venta, Gastos directos, Sueldos y salarios, Fletes, ...), including services, software and payroll that are not goods. Odoo purchase orders only cover goods. So:

- For goods purchases across both systems, use the analytics layer.
- To compare with Wansoft's "Compras" reports, use only Cuenta = 'Costo operativo'.
- **Odoo and Wansoft do not match each other for the same branch and month.** During the parallel capture, Odoo purchases came out 7% to 19% above Wansoft's Costo operativo (September 2026: Acoxpa +7.2%, Coyoacán

+11.1%, Oceanía +18.5%). It is a difference between the two source systems, not a loading error, and its cause is still under review. The analytics layer does not double it because it never mixes both systems for the same branch and day; do not compare Odoo against Wansoft expecting them to match.

- **Non-goods spend** (rent, services, software, payroll, freight...) of branches already operating on Odoo is **not** extracted from Odoo today. In `getexpenses_factura` those branches only have invoices up to their Odoo start date. From Odoo accounting only the cost of sales is taken (Section 5.2).

Some Wansoft invoices have an empty `Cuenta`. Amounts and dates in this table are text. **Estatus = 'Por pagar'** does **not mean unpaid**: invoices are rarely marked paid in Wansoft (payment is recorded elsewhere), so do not use that field for accounts payable.

5.4 Inventory

- **Wansoft movements** (Wansoft branches, and history of migrated ones): `getinputinventory_entrada` (entries; `TipoEntrada`: Factura, Transferencia, Entrada con canal, Producto procesado, Ajuste de inventario) and `getoutgoinginventory_salida` (exits, ~37 million rows: always filter by `Fecha` and `subsidiary_name`). Branch = Wansoft id in `subsidiary_name`. Quantity `Cantidad`, cost `CostoUnitario`.
- **Current stock, unified**: `analytics_inventory_current_product_location` (Odoo stock by product and location) and `analytics_inventory_balance` (Wansoft balance = entries – exits by product). Filter `include_in_business_views = 1`.
- There is **no inventory valuation** (money) for Odoo branches yet, only quantities.

5.5 Zenput (zenput database)

Table	Grain	Key fields
<code>form_templates</code>	checklist template	<code>form_id</code> , <code>title</code> , <code>category_name</code>
<code>submissions</code>	one filled checklist	<code>submission_id</code> , <code>form_template_id</code> → <code>form_templates.form_id</code> , <code>location_name</code> , <code>user_display_name</code> , <code>date_submitted</code>
<code>submission_answers</code>	one answer	<code>submission_id</code> , <code>title</code> (question), <code>field_type</code> , <code>value_as_string</code>
<code>zenput_tasks</code>	task	<code>task_id</code> , <code>title</code> , <code>account_name</code> (location), <code>status_name</code> , <code>assignee_display_name</code> , <code>date_due</code> , <code>is_closed</code> , <code>is_completed_late</code>

`location_name` / `account_name` are Zenput's own location names, not the short key; some Zenput locations have no POS branch.

5.6 Governance tables

- `dim_company_analytical`: one row per company, flags (`is_active_branch`, `is_internal_provider`, `is_final_operating_branch`), source per domain, `operational_start_date`.
- `analytics_company_domain_coverage`: which source feeds each domain per branch, with counts and a `coverage_status`.
- `dim_time`: calendar (`date_key` = YYYYMMDD), weeks, months, ISO weeks.

6. Do not use

Tables	Why
canonical_purchase_*, odoo_purchase_*, odoo_inventory_*	Intermediate layers; the analytics tables are the business-ready result
inventory_*, product_catalog_mapping, backup_product_catalog_mapping, product_replacement_candidates, stg_*	Mapping and review workbench
odoo_company_migration_policy, odoo_cutover_validation_log	Pipeline control
getinventorybydepartment, getstockinventory_inventario, getinventorybyday_*	Old snapshots, not refreshed daily
vw_inventory_*	Diagnostic views
tmp_*	Temporary

7. Freshness and schedule

- Daily pipeline at **01:30** (Mexico City time); data through the previous day.
- Rolling re-checks: sales 10 days (reconciled against Wansoft's own daily close), costs and butchery 10 days, Wansoft invoices/inventory/cash closing 5 days, purchases 35 days.
- Costs in Wansoft can be recalculated by Wansoft after the fact; the latest snapshot wins.
- Weekly backup Thursdays 18:00. Avoid heavy queries at 01:30–03:00.

8. Access

Access is through a dedicated **read-only** database user limited to the tables in Sections 4–5, provided separately (credentials are never written in this document). Query `getoutgoinginventory_salida` and the sales detail tables with date filters: they hold tens of millions of rows. Each user is limited to 4 simultaneous connections and 30 minutes per query.