

docker ps

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS
23108501b4db	nginx:alpine	"/docker-entrypoint...."	About a minute ago	Up
About a minute	0.0.0.0:80->80/tcp	happy_bardeen		

docker logs

3b547c179f5a2e3191f8231f449caa5195bfc0b24ce36bbd8acb4743ef7a6386

docker tag javiprietod-icai-html:latest javiprietod/javiprietod-icai-html:latest


docker push javiprietod/javiprietod-icai-html:latest

docker run -p 88:80 emmareysanchez/emmajimena-icai-html:latest

docker images

REPOSITORY	TAG	IMAGE ID	CREATED	SIZE
javiprietod/javiprietod-icai-html	latest	20fa1b38f26e	8 hours ago	52.9MB
javiprietod-icai-html	latest	20fa1b38f26e	8 hours ago	52.9MB
emmareysanchez/emmajimena-icai-html	latest	23da6066c43a	9 hours ago	52.9MB
nginx	alpine	35f3cbee4fb7	7 weeks ago	52.9MB

```
javiprietod@Javiers-MacBook-Pro Ingenieria de Modelos % mkdir docker_contenedor
javiprietod@Javiers-MacBook-Pro Ingenieria de Modelos % cd docker_contenedor
javiprietod@Javiers-MacBook-Pro docker_contenedor % ls
javiprietod@Javiers-MacBook-Pro docker_contenedor % nano docker-compose.yml
javiprietod@Javiers-MacBook-Pro docker_contenedor % ls
docker-compose.yml
javiprietod@Javiers-MacBook-Pro docker_contenedor % docker volume ls
DRIVER      VOLUME NAME
javiprietod@Javiers-MacBook-Pro docker_contenedor % docker compose up
[+] Running 0/2
  db Pulling                                     16.2s
   f85691aa4b90 Pulling fs layer                 0.0s
   d65368cd5889 Pulling fs layer                 0.0s
   3dca71b61206 Pulling fs layer                 0.0s
   765a5e39e40e Waiting                          0.0s
   4225723d53b0 Waiting                          0.0s
   af8e29ba3d6c Waiting                          0.0s
   f8a6ecf492c1 Waiting                          0.0s
   5ec04f999abd Waiting                          0.0s
```



```
javiprietod@Javiers-MacBook-Pro docker_contenedor % docker stats
CONTAINER ID   NAME                                CPU %     MEM USAGE / LIMIT   MEM %
NET I/O       BLOCK I/O      PIDS
eb434556b6d9   docker_contenedor-web-1           0.01%     62.98MiB / 3.841GiB  1.60%
81.1kB / 165kB 0B / 4.1kB      11
09b06184c173   docker_contenedor-db-1            0.03%     82.86MiB / 3.841GiB  2.11%
51.5kB / 43kB  9.87MB / 47.8MB  9
02dc9d0b052b   silly_kapitsa                     0.00%     4.473MiB / 3.841GiB  0.11%
2.03kB / 0B    0B / 12.3kB     5
70deaa8c0c50   frosty_montalcini                 0.00%     4.453MiB / 3.841GiB  0.11%
2.03kB / 0B    0B / 12.3kB     5
3b547c179f5a   nifty_wright                      0.00%     4.457MiB / 3.841GiB  0.11%
2.5kB / 224B   0B / 12.3kB     5
```

```
docker compose stats nada
```

```
docker compose ps
NAME                                COMMAND                                SERVICE    STATUS
PORTS
docker_contenedor-db-1             "docker-entrypoint.s..." db         running
3306/tcp
docker_contenedor-web-1            "docker-entrypoint.s..." web        running
0.0.0.0:8080->80/tcp
```

```
docker compose ls
```

```

javiprietod@Javiers-MacBook-Pro docker_contenedor % docker compose ls
NAME                STATUS              CONFIG FILES
docker_contenedor   running(2)          /Users/javiprietod/Documents/1º Master/Ingeniería de Modelos/docker_contenedor/docker-compose.y
ml
javiprietod@Javiers-MacBook-Pro docker_contenedor % docker compose logs
docker_contenedor-db-1 | 2025-10-06 05:55:59+00:00 [Note] [Entrypoint]: Entrypoint script for MariaDB Server 1:10.11.14+maria-ubu2204
started.
docker_contenedor-db-1 | 2025-10-06 05:55:59+00:00 [Warn] [Entrypoint]: /sys/fs/cgroup///memory.pressure not writable, functionality u
navailable to MariaDB
docker_contenedor-db-1 | 2025-10-06 05:55:59+00:00 [Note] [Entrypoint]: Switching to dedicated user 'mysql'
docker_contenedor-db-1 | 2025-10-06 05:55:59+00:00 [Note] [Entrypoint]: Entrypoint script for MariaDB Server 1:10.11.14+maria-ubu2204
started.
docker_contenedor-db-1 | 2025-10-06 05:55:59+00:00 [Note] [Entrypoint]: Initializing database files
docker_contenedor-db-1 | 2025-10-06 05:56:00+00:00 [Note] [Entrypoint]: Database files initialized
docker_contenedor-db-1 | 2025-10-06 05:56:00+00:00 [Note] [Entrypoint]: Starting temporary server
docker_contenedor-db-1 | 2025-10-06 05:56:00+00:00 [Note] [Entrypoint]: Waiting for server startup
docker_contenedor-db-1 | 2025-10-06 5:56:00 0 [Note] Starting MariaDB 10.11.14-MariaDB-ubu2204 source revision 053f9bcb5b147bf00edb99
e1310bae9125b7f125 server: uid 72+4ASmVYxproTQgRqIDp1DA1XA= as process 98
docker_contenedor-db-1 | 2025-10-06 5:56:00 0 [Note] InnoDB: Compressed tables use zlib 1.2.11
docker_contenedor-db-1 | 2025-10-06 5:56:00 0 [Note] InnoDB: Number of transaction pools: 1
docker_contenedor-db-1 | 2025-10-06 5:56:00 0 [Note] InnoDB: Using ARMv8 crc32 + pmull instructions
docker_contenedor-db-1 | 2025-10-06 5:56:00 0 [Note] mariadbd: O_TMPFILE is not supported on /tmp (disabling future attempts)
docker_contenedor-db-1 | 2025-10-06 5:56:00 0 [Note] InnoDB: Using io_uring
docker_contenedor-db-1 | 2025-10-06 5:56:00 0 [Note] InnoDB: innodb_buffer_pool_size_max=128m, innodb_buffer_pool_size=128m
docker_contenedor-db-1 | 2025-10-06 5:56:00 0 [Note] InnoDB: Completed initialization of buffer pool
docker_contenedor-db-1 | 2025-10-06 5:56:00 0 [Note] InnoDB: File system buffers for log disabled (block size=512 bytes)
docker_contenedor-db-1 | 2025-10-06 5:56:00 0 [Note] InnoDB: End of log at LSN=45502
docker_contenedor-db-1 | 2025-10-06 5:56:00 0 [Note] InnoDB: 128 rollback segments are active.
docker_contenedor-db-1 | 2025-10-06 5:56:00 0 [Note] InnoDB: Setting file './ibtmp1' size to 12.000MiB. Physically writing the file f
ull; Please wait ...
docker_contenedor-db-1 | 2025-10-06 5:56:00 0 [Note] InnoDB: File './ibtmp1' size is now 12.000MiB.
docker_contenedor-db-1 | 2025-10-06 5:56:00 0 [Note] InnoDB: log sequence number 45502; transaction id 14
docker_contenedor-db-1 | 2025-10-06 5:56:00 0 [Note] Plugin 'FEEDBACK' is disabled.

```

docker compose logs

```

javiprietod@Javiers-MacBook-Pro docker_contenedor % docker compose logs
docker_contenedor-db-1 | 2025-10-06 05:55:59+00:00 [Note] [Entrypoint]: Entrypoint script for MariaDB Server 1:10.11.14+maria-ubu2204
started.
docker_contenedor-db-1 | 2025-10-06 05:55:59+00:00 [Warn] [Entrypoint]: /sys/fs/cgroup///memory.pressure not writable, functionality u
navailable to MariaDB
docker_contenedor-db-1 | 2025-10-06 05:55:59+00:00 [Note] [Entrypoint]: Switching to dedicated user 'mysql'
docker_contenedor-db-1 | 2025-10-06 05:55:59+00:00 [Note] [Entrypoint]: Entrypoint script for MariaDB Server 1:10.11.14+maria-ubu2204
started.
docker_contenedor-db-1 | 2025-10-06 05:55:59+00:00 [Note] [Entrypoint]: Initializing database files
docker_contenedor-db-1 | 2025-10-06 05:56:00+00:00 [Note] [Entrypoint]: Database files initialized
docker_contenedor-db-1 | 2025-10-06 05:56:00+00:00 [Note] [Entrypoint]: Starting temporary server
docker_contenedor-db-1 | 2025-10-06 05:56:00+00:00 [Note] [Entrypoint]: Waiting for server startup
docker_contenedor-db-1 | 2025-10-06 5:56:00 0 [Note] Starting MariaDB 10.11.14-MariaDB-ubu2204 source revision 053f9bcb5b147bf00edb99
e1310bae9125b7f125 server: uid 72+4ASmVYxproTQgRqIDp1DA1XA= as process 98
docker_contenedor-db-1 | 2025-10-06 5:56:00 0 [Note] InnoDB: Compressed tables use zlib 1.2.11
docker_contenedor-db-1 | 2025-10-06 5:56:00 0 [Note] InnoDB: Number of transaction pools: 1
docker_contenedor-db-1 | 2025-10-06 5:56:00 0 [Note] InnoDB: Using ARMv8 crc32 + pmull instructions
docker_contenedor-db-1 | 2025-10-06 5:56:00 0 [Note] mariadbd: O_TMPFILE is not supported on /tmp (disabling future attempts)

```

```
javiprietod@Javiers-MacBook-Pro docker_contenedor % docker compose ps
NAME                                COMMAND                                SERVICE    STATUS    PORTS
docker_contenedor-db-1             "docker-entrypoint.s..."           db         running   3306/tcp
docker_contenedor-web-1            "docker-entrypoint.s..."           web        running   0.0.0.0:8080->80/tcp
javiprietod@Javiers-MacBook-Pro docker_contenedor % docker compose top
docker_contenedor-db-1
UID      PID      PPID     C    STIME   TTY      TIME          CMD
999      4052     4026     0    05:55   ?        00:00:00     mariadb

docker_contenedor-web-1
UID      PID      PPID     C    STIME   TTY      TIME          CMD
root     4190     4160     0    05:55   ?        00:00:00     apache2 -DFOREGROUND
www-data 4415     4190     0    05:56   ?        00:00:00     apache2 -DFOREGROUND
www-data 4416     4190     0    05:56   ?        00:00:00     apache2 -DFOREGROUND
www-data 4417     4190     0    05:56   ?        00:00:00     apache2 -DFOREGROUND
www-data 4418     4190     0    05:56   ?        00:00:00     apache2 -DFOREGROUND
www-data 4419     4190     0    05:56   ?        00:00:00     apache2 -DFOREGROUND
www-data 4423     4190     0    05:56   ?        00:00:00     apache2 -DFOREGROUND
www-data 4429     4190     0    05:56   ?        00:00:00     apache2 -DFOREGROUND
www-data 4430     4190     0    05:56   ?        00:00:00     apache2 -DFOREGROUND
www-data 4431     4190     0    05:56   ?        00:00:00     apache2 -DFOREGROUND
www-data 4432     4190     0    05:56   ?        00:00:00     apache2 -DFOREGROUND

javiprietod@Javiers-MacBook-Pro docker_contenedor % docker compose images
Container      Repository      Tag          Image Id          Size
docker_contenedor-db-1    mariadb         10           2c6a410b3e5a      310MB
docker_contenedor-web-1   wordpress       latest       22f15756d0e6      749MB
javiprietod@Javiers-MacBook-Pro docker_contenedor % docker image inspect mariadb:10
[
  {
    "Id": "sha256:2c6a410b3e5af3fbc578f92d293b9931a8d4b8b2cba96147c62f72054080baac",
    "RepoTags": [
      "mariadb:10"
    ],
    "RepoDigests": [
      "mariadb@sha256:db56e20372fc6d6b8e0e396866ba89c4c7f128c38c4f59aaa54d957db95790c"
    ],
    "Parent": "",
    "Comment": "buildkit.dockerfile.v0",
    "Created": "2025-08-08T07:40:04Z",
    "Container": "",
    "ContainerConfig": {
      "Hostname": "",

```

docker compose volumes - nada

```
javiprietod@Javiers-MacBook-Pro docker_contenedor % docker volume ls
DRIVER      VOLUME NAME
local       docker_contenedor_data
javiprietod@Javiers-MacBook-Pro docker_contenedor % docker compose down -v
[+] Running 4/4
  # Container docker_contenedor-web-1    Removed      1.4s
  # Container docker_contenedor-db-1     Removed      0.4s
  # Volume docker_contenedor_data        Removed      0.1s
  # Network docker_contenedor_default    Removed      0.1s
javiprietod@Javiers-MacBook-Pro docker_contenedor % docker volume ls
DRIVER      VOLUME NAME
javiprietod@Javiers-MacBook-Pro docker_contenedor %
```