

Practice 4

Generated by Doxygen 1.8.17

1 Hierarchical Index	1
1.1 Class Hierarchy	1
2 Class Index	3
2.1 Class List	3
3 File Index	5
3.1 File List	5
4 Class Documentation	7
4.1 Admin Class Reference	7
4.1.1 Constructor & Destructor Documentation	8
4.1.1.1 Admin()	8
4.2 User Class Reference	8
4.2.1 Constructor & Destructor Documentation	9
4.2.1.1 User()	9
4.2.2 Member Function Documentation	10
4.2.2.1 addTimestamp()	10
4.2.2.2 getName()	10
4.2.2.3 getTimestamp()	10
4.2.2.4 hasAdminPermission()	11
4.2.2.5 isSameEmployeeNumber()	11
4.2.2.6 isSameNIF()	12
4.2.2.7 setEmployeeNumber()	12
4.2.2.8 setNIF()	12
5 File Documentation	15
5.1 include/Admin.h File Reference	15
5.1.1 Detailed Description	16
5.2 include/main.h File Reference	16
5.2.1 Detailed Description	17
5.3 include/User.h File Reference	17
5.3.1 Detailed Description	18
5.4 src/Admin.cpp File Reference	19
5.4.1 Detailed Description	19
5.5 src/main.cpp File Reference	20
5.5.1 Detailed Description	20
5.6 src/User.cpp File Reference	21
5.6.1 Detailed Description	21
Index	23

Chapter 1

Hierarchical Index

1.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

User	8
Admin	7

Chapter 2

Class Index

2.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

Admin	7
User	8

Chapter 3

File Index

3.1 File List

Here is a list of all documented files with brief descriptions:


include/ Admin.h	
Header file of Admin.cpp	15
include/ main.h	16
include/ User.h	
Header file of User.cpp	17
src/ Admin.cpp	19
src/ main.cpp	20
src/ User.cpp	21

Chapter 4


Class Documentation

4.1 Admin Class Reference

Inheritance diagram for Admin:



Collaboration diagram for Admin:



Public Member Functions

- [Admin](#) (std::string number="00000", std::string nif="000000000", std::string name="default")
Creates a new [Admin](#) object.

Additional Inherited Members

4.1.1 Constructor & Destructor Documentation

4.1.1.1 Admin()

```
Admin::Admin (
    std::string employeeNumber = "00000",
    std::string NIF = "000000000",
    std::string name = "default" )
```

Creates a new [Admin](#) object.

Parameters


<i>employeeNumber</i>	
<i>NIF</i>	
<i>name</i>	

The documentation for this class was generated from the following files:

- include/[Admin.h](#)
- src/[Admin.cpp](#)

4.2 User Class Reference

Inheritance diagram for User:



Public Member Functions

- [User](#) (std::string number="00000", std::string nif="000000000", std::string name="default")

- Create a new `User`.
- `bool isSameNIF (std::string)`
Check if the user has the input NIF.
- `bool isSameEmployeeNumber (std::string)`
Check if the user has the input employee number.
- `std::string getName ()`
Returns the user name.
- `void addTimestamp ()`
Set the timestamp.
- `std::string getTimestamp ()`
Returns the timestamp.
- `bool hasAdminPermission ()`
Returns the user permissions.
- `bool operator< (const User &) const`

Protected Member Functions

- `void setNIF (std::string)`
Set the user NIF.
- `void setEmployeeNumber (std::string)`
Set the user employee number.

Protected Attributes

- `std::string name`
- `std::string NIF`
- `std::string employeeNumber`
- `std::string lastLogTime`
- `bool adminPermission`

Friends

- `std::ostream & operator<< (std::ostream &, const User &)`

4.2.1 Constructor & Destructor Documentation

4.2.1.1 User()

```
User::User (  
    std::string employeeNumber = "00000",  
    std::string NIF = "000000000",  
    std::string name = "default" )
```

Create a new `User`.

Parameters

<i>employeeNumber</i>	
<i>NIF</i>	
<i>name</i>	

4.2.2 Member Function Documentation

4.2.2.1 addTimestamp()

```
void User::addTimestamp ( )
```

Set the timestamp.

4.2.2.2 getName()

```
std::string User::getName ( )
```

Returns the user name.

Returns

std::string [User](#) name

4.2.2.3 getTimestamp()

```
std::string User::getTimestamp ( )
```

Returns the timestamp.

Returns

std::string Timestamp

4.2.2.4 hasAdminPermission()

```
bool User::hasAdminPermission ( )
```

Returns the user permissions.

Returns

true = has admin permissions

false = does not have admin permissions

4.2.2.5 isSameEmployeeNumber()

```
bool User::isSameEmployeeNumber (
    std::string employeeNumber )
```

Check if the user has the input employee number.

Parameters

<i>employeeNumber</i>	
-----------------------	--

Returns

true = is the same employee number

false = is not the same employee number

4.2.2.6 isSameNIF()

```
bool User::isSameNIF (
    std::string NIF )
```

Check if the user has the input NIF.

Parameters

$N \leftrightarrow IF$	
------------------------	--

Returns

true = is the same NIF

false = is not the same NIF

4.2.2.7 setEmployeeNumber()

```
void User::setEmployeeNumber (
    std::string employeeNumber ) [protected]
```

Set the user employee number.

Parameters

<i>employeeNumber</i>	
-----------------------	--

4.2.2.8 setNIF()

```
void User::setNIF (
    std::string NIF ) [protected]
```


Set the user NIF.

Parameters

N_{\leftarrow}	
IF	

The documentation for this class was generated from the following files:

- [include/User.h](#)
- [src/User.cpp](#)

Chapter 5


File Documentation

5.1 include/Admin.h File Reference


Header file of [Admin.cpp](#).

```
#include "User.h"
```

Include dependency graph for Admin.h:



This graph shows which files directly or indirectly include this file:



Classes

- class [Admin](#)

5.1.1 Detailed Description

Header file of [Admin.cpp](#).

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright


Copyright (c) 2022

5.2 include/main.h File Reference


```
#include <set>
```

```
#include <iostream>
```

Include dependency graph for main.h:



This graph shows which files directly or indirectly include this file:



Functions

- `template<typename T >`
`void printSet (std::set< T > &set)`
- `int main ()`

5.2.1 Detailed Description

Author

Javier Izquierdo Hernandez (j.izquierdoh.2021@alumnos.urjc.es)

Version

0.1

Date

2022-11-29

Copyright

Copyright (c) 2022


5.3 include/User.h File Reference

Header file of [User.cpp](#).


```
#include <string>
#include <vector>
#include <chrono>
#include <ctime>
```

```
#include <ostream>
```

Include dependency graph for User.h:



This graph shows which files directly or indirectly include this file:



Classes

- class [User](#)

5.3.1 Detailed Description

Header file of [User.cpp](#).

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23


Copyright

Copyright (c) 2022

5.4 src/Admin.cpp File Reference

```
#include "Admin.h"
```

Include dependency graph for Admin.cpp:



5.4.1 Detailed Description

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright


Copyright (c) 2022

5.5 src/main.cpp File Reference

```
#include "main.h"
```

```
#include "Admin.h"
```

Include dependency graph for main.cpp:



Functions

- `int main ()`

5.5.1 Detailed Description

Author

Javier Izquierdo Hernandez (j.izquierdoh.2021@alumnos.urjc.es)

Version

0.1

Date


2022-11-29

Copyright

Copyright (c) 2022

5.6 src/User.cpp File Reference

```
#include "User.h"
#include <iostream>
#include <iomanip>
Include dependency graph for User.cpp:
```



Functions

- `std::ostream & operator<< (std::ostream &output, const User &user)`

5.6.1 Detailed Description

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright

Copyright (c) 2022

Index

addTimestamp

User, [10](#)

Admin, [7](#)

Admin, [8](#)

getName

User, [10](#)

getTimestamp

User, [10](#)

hasAdminPermission

User, [10](#)

include/Admin.h, [15](#)

include/main.h, [16](#)

include/User.h, [17](#)

isSameEmployeeNumber

User, [11](#)

isSameNIF

User, [12](#)

setEmployeeNumber

User, [12](#)

setNIF

User, [12](#)

src/Admin.cpp, [19](#)

src/main.cpp, [20](#)

src/User.cpp, [21](#)

User, [8](#)

addTimestamp, [10](#)

getName, [10](#)

getTimestamp, [10](#)

hasAdminPermission, [10](#)

isSameEmployeeNumber, [11](#)

isSameNIF, [12](#)

setEmployeeNumber, [12](#)

setNIF, [12](#)

User, [9](#)