

Practice 9

Generated by Doxygen 1.8.17

1 Hierarchical Index	1
1.1 Class Hierarchy	1
2 Class Index	3
2.1 Class List	3
3 File Index	5
3.1 File List	5
4 Class Documentation	7
4.1 Admin Class Reference	7
4.1.1 Constructor & Destructor Documentation	8
4.1.1.1 Admin()	8
4.2 AirQuality Class Reference	8
4.2.1 Constructor & Destructor Documentation	9
4.2.1.1 AirQuality()	9
4.2.2 Member Function Documentation	9
4.2.2.1 requestData()	10
4.3 CameraBW Class Reference	10
4.3.1 Constructor & Destructor Documentation	11
4.3.1.1 CameraBW()	11
4.3.2 Member Function Documentation	11
4.3.2.1 requestData()	11
4.4 CameraRGB Class Reference	12
4.4.1 Constructor & Destructor Documentation	12
4.4.1.1 CameraRGB()	12
4.4.2 Member Function Documentation	13
4.4.2.1 requestData()	13
4.5 CLDashboard Class Reference	13
4.5.1 Constructor & Destructor Documentation	15
4.5.1.1 CLDashboard()	15
4.5.2 Member Function Documentation	15
4.5.2.1 changeMainMenu()	15
4.5.2.2 errorCommand()	15
4.5.2.3 helpCommand()	15
4.5.2.4 listSensor()	16
4.5.2.5 permissionError()	16
4.5.2.6 readCommand()	16
4.5.2.7 showMainMenu()	16
4.6 CLInterface Class Reference	17
4.6.1 Constructor & Destructor Documentation	18
4.6.1.1 CLInterface()	18
4.6.2 Member Function Documentation	18

4.6.2.1 login()	18
4.7 CLLoginInterface Class Reference	19
4.7.1 Member Function Documentation	20
4.7.1.1 askEmployeeNumber() [1/2]	20
4.7.1.2 askEmployeeNumber() [2/2]	20
4.7.1.3 askNIF() [1/2]	20
4.7.1.4 askNIF() [2/2]	21
4.7.1.5 showWelcomeMessage()	21
4.8 CLMenu Class Reference	21
4.8.1 Member Function Documentation	22
4.8.1.1 clearMenu()	22
4.8.1.2 show() [1/2]	22
4.8.1.3 show() [2/2]	23
4.9 CLMenuBar Class Reference	23
4.9.1 Member Function Documentation	24
4.9.1.1 show()	24
4.10 Dashboard Class Reference	25
4.10.1 Member Function Documentation	26
4.10.1.1 addNewSensor()	27
4.10.1.2 addToMainMenu() [1/2]	28
4.10.1.3 addToMainMenu() [2/2]	28
4.10.1.4 canExit()	28
4.10.1.5 changeCurrentSensorInfo()	29
4.10.1.6 changeInterface()	29
4.10.1.7 Create()	29
4.10.1.8 deleteSensor()	30
4.10.1.9 exit()	30
4.10.1.10 logout()	30
4.10.1.11 moveWindowMainMenu()	30
4.11 Database Class Reference	31
4.11.1 Member Function Documentation	31
4.11.1.1 getUser()	31
4.12 Humidity Class Reference	32
4.12.1 Constructor & Destructor Documentation	32
4.12.1.1 Humidity()	32
4.12.2 Member Function Documentation	33
4.12.2.1 requestData()	33
4.13 Interface Class Reference	33
4.13.1 Member Function Documentation	34
4.13.1.1 Create()	35
4.13.1.2 loadMenu()	35
4.13.1.3 login() [1/2]	35

4.13.1.4 login() [2/2]	35
4.14 LoginInterface Class Reference	36
4.14.1 Member Function Documentation	37
4.14.1.1 checkUser()	37
4.14.1.2 Create()	37
4.15 Menu Class Reference	38
4.15.1 Member Function Documentation	38
4.15.1.1 Create()	38
4.16 MenuBar Class Reference	39
4.16.1 Member Function Documentation	40
4.16.1.1 Create()	40
4.16.1.2 setCurrentMenu()	40
4.17 Moisture Class Reference	41
4.17.1 Constructor & Destructor Documentation	42
4.17.1.1 Moisture()	42
4.17.2 Member Function Documentation	42
4.17.2.1 requestData()	42
4.18 NotFoundUserException Class Reference	43
4.19 Sensor Class Reference	43
4.19.1 Constructor & Destructor Documentation	44
4.19.1.1 Sensor()	44
4.19.2 Member Function Documentation	45
4.19.2.1 Create()	45
4.19.2.2 requestData()	45
4.20 Thermometer Class Reference	46
4.20.1 Constructor & Destructor Documentation	46
4.20.1.1 Thermometer()	46
4.20.2 Member Function Documentation	47
4.20.2.1 requestData()	47
4.21 User Class Reference	47
4.21.1 Constructor & Destructor Documentation	49
4.21.1.1 User()	49
4.21.2 Member Function Documentation	49
4.21.2.1 addTimestamp()	49
4.21.2.2 getName()	49
4.21.2.3 getTimestamp()	50
4.21.2.4 hasAdminPermission()	50
4.21.2.5 setEmployeeNumber()	50
4.21.2.6 setNIF()	50
4.22 UserConfig Class Reference	51

5.1 include/Admin.h File Reference	53
5.1.1 Detailed Description	54
5.2 include/AirQuality.h File Reference	54
5.2.1 Detailed Description	55
5.3 include/CameraBW.h File Reference	56
5.3.1 Detailed Description	56
5.4 include/CameraRGB.h File Reference	57
5.4.1 Detailed Description	58
5.5 include/CLDashboard.h File Reference	58
5.5.1 Detailed Description	59
5.6 include/CLInterface.h File Reference	60
5.6.1 Detailed Description	60
5.7 include/CLIUtils.h File Reference	61
5.7.1 Detailed Description	62
5.7.2 Function Documentation	62
5.7.2.1 printCenter()	62
5.7.2.2 printCenterFromFile()	63
5.7.2.3 printColor()	63
5.8 include/CLLoginInterface.h File Reference	63
5.8.1 Detailed Description	64
5.9 include/CLMenu.h File Reference	65
5.9.1 Detailed Description	66
5.10 include/CLMenuBar.h File Reference	66
5.10.1 Detailed Description	67
5.11 include/Dashboard.h File Reference	67
5.11.1 Detailed Description	68
5.12 include/Database.h File Reference	69
5.12.1 Detailed Description	70
5.13 include/Humidity.h File Reference	70
5.13.1 Detailed Description	71
5.14 include/Interface.h File Reference	72
5.14.1 Detailed Description	73
5.15 include/LoginInterface.h File Reference	73
5.15.1 Detailed Description	74
5.16 include/main.h File Reference	74
5.16.1 Detailed Description	76
5.17 include/Menu.h File Reference	76
5.17.1 Detailed Description	77
5.18 include/MenuBar.h File Reference	78
5.18.1 Detailed Description	79
5.19 include/Moisture.h File Reference	79
5.19.1 Detailed Description	80

5.20 include/NotFoundUserException.h File Reference	81
5.20.1 Detailed Description	81
5.21 include/Sensor.h File Reference	82
5.21.1 Detailed Description	83
5.22 include/Thermometer.h File Reference	83
5.22.1 Detailed Description	84
5.23 include/User.h File Reference	85
5.23.1 Detailed Description	85
5.24 include/UserConfig.h File Reference	86
5.24.1 Detailed Description	87
5.25 src/Admin.cpp File Reference	87
5.25.1 Detailed Description	88
5.26 src/AirQuality.cpp File Reference	88
5.26.1 Detailed Description	89
5.27 src/CameraBW.cpp File Reference	89
5.27.1 Detailed Description	90
5.28 src/CameraRGB.cpp File Reference	90
5.28.1 Detailed Description	91
5.29 src/CLDashboard.cpp File Reference	91
5.29.1 Detailed Description	91
5.30 src/CLInterface.cpp File Reference	92
5.30.1 Detailed Description	92
5.31 src/CLIUtils.cpp File Reference	93
5.31.1 Detailed Description	94
5.31.2 Function Documentation	94
5.31.2.1 printCenter()	94
5.31.2.2 printCenterFromFile()	94
5.31.2.3 printColor()	95
5.32 src/CLLoginInterface.cpp File Reference	95
5.32.1 Detailed Description	95
5.33 src/CLMenu.cpp File Reference	96
5.33.1 Detailed Description	96
5.34 src/CLMenuBar.cpp File Reference	97
5.34.1 Detailed Description	97
5.35 src/Dashboard.cpp File Reference	97
5.35.1 Detailed Description	98
5.36 src/Database.cpp File Reference	98
5.36.1 Detailed Description	99
5.37 src/Humidity.cpp File Reference	99
5.37.1 Detailed Description	100
5.38 src/Interface.cpp File Reference	100
5.38.1 Detailed Description	101

5.39 src/LoginInterface.cpp File Reference	101
5.39.1 Detailed Description	102
5.40 src/main.cpp File Reference	102
5.40.1 Detailed Description	103
5.41 src/Menu.cpp File Reference	104
5.41.1 Detailed Description	104
5.42 src/MenuBar.cpp File Reference	104
5.42.1 Detailed Description	105
5.43 src/Moisture.cpp File Reference	105
5.43.1 Detailed Description	106
5.44 src/Sensor.cpp File Reference	106
5.44.1 Detailed Description	107
5.45 src/Thermometer.cpp File Reference	107
5.45.1 Detailed Description	108
5.46 src/User.cpp File Reference	108
5.46.1 Detailed Description	109
5.47 src/UserConfig.cpp File Reference	110
5.47.1 Detailed Description	110
Index	111

Chapter 1

Hierarchical Index

1.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

Dashboard	25
CLDashboard	13
Database	31
Interface	33
CLInterface	17
LoginInterface	36
CLLoginInterface	19
Menu	38
CLMenu	21
MenuBar	39
CLMenuBar	23
runtime_error	
NotFoundUserException	43
Sensor	43
AirQuality	8
CameraBW	10
CameraRGB	12
Humidity	32
Moisture	41
Thermometer	46
User	47
Admin	7
UserConfig	51

Chapter 2

Class Index

2.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

Admin	7
AirQuality	8
CameraBW	10
CameraRGB	12
CLDashboard	13
CLInterface	17
CLLoginInterface	19
CLMenu	21
CLMenuBar	23
Dashboard	25
Database	31
Humidity	32
Interface	33
LoginInterface	36
Menu	38
MenuBar	39
Moisture	41
NotFoundUserException	43
Sensor	43
Thermometer	46
User	47
UserConfig	51

Chapter 3

File Index

3.1 File List

Here is a list of all documented files with brief descriptions:

include/ Admin.h	
Header file of Admin.cpp	53
include/ AirQuality.h	
Header file of AirQuality.cpp	54
include/ CameraBW.h	
Header file of CameraBW.cpp	56
include/ CameraRGB.h	
Header file of CameraRGB.cpp	57
include/ CLDashboard.h	
Header file of CLDashboard.cpp	58
include/ CLInterface.h	
Header file of CLInterface.cpp	60
include/ CLIUtils.h	
Header file of CLIUtils.cpp	61
include/ CLLoginInterface.h	
Header file of CLLoginInterface.cpp	63
include/ CLMenu.h	
Header file of CLMenu.cpp	65
include/ CLMenuBar.h	
Header file of CLMenuBar.cpp	66
include/ Dashboard.h	
Header file of Dashboard.cpp	67
include/ Database.h	
Header file of Database.cpp	69
include/ Humidity.h	
Header file of Humidity.cpp	70
include/ Interface.h	
Header file of Interface.cpp	72
include/ LoginInterface.h	
Header file of LoginInterface.cpp	73
include/ main.h	
Header file of main.cpp	74
include/ Menu.h	
Header file of Menu.cpp	76
include/ MenuBar.h	
Header file of MenuBar.cpp	78

include/Moisture.h	
Header file of Moisture.cpp	79
include/NotFoundUserException.h	
Exception thrown when user not found in database	81
include/Sensor.h	
Header file of Sensor.cpp	82
include/Thermometer.h	
Header file of Thermometer.cpp	83
include/User.h	
Header file of User.cpp	85
include/UserConfig.h	
Header file of UserConfig.cpp	86
src/Admin.cpp	87
src/AirQuality.cpp	88
src/CameraBW.cpp	89
src/CameraRGB.cpp	90
src/CLDashboard.cpp	91
src/CLInterface.cpp	92
src/CLIUtils.cpp	93
src/CLLoginInterface.cpp	95
src/CLMenu.cpp	96
src/CLMenuBar.cpp	97
src/Dashboard.cpp	97
src/Database.cpp	98
src/Humidity.cpp	99
src/Interface.cpp	100
src/LoginInterface.cpp	101
src/main.cpp	102
src/Menu.cpp	104
src/MenuBar.cpp	104
src/Moisture.cpp	105
src/Sensor.cpp	106
src/Thermometer.cpp	107
src/User.cpp	108
src/UserConfig.cpp	110

Chapter 4

Class Documentation

4.1 Admin Class Reference

Inheritance diagram for Admin:



Collaboration diagram for Admin:



Public Member Functions

- [Admin](#) (std::string number="00000", std::string nif="00000000", std::string name="default")
Creates a new [Admin](#) object.

Additional Inherited Members

4.1.1 Constructor & Destructor Documentation

4.1.1.1 Admin()

```
Admin::Admin (
    std::string number = "00000",
    std::string nif = "00000000",
    std::string name = "default" )
```

Creates a new [Admin](#) object.

Parameters

<i>employeeNumber</i>	
<i>NIF</i>	
<i>name</i>	

The documentation for this class was generated from the following files:


- include/[Admin.h](#)
- src/[Admin.cpp](#)

4.2 AirQuality Class Reference

Inheritance diagram for AirQuality:



Collaboration diagram for AirQuality:



Public Member Functions

- [AirQuality](#) (bool active=false, int valPerMin=1)
Create a new Air Quality object.
- `std::array< int, 60 > requestData ()`
Request data from the air quality sensor.

Additional Inherited Members

4.2.1 Constructor & Destructor Documentation

4.2.1.1 AirQuality()

```
AirQuality::AirQuality (
    bool active = false,
    int valPerMin = 1 )
```

Create a new Air Quality object.

Parameters

<i>active</i>	By default off
<i>valPerMin</i>	By default 1 val/min

4.2.2 Member Function Documentation

4.2.2.1 requestData()

```
std::array< int, 60 > AirQuality::requestData ( ) [virtual]
```

Request data from the air quality sensor.

Returns

std::vector<int> Data values

Note

This function is a placeholder, returns random values


Implements [Sensor](#).

The documentation for this class was generated from the following files:


- include/[AirQuality.h](#)
- src/[AirQuality.cpp](#)

4.3 CameraBW Class Reference

Inheritance diagram for CameraBW:



Collaboration diagram for CameraBW:



Public Member Functions

- [CameraBW](#) (bool active=false, int valPerMin=1)
Create a new BW camera object.
- std::array< int, 60 > [requestData](#) ()
Request data from the bw camera.

Additional Inherited Members

4.3.1 Constructor & Destructor Documentation

4.3.1.1 CameraBW()

```
CameraBW::CameraBW (
    bool active = false,
    int valPerMin = 1 )
```

Create a new BW camera object.

Parameters

<i>active</i>	By default off
<i>valPerMin</i>	By default 1 val/min

4.3.2 Member Function Documentation

4.3.2.1 requestData()

```
std::array< int, 60 > CameraBW::requestData ( ) [virtual]
```

Request data from the bw camera.

Returns

std::vector<int> Data values

Note

This function is a placeholder, returns random values


Implements [Sensor](#).

The documentation for this class was generated from the following files:

- include/[CameraBW.h](#)
- src/[CameraBW.cpp](#)

4.4 CameraRGB Class Reference

Inheritance diagram for CameraRGB:



Collaboration diagram for CameraRGB:



Public Member Functions

- [CameraRGB](#) (bool active=false, int valPerMin=1)
Create a new RGB camera object.
- `std::array< int, 60 >` [requestData](#) ()
Request data from the rgb camera.

Additional Inherited Members

4.4.1 Constructor & Destructor Documentation

4.4.1.1 CameraRGB()

```
CameraRGB::CameraRGB (
    bool active = false,
    int valPerMin = 1 )
```

Create a new RGB camera object.

Parameters

<i>active</i>	By default off
<i>valPerMin</i>	By default 1 val/min

4.4.2 Member Function Documentation

4.4.2.1 requestData()

```
std::array< int, 60 > CameraRGB::requestData ( ) [virtual]
```

Request data from the rgb camera.

Returns

std::vector<int> Data values

Note

This function is a placeholder, returns random values


Implements [Sensor](#).

The documentation for this class was generated from the following files:


- include/[CameraRGB.h](#)
- src/[CameraRGB.cpp](#)

4.5 CLDashboard Class Reference

Inheritance diagram for CLDashboard:



Collaboration diagram for CLDashboard:



Public Member Functions

- [CLDashboard](#) ([User](#) &user)
Create a new [Dashboard](#) for the command line.
- void [showMainMenu](#) ()
Shows the default menu and starts the custom terminal.

Protected Member Functions

- void [changeMainMenu](#) (int n)
Change the page of the menu.
- void [readCommand](#) ()
Reads and executes a command from the terminal.
- void [listSensor](#) ()
Command that lists the sensors in the current menu page.
- void [helpCommand](#) (std::string command="")
Displays the use of the command.
- void [errorCommand](#) (std::string command="")
Shows error message because the command not being found.
- void [permissionError](#) ()
Shows error message because the permission being denied to execute it.

Additional Inherited Members

4.5.1 Constructor & Destructor Documentation

4.5.1.1 CLDashboard()

```
CLDashboard::CLDashboard (
    User & user )
```

Create a new [Dashboard](#) for the command line.

4.5.2 Member Function Documentation

4.5.2.1 changeMainMenu()

```
void CLDashboard::changeMainMenu (
    int n ) [protected]
```

Change the page of the menu.

Parameters

<i>n</i>	Number of pages to shift (positive to the right)
----------	--

4.5.2.2 errorCommand()

```
void CLDashboard::errorCommand (
    std::string command = "" ) [protected]
```

Shows error message because the command not being found.

Parameters

<i>command</i>	Command input
----------------	---------------

4.5.2.3 helpCommand()

```
void CLDashboard::helpCommand (
```

```
std::string command = "" ) [protected]
```

Displays the use of the command.

Parameters

<i>command</i>	Command to display info about
----------------	-------------------------------

4.5.2.4 listSensor()

```
void CLDashboard::listSensor ( ) [protected]
```

Command that lists the sensors in the current menu page.

4.5.2.5 permissionError()

```
void CLDashboard::permissionError ( ) [protected]
```

Shows error message because the permission being denied to execute it.

4.5.2.6 readCommand()

```
void CLDashboard::readCommand ( ) [protected]
```

Reads and executes a command from the terminal.

4.5.2.7 showMainMenu()

```
void CLDashboard::showMainMenu ( ) [virtual]
```

Shows the default menu and starts the custom terminal.


Implements [Dashboard](#).

The documentation for this class was generated from the following files:


- [include/CLDashboard.h](#)
- [src/CLDashboard.cpp](#)

4.6 CLInterface Class Reference

Inheritance diagram for CLInterface:



Collaboration diagram for CLInterface:



Public Member Functions

- `CLInterface ()`
Create a new `Interface` for the command line.
- `void login (int tries)`
Controls the login interface for the command line.

Additional Inherited Members

4.6.1 Constructor & Destructor Documentation

4.6.1.1 CLInterface()

```
CLInterface::CLInterface ( )
```

Create a new [Interface](#) for the command line.

Note

Also gets the terminal size

4.6.2 Member Function Documentation

4.6.2.1 login()

```
void CLInterface::login (
    int tries ) [virtual]
```

Controls the login interface for the command line.

Parameters

<i>tries</i>	Number of tries to login
--------------	--------------------------

Note

If exceeded the number of tries, then the program will exit


Implements [Interface](#).

The documentation for this class was generated from the following files:


- [include/CLInterface.h](#)
- [src/CLInterface.cpp](#)

4.7 CLLoginInterface Class Reference

Inheritance diagram for CLLoginInterface:



Collaboration diagram for CLLoginInterface:



Public Member Functions

- void [showWelcomeMessage](#) ()
Show the login screen messages in the command line.
- void [askEmployeeNumber](#) ()
Ask the user to input the employee number from the command line.
- void [askEmployeeNumber](#) (const std::string &userNumber)
Default setter of employee number.
- void [askNIF](#) ()
Ask the user to input the employee nif from the command line.
- void [askNIF](#) (const std::string &nif)
Default setter of employee nif.

Additional Inherited Members

4.7.1 Member Function Documentation

4.7.1.1 askEmployeeNumber() [1/2]

```
void CLLoginInterface::askEmployeeNumber ( ) [virtual]
```

Ask the user to input the employee number from the command line.

Implements [LoginInterface](#).

4.7.1.2 askEmployeeNumber() [2/2]

```
void CLLoginInterface::askEmployeeNumber (
    const std::string & userNumber ) [virtual]
```

Default setter of employee number.

Note

This method is used when the user executes the main with the NIF and employee number

Parameters

<i>userNumber</i>	
-------------------	--

Implements [LoginInterface](#).

4.7.1.3 askNIF() [1/2]

```
void CLLoginInterface::askNIF ( ) [virtual]
```

Ask the user to input the employee nif from the command line.

Implements [LoginInterface](#).

4.7.1.4 askNIF() [2/2]

```
void CLLoginInterface::askNIF (
    const std::string & nif ) [virtual]
```

Default setter of employee nif.

Note

This method is used when the user executes the main with the NIF and employee number

Parameters

<i>nif</i>	
------------	--

Implements [LoginInterface](#).

4.7.1.5 showWelcomeMessage()

```
void CLLoginInterface::showWelcomeMessage ( ) [virtual]
```

Show the login screen messages in the command line.

Implements [LoginInterface](#).

The documentation for this class was generated from the following files:


- include/CLLoginInterface.h
- src/CLLoginInterface.cpp

4.8 CLMenu Class Reference

Inheritance diagram for CLMenu:



Collaboration diagram for CLMenu:



Public Member Functions

- void `show` (std::vector< `Sensor` * > sensors, `UserConfig` &config)
Shows the menu with six or less smaller sensors displayed in the command line.
- void `show` (`Sensor` *sensorToDisplay, `UserConfig` &config)
Shows the menu for the sensor selected in a detailed format in the command line.

Protected Member Functions

- void `clearMenu` ()
Clear the menu in the command line.

Additional Inherited Members

4.8.1 Member Function Documentation

4.8.1.1 `clearMenu()`

```
void CLMenu::clearMenu ( ) [protected]
```

Clear the menu in the command line.

4.8.1.2 `show()` [1/2]

```
void CLMenu::show (
    Sensor * sensorToDisplay,
    UserConfig & config ) [virtual]
```

Shows the menu for the sensor selected in a detailed format in the command line.

Parameters

<i>sensorToDisplay</i>	Sensor to display
<i>config</i>	User configuration

Implements [Menu](#).

4.8.1.3 show() [2/2]

```
void CLMenu::show (
    std::vector< Sensor * > sensors,
    UserConfig & config ) [virtual]
```

Shows the menu with six or less smaller sensors displayed in the command line.

Parameters

<i>sensors</i>	Array of sensor to display ≤ 7
<i>config</i>	User configuration


Implements [Menu](#).

The documentation for this class was generated from the following files:


- include/[CLMenu.h](#)
- src/[CLMenu.cpp](#)

4.9 CLMenuBar Class Reference

Inheritance diagram for CLMenuBar:



Collaboration diagram for CLMenuBar:



Public Member Functions

- void [show](#) ()
Show the menu bar in the command line.

Additional Inherited Members

4.9.1 Member Function Documentation

4.9.1.1 [show\(\)](#)

```
void CLMenuBar::show ( ) [virtual]
```

Show the menu bar in the command line.


Implements [MenuBar](#).

The documentation for this class was generated from the following files:


- include/[CLMenuBar.h](#)
- src/[CLMenuBar.cpp](#)

4.10 Dashboard Class Reference

Inheritance diagram for Dashboard:



Collaboration diagram for Dashboard:



Public Member Functions

- virtual void **showMainMenu** ()=0
- bool **changeInterface** (std::string newInterface="")
Changes the current interface to the input one.
- void **addToMainMenu** ()
Adds all the current sensors to the dashboard.

- void `addToMainMenu (Sensor *sensor)`
Adds a sensor to the dashboard.
- void `moveWindowMainMenu (int n=1)`
Shifts the main menu n pages.
- void `changeCurrentSensorInfo (std::string toChange, std::string newValue)`
Changes the current sensor values.
- void `addNewSensor (std::string type)`
Creates the new sensor and calls addToMainMenu.
- void `deleteSensor (std::string id)`
Deletes the desired sensor from the dashboard.
- void `exit ()`
Exits the dashboard and finishes the program.
- void `logout ()`
Exits the dashboard and goes back to the login screen.
- bool `canExit ()`
Called from main, checks if the program is allowed to exit.

Static Public Member Functions

- static `Dashboard * Create (User &user, const std::string type="CLI")`
Create a new instance of the desired `Dashboard` interface.

Protected Member Functions

- `Dashboard (User &user)`

Protected Attributes

- `std::vector< Sensor * > sensor`
Vector of all the vectors in the dashboard.
- `std::vector< std::vector< Sensor * > > mainMenu`
Vector that contains the pages of the main `Menu`.
- `int mainMenuIndex`
Current page of the main `Menu`.
- `MenuBar * menuBar`
- `Menu * menu`
- `User * user`
- `std::string currentInterface`
Current interface, can be a sensor ID or the main menu (..)
- `std::string lastInterface`
Last interface, can be a sensor ID or the main menu (..)
- `Sensor * currentSensor`
If the currentInterface is a sensor then the value would be that sensor, if not the value is nullptr.
- bool `allowedToExit`

4.10.1 Member Function Documentation

4.10.1.1 addNewSensor()

```
void Dashboard::addNewSensor (
    std::string type )
```

Creates the new sensor and calls addToMainMenu.

Parameters

<i>type</i>	New sensor type
-------------	-----------------

See also[addToMainMenu](#)**4.10.1.2 addToMainMenu() [1/2]**

```
void Dashboard::addToMainMenu ( )
```

Adds all the current sensors to the dashboard.

Note

Only called at the start of the program

4.10.1.3 addToMainMenu() [2/2]

```
void Dashboard::addToMainMenu (
    Sensor * sensor )
```

Adds a sensor to the dashboard.

Parameters

<i>sensor</i>	Sensor to add
---------------	-------------------------------

4.10.1.4 canExit()

```
bool Dashboard::canExit ( )
```

Called from main, checks if the program is allowed to exit.

Returns

true End the program

false Cannot exit, goes to login screen

4.10.1.5 `changeCurrentSensorInfo()`

```
void Dashboard::changeCurrentSensorInfo (
    std::string toChange,
    std::string newValue )
```

Changes the current sensor values.

Parameters

<i>toChange</i>	Desired value to change
<i>newValue</i>	New value to add

4.10.1.6 `changeInterface()`

```
bool Dashboard::changeInterface (
    std::string newInterface = "" )
```

Changes the current interface to the input one.

Parameters

<i>newInterface</i>	Desired interface to change (.. = main Menu)
---------------------	--

Returns

true = can change interface

false = cannot change interface

4.10.1.7 `Create()`

```
Dashboard * Dashboard::Create (
    User & user,
    const std::string type = "CLI" ) [static]
```

Create a new instance of the desired [Dashboard](#) interface.

Parameters

<i>type</i>	Type of Dashboard interface
-------------	---

Returns

[Dashboard](#)*

4.10.1.8 deleteSensor()

```
void Dashboard::deleteSensor (
    std::string id )
```

Deletes the desired sensor from the dashboard.

Parameters

<i>id</i>	ID of the sensor to delete
-----------	----------------------------

See also

[addToMainMenu](#)

4.10.1.9 exit()

```
void Dashboard::exit ( )
```

Exits the dashboard and finishes the program.

See also

[cleanSensor](#)

4.10.1.10 logout()

```
void Dashboard::logout ( )
```

Exits the dashboard and goes back to the login screen.

See also

[cleanSensor](#)

4.10.1.11 moveWindowMainMenu()

```
void Dashboard::moveWindowMainMenu (
    int n = 1 )
```

Shifts the main menu n pages.

Parameters

<i>n</i>	Number of pages to shift (positive to the right)
----------	--

The documentation for this class was generated from the following files:

- include/[Dashboard.h](#)
- src/[Dashboard.cpp](#)

4.11 Database Class Reference

Public Member Functions

- void [getUser](#) (std::string employeeNumber, std::string NIF, [User](#) ¤tUser)
Get the [User](#) object in the database, if not throws an exception.
- void [resetUser](#) ([User](#) ¤tUser)

4.11.1 Member Function Documentation

4.11.1.1 [getUser\(\)](#)

```
void Database::getUser (
    std::string employeeNumber,
    std::string NIF,
    User & currentUser )
```

Get the [User](#) object in the database, if not throws an exception.

Parameters


<i>employeeNumber</i>	
<i>NIF</i>	
<i>currentUser</i>	

The documentation for this class was generated from the following files:


- include/[Database.h](#)
- src/[Database.cpp](#)

4.12 Humidity Class Reference

Inheritance diagram for Humidity:



Collaboration diagram for Humidity:



Public Member Functions

- [Humidity](#) (bool active=false, int valPerMin=1)
Create a new [Humidity](#) object.
- std::array< int, 60 > [requestData](#) ()
Request data from the humidity sensor.

Additional Inherited Members

4.12.1 Constructor & Destructor Documentation

4.12.1.1 Humidity()

```
Humidity::Humidity (  
    bool active = false,  
    int valPerMin = 1 )
```

Create a new [Humidity](#) object.

Parameters

<i>active</i>	By default off
<i>valPerMin</i>	By default 1 val/min

4.12.2 Member Function Documentation

4.12.2.1 requestData()

```
std::array< int, 60 > Humidity::requestData ( ) [virtual]
```

Request data from the humidity sensor.

Returns

std::vector<int> Data values

Note

This function is a placeholder, returns random values


Implements [Sensor](#).

The documentation for this class was generated from the following files:


- include/[Humidity.h](#)
- src/[Humidity.cpp](#)

4.13 Interface Class Reference

Inheritance diagram for Interface:



Collaboration diagram for Interface:



Public Member Functions

- virtual void `login` (int tries)=0
Virtual interface for the login method.
- void `login` (std::string userNumber, std::string nif)
Default login method without any interface.
- bool `loadMenu` ()
Creates and loads the dashboard.

Static Public Member Functions

- static `Interface` * `Create` (const std::string type="CLI")
Create a new `Interface` instance of the type specified.

Protected Attributes

- `LoginInterface` * `loginInterface`
- `Dashboard` * `dashboard`
- `User` * `user`

4.13.1 Member Function Documentation

4.13.1.1 Create()

```
Interface * Interface::Create (
    const std::string type = "CLI" ) [static]
```

Create a new [Interface](#) instance of the type specified.

Parameters

<i>type</i>	Type of interface
-------------	-------------------

Returns

Interface* New [Interface](#) instance

4.13.1.2 loadMenu()

```
bool Interface::loadMenu ( )
```

Creates and loads the dashboard.

Returns

true = exit
false = login again

4.13.1.3 login() [1/2]

```
virtual void Interface::login (
    int tries ) [pure virtual]
```

Virtual interface for the login method.

Parameters

<i>tries</i>	
--------------	--

Implemented in [CLInterface](#).

4.13.1.4 login() [2/2]

```
void Interface::login (
    std::string userNumber,
    std::string nif )
```

Default login method without any interface.

Parameters

<i>userNumber</i>	
<i>nif</i>	

Note


This method is used when the user executes the main with the NIF and employee number

The documentation for this class was generated from the following files:


- [include/Interface.h](#)
- [src/Interface.cpp](#)

4.14 LoginInterface Class Reference

Inheritance diagram for LoginInterface:



Collaboration diagram for LoginInterface:



Public Member Functions

- virtual void **showWelcomeMessage** ()=0
 - virtual void **askEmployeeNumber** ()=0
 - virtual void **askEmployeeNumber** (const std::string &userNumber)=0
 - virtual void **askNIF** ()=0
 - virtual void **askNIF** (const std::string &userNumber)=0
 - void **checkUser** ([User](#) ¤tUser)
- Sets the user pass to the corresponding employee number and NIF in the database.*
- **LoginInterface** ([LoginInterface](#) &otherLoginInterface)=delete
 - void **operator=** (const [LoginInterface](#) &)=delete

Static Public Member Functions

- static [LoginInterface](#) * **Create** (const std::string="CLI")
- Create a new Login interface instance of the type specified.*

Public Attributes

- [Database](#) * **database**

Protected Attributes

- std::string **inputNIF**
- std::string **inputEmployeeNumber**

4.14.1 Member Function Documentation

4.14.1.1 checkUser()

```
void LoginInterface::checkUser (
    User & currentUser )
```

Sets the user pass to the corresponding employee number and NIF in the database.

Parameters

<i>currentUser</i>	
--------------------	--

4.14.1.2 Create()

```
LoginInterface * LoginInterface::Create (
    const std::string type = "CLI" ) [static]
```

Create a new Login interface instance of the type specified.

Parameters

<i>type</i>	Type of login interface
-------------	-------------------------

Returns


LoginInterface* New login interface instance

The documentation for this class was generated from the following files:

- [include/LoginInterface.h](#)
- [src/LoginInterface.cpp](#)

4.15 Menu Class Reference

Inheritance diagram for Menu:



Public Member Functions

- virtual void **show** (std::vector< [Sensor](#) * > sensors, [UserConfig](#) &config)=0
- virtual void **show** ([Sensor](#) *sensorToDisplay, [UserConfig](#) &config)=0

Static Public Member Functions

- static [Menu](#) * [Create](#) (const std::string type="CLI")
Create a new [Menu](#) instance of the type specified.

4.15.1 Member Function Documentation

4.15.1.1 Create()

```

Menu * Menu::Create (
    const std::string type = "CLI" ) [static]
  
```

Create a new [Menu](#) instance of the type specified.

Parameters

<i>type</i>	Type of menu
-------------	--------------

Returns


Menu* New menu instance

The documentation for this class was generated from the following files:


- include/[Menu.h](#)
- src/[Menu.cpp](#)

4.16 MenuBar Class Reference

Inheritance diagram for MenuBar:



Collaboration diagram for MenuBar:



Public Member Functions

- virtual void **show** ()=0
- void **setUser** ([User](#) &user)
- void **setCurrentMenu** (std::string currentMenu)

Sets the current menu.

Static Public Member Functions

- static [MenuBar](#) * **Create** (const std::string type="CLI")

Create a new [Menu](#) bar instance of the type specified.

Protected Attributes

- [User](#) **user**
- std::string **currentMenu**

4.16.1 Member Function Documentation

4.16.1.1 Create()

```
MenuBar * MenuBar::Create (  
    const std::string type = "CLI" ) [static]
```

Create a new [Menu](#) bar instance of the type specified.

Parameters

<i>type</i>	Type of menu bar
-------------	------------------

Returns

[MenuBar](#)* New menu bar instance

4.16.1.2 setCurrentMenu()

```
void MenuBar::setCurrentMenu (  
    std::string currentMenu )
```

Sets the current menu.

Parameters


<code>currentMenu</code>	
--------------------------	--

The documentation for this class was generated from the following files:


- include/[MenuBar.h](#)
- src/[MenuBar.cpp](#)

4.17 Moisture Class Reference

Inheritance diagram for Moisture:



Collaboration diagram for Moisture:



Public Member Functions

- [Moisture](#) (bool active=false, int valPerMin=1)
Create a new [Moisture](#) object.
- `std::array< int, 60 > requestData ()`
Request data from the moisture sensor.

Additional Inherited Members

4.17.1 Constructor & Destructor Documentation

4.17.1.1 Moisture()

```
Moisture::Moisture (
    bool active = false,
    int valPerMin = 1 )
```

Create a new [Moisture](#) object.

Parameters

<i>active</i>	By default off
<i>valPerMin</i>	By default 1 val/min

4.17.2 Member Function Documentation

4.17.2.1 requestData()

```
std::array< int, 60 > Moisture::requestData ( ) [virtual]
```

Request data from the moisture sensor.

Returns

std::vector<int> Data values

Note

This function is a placeholder, returns random values


Implements [Sensor](#).

The documentation for this class was generated from the following files:


- include/[Moisture.h](#)
- src/[Moisture.cpp](#)

4.18 NotFoundUserException Class Reference

Inheritance diagram for NotFoundUserException:



Collaboration diagram for NotFoundUserException:




The documentation for this class was generated from the following file:

- include/[NotFoundUserException.h](#)

4.19 Sensor Class Reference

Inheritance diagram for Sensor:



Public Member Functions

- [Sensor](#) (std::string id="", std::string type="none", std::string magnitude="-", bool active=true, int valPerMin=1)
Construct a new [Sensor](#):: [Sensor](#) object.
- void **setId** (std::string newId)
- std::string **getId** ()
- void **setType** (std::string newType)
- std::string **getType** ()
- void **setArea** (std::string)
- std::string **getArea** ()
- void **setMagnitude** (std::string magnitude)
- std::string **getMagnitude** ()
- void **setActive** (bool)
- bool **isActive** ()
- void **setValPerMin** (int valPerMin)
- int **getValPerMin** ()
- virtual std::array< int, 60 > [requestData](#) ()=0
Request data from sensor.

Static Public Member Functions

- static [Sensor](#) * [Create](#) (const std::string type)
Creates an instance of the sensor type.

Static Public Attributes

- static std::array< std::string, 6 > **availableTypesId** = {"therm","hum","airqual","bwcam","rgbcam","moist"}
- static std::array< std::string, 6 > **availableTypes** = {"thermometer","humidity","airquality","bwcamera","rgbcamera","moisture"}

Protected Member Functions

- void **addNewData** (int)
- void **removeOldData** (int)

Protected Attributes

- char **id** [11]
- char **type** [21]
- char **area** [21]
- char **magnitude** [11]
- bool **active**
- int **valPerMin**

4.19.1 Constructor & Destructor Documentation

4.19.1.1 Sensor()

```
Sensor::Sensor (
    std::string id = "",
    std::string type = "none",
    std::string magnitude = "-",
    bool active = true,
    int valPerMin = 1 )
```

Construct a new [Sensor](#):: [Sensor](#) object.

Parameters

<i>id</i>	Identification of type and number
<i>type</i>	Type of sensor
<i>magnitude</i>	Data values magnitude
<i>active</i>	Sensor is On/Off
<i>valPerMin</i>	Number of values per min

4.19.2 Member Function Documentation

4.19.2.1 Create()

```
Sensor * Sensor::Create (
    const std::string type ) [static]
```

Creates an instance of the sensor type.

Parameters

<i>type</i>	
-------------	--

Returns

[Sensor](#)*

4.19.2.2 requestData()

```
virtual std::array<int,60> Sensor::requestData ( ) [pure virtual]
```

Request data from sensor.

Returns

std::vector<int>


Implemented in [AirQuality](#), [CameraBW](#), [CameraRGB](#), [Humidity](#), [Moisture](#), and [Thermometer](#).

The documentation for this class was generated from the following files:


- include/[Sensor.h](#)
- src/[Sensor.cpp](#)

4.20 Thermometer Class Reference

Inheritance diagram for Thermometer:



Collaboration diagram for Thermometer:



Public Member Functions

- [Thermometer](#) (bool active=false, int valPerMin=1)
Create a new [Thermometer](#) object.
- std::array< int, 60 > [requestData](#) ()
Request data from the thermometer.

Additional Inherited Members

4.20.1 Constructor & Destructor Documentation

4.20.1.1 Thermometer()

```
Thermometer::Thermometer (
    bool active = false,
    int valPerMin = 1 )
```

Create a new [Thermometer](#) object.

Parameters

<i>active</i>	By default off
<i>valPerMin</i>	By default 1 val/min

4.20.2 Member Function Documentation

4.20.2.1 requestData()

```
std::array< int, 60 > Thermometer::requestData ( ) [virtual]
```

Request data from the thermometer.

Returns

std::vector<int> Data values

Note

This function is a placeholder, returns random values


Implements [Sensor](#).

The documentation for this class was generated from the following files:


- include/[Thermometer.h](#)
- src/[Thermometer.cpp](#)

4.21 User Class Reference

Inheritance diagram for User:



Collaboration diagram for User:



Public Member Functions

- [User](#) (std::string number="00000", std::string nif="00000000", std::string name="default")
Create a new [User](#).
- **User** ([UserConfig](#) [UserConfig](#), std::string number="00000", std::string nif="00000000", std::string name="default")
- std::string **getNIF** () const
- bool **isSameNIF** (std::string NIF)
- std::string **getEmployeeNumber** () const
- bool **isSameEmployeeNumber** (std::string employeeNumber)
- std::string **getName** () const
Returns the user name.
- void **setName** (std::string newName)
- void **addTimestamp** ()
Set the timestamp.
- std::string **getTimestamp** () const
Returns the timestamp.
- bool **hasAdminPermission** ()
Returns the user permissions.
- bool **operator<** (const [User](#) &) const
- bool **operator==** (const [User](#) &) const
- void **setNIF** (std::string)
Set the user NIF.
- void **setEmployeeNumber** (std::string)
Set the user employee number.
- void **setConfig** ([UserConfig](#) newConfig)
- [UserConfig](#) * **getConfiguration** ()

Protected Attributes

- char **name** [21]
- char **NIF** [9]
- char **employeeNumber** [6]
- char **lastLogTime** [25]
- bool **adminPermission**
- [UserConfig](#) **userConfiguration**

Friends

- `std::ostream & operator<< (std::ostream &, const User &)`

4.21.1 Constructor & Destructor Documentation

4.21.1.1 User()

```
User::User (
    std::string number = "00000",
    std::string nif = "00000000",
    std::string name = "default" )
```

Create a new [User](#).

Parameters

<i>employeeNumber</i>	
<i>NIF</i>	
<i>name</i>	

4.21.2 Member Function Documentation

4.21.2.1 addTimestamp()

```
void User::addTimestamp ( )
```

Set the timestamp.

4.21.2.2 getName()

```
std::string User::getName ( ) const [inline]
```

Returns the user name.

Returns

`std::string User name`

4.21.2.3 `getTimestamp()`

```
std::string User::getTimestamp ( ) const
```

Returns the timestamp.

Returns

std::string Timestamp

4.21.2.4 `hasAdminPermission()`

```
bool User::hasAdminPermission ( )
```

Returns the user permissions.

Returns

true = has admin permissions

false = does not have admin permissions

4.21.2.5 `setEmployeeNumber()`

```
void User::setEmployeeNumber (
    std::string newEmployeeNumber )
```

Set the user employee number.

Parameters

<i>employeeNumber</i>	
-----------------------	--

4.21.2.6 `setNIF()`

```
void User::setNIF (
    std::string newNIF )
```

Set the user NIF.

Parameters

$N \leftrightarrow$	
IF	

The documentation for this class was generated from the following files:

- [include/User.h](#)
- [src/User.cpp](#)

4.22 UserConfig Class Reference

Public Member Functions

- **UserConfig** (std::string language="ENG", std::array< int, 3 > backgroundColor={0, 0, 0}, std::array< int, 3 > fontColor={255, 255, 255}, std::array< int, 3 > graphicColor={255, 0, 0})
- std::string **getlanguage** () const
- void **setLanguage** (std::string newLanguage)
- std::array< int, 3 > * **getBackgroundColor** ()
- void **setBackgroundColor** (std::array< int, 3 > newBackgroundColor)
- std::array< int, 3 > * **getFontColor** ()
- void **setFontColor** (std::array< int, 3 > newFontColor)
- std::array< int, 3 > * **getGraphicColor** ()
- void **setGraphicColor** (std::array< int, 3 > newGraphicColor)

The documentation for this class was generated from the following files:

- [include/UserConfig.h](#)
- [src/UserConfig.cpp](#)

Chapter 5


File Documentation

5.1 include/Admin.h File Reference


Header file of [Admin.cpp](#).

```
#include "User.h"
```

Include dependency graph for Admin.h:



This graph shows which files directly or indirectly include this file:



Classes

- class [Admin](#)

5.1.1 Detailed Description

Header file of [Admin.cpp](#).

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright


Copyright (c) 2022

5.2 include/AirQuality.h File Reference


Header file of [AirQuality.cpp](#).

```
#include "Sensor.h"
```

Include dependency graph for AirQuality.h:



This graph shows which files directly or indirectly include this file:



Classes

- class [AirQuality](#)

5.2.1 Detailed Description

Header file of [AirQuality.cpp](#).

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright


Copyright (c) 2022

5.3 include/CameraBW.h File Reference


Header file of [CameraBW.cpp](#).

```
#include "Sensor.h"
```

Include dependency graph for CameraBW.h:



This graph shows which files directly or indirectly include this file:



Classes

- class [CameraBW](#)

5.3.1 Detailed Description

Header file of [CameraBW.cpp](#).

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright


Copyright (c) 2022

5.4 include/CameraRGB.h File Reference


Header file of [CameraRGB.cpp](#).

```
#include "Sensor.h"
```

Include dependency graph for CameraRGB.h:



This graph shows which files directly or indirectly include this file:



Classes

- class [CameraRGB](#)

5.4.1 Detailed Description

Header file of [CameraRGB.cpp](#).

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright

Copyright (c) 2022


5.5 include/CLDashboard.h File Reference

Header file of [CLDashboard.cpp](#).


```
#include "Dashboard.h"
```

```
#include "CLIUtils.h"
```

Include dependency graph for CLDashboard.h:



This graph shows which files directly or indirectly include this file:



Classes

- class [CLDashboard](#)

5.5.1 Detailed Description

Header file of [CLDashboard.cpp](#).

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright


Copyright (c) 2022

5.6 include/CLInterface.h File Reference


Header file of [CLInterface.cpp](#).

```
#include "Interface.h"
#include "CLIUtils.h"
#include <unistd.h>
```

Include dependency graph for CLInterface.h:



This graph shows which files directly or indirectly include this file:



Classes

- class [CLInterface](#)

5.6.1 Detailed Description

Header file of [CLInterface.cpp](#).

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright


Copyright (c) 2022

5.7 include/CLIUtils.h File Reference


Header file of [CLIUtils.cpp](#).

```
#include "User.h"
#include <iostream>
#include <algorithm>
#include <iomanip>
#include <fstream>
#include <array>
```

Include dependency graph for CLIUtils.h:



This graph shows which files directly or indirectly include this file:



Functions

- void **setTerminalSize** ()
- int **getTerminalWidth** ()
- int **getTerminalHeight** ()
- void **printCenterFromFile** (const std::string fileName, std::array< int, 3 > frontColor, std::array< int, 3 > backColor)
Print the contents of the file in the center.
- void **printCenter** (const std::string toPrint, std::array< int, 3 > frontColor, std::array< int, 3 > backColor, const int padding=0)
Print the string in the center.
- void **printRight** (const std::string toPrint, std::array< int, 3 > frontColor, std::array< int, 3 > backColor, const int padding=0)
- void **printLeft** (const std::string toPrint, std::array< int, 3 > frontColor, std::array< int, 3 > backColor, const int padding=0)
- void **printColor** (std::string toPrint, std::array< int, 3 > frontColor, std::array< int, 3 > backColor)
Print the string to the terminal in the given color.
- void **startCustomTerminal** (int)
- std::vector< std::string > **newCommand** ([User](#) &user, std::string="")
- void **clearCustomTerminal** (int)
- void **moveCursor** (int posX, int posY)
- void **printGraphic** (const std::array< int, 60 > data, std::array< int, 3 > frontColor, std::array< int, 3 > backColor, std::array< int, 3 > pointColor, int valPerY=1, int posX=10, int posY=10, int scale=1)

5.7.1 Detailed Description

Header file of [CLIUtils.cpp](#).

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright

Copyright (c) 2022

5.7.2 Function Documentation

5.7.2.1 printCenter()

```
void printCenter (
    const std::string toPrint,
    std::array< int, 3 > frontColor,
    std::array< int, 3 > backColor,
    const int padding = 0 )
```

Print the string in the center.

Parameters

<i>toPrint</i>	
<i>frontColor</i>	
<i>backColor</i>	
<i>padding</i>	

5.7.2.2 printCenterFromFile()

```
void printCenterFromFile (
    const std::string fileName,
    std::array< int, 3 > frontColor,
    std::array< int, 3 > backColor )
```

Print the contents of the file in the center.

Parameters

<i>fileName</i>	
<i>frontColor</i>	
<i>backColor</i>	

5.7.2.3 printColor()

```
void printColor (
    std::string toPrint,
    std::array< int, 3 > frontColor,
    std::array< int, 3 > backColor )
```

Print the string to the terminal in the given color.

Parameters


<i>toPrint</i>	
<i>frontColor</i>	
<i>backColor</i>	

5.8 include/CLLoginInterface.h File Reference


Header file of [CLLoginInterface.cpp](#).

```
#include "LoginInterface.h"
#include "CLIUtils.h"
```

Include dependency graph for CLLoginInterface.h:



This graph shows which files directly or indirectly include this file:



Classes

- class [CLLoginInterface](#)

5.8.1 Detailed Description

Header file of [CLLoginInterface.cpp](#).

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23


Copyright

Copyright (c) 2022


5.9 include/CLMenu.h File Reference

Header file of [CLMenu.cpp](#).

```
#include "Menu.h"
#include "CLIUtils.h"
Include dependency graph for CLMenu.h:
```



This graph shows which files directly or indirectly include this file:



Classes

- class [CLMenu](#)

5.9.1 Detailed Description

Header file of [CLMenu.cpp](#).

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright

Copyright (c) 2022


5.10 include/CLMenuBar.h File Reference

Header file of [CLMenuBar.cpp](#).


```
#include "MenuBar.h"
```

```
#include "CLIUtils.h"
```

Include dependency graph for CLMenuBar.h:



This graph shows which files directly or indirectly include this file:



Classes

- class [CLMenuBar](#)

5.10.1 Detailed Description

Header file of [CLMenuBar.cpp](#).

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright


Copyright (c) 2022

5.11 include/Dashboard.h File Reference


Header file of [Dashboard.cpp](#).

```
#include "Admin.h"  
#include "MenuBar.h"  
#include "Menu.h"  
#include <filesystem>
```

Include dependency graph for Dashboard.h:



This graph shows which files directly or indirectly include this file:



Classes

- class [Dashboard](#)

5.11.1 Detailed Description

Header file of [Dashboard.cpp](#).

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright


Copyright (c) 2022

5.12 include/Database.h File Reference


Header file of [Database.cpp](#).

```
#include "Admin.h"
#include <set>
```

Include dependency graph for Database.h:



This graph shows which files directly or indirectly include this file:



Classes

- class [Database](#)

5.12.1 Detailed Description

Header file of [Database.cpp](#).

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright


Copyright (c) 2022

5.13 include/Humidity.h File Reference


Header file of [Humidity.cpp](#).

```
#include "Sensor.h"
```

Include dependency graph for Humidity.h:



This graph shows which files directly or indirectly include this file:



Classes

- class [Humidity](#)

5.13.1 Detailed Description

Header file of [Humidity.cpp](#).

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright


Copyright (c) 2022

5.14 include/Interface.h File Reference


Header file of [Interface.cpp](#).

```
#include "LoginInterface.h"
#include "Dashboard.h"
#include "Admin.h"
```

Include dependency graph for Interface.h:



This graph shows which files directly or indirectly include this file:



Classes

- class [Interface](#)

5.14.1 Detailed Description

Header file of [Interface.cpp](#).

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright


Copyright (c) 2022

5.15 include/LoginInterface.h File Reference


Header file of [LoginInterface.cpp](#).

```
#include "Database.h"
```

Include dependency graph for LoginInterface.h:



This graph shows which files directly or indirectly include this file:



Classes

- class [LoginInterface](#)

5.15.1 Detailed Description

Header file of [LoginInterface.cpp](#).

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright


Copyright (c) 2022

5.16 include/main.h File Reference


Header file of [main.cpp](#).

```
#include "Interface.h"
```

Include dependency graph for main.h:



This graph shows which files directly or indirectly include this file:



Functions

- `int main (int argc, char *argv[])`

5.16.1 Detailed Description

Header file of [main.cpp](#).

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23


Copyright

Copyright (c) 2022


5.17 include/Menu.h File Reference

Header file of [Menu.cpp](#).

```
#include "Sensor.h"  
#include "UserConfig.h"  
Include dependency graph for Menu.h:
```



This graph shows which files directly or indirectly include this file:



Classes

- class [Menu](#)

5.17.1 Detailed Description

Header file of [Menu.cpp](#).

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23


Copyright

Copyright (c) 2022


5.18 include/MenuBar.h File Reference

Header file of [MenuBar.cpp](#).

```
#include <string>
#include "Admin.h"
Include dependency graph for MenuBar.h:
```



This graph shows which files directly or indirectly include this file:



Classes

- class [MenuBar](#)

5.18.1 Detailed Description

Header file of [MenuBar.cpp](#).

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright


Copyright (c) 2022

5.19 include/Moisture.h File Reference


Header file of [Moisture.cpp](#).

```
#include "Sensor.h"
```

Include dependency graph for Moisture.h:



This graph shows which files directly or indirectly include this file:



Classes

- class [Moisture](#)

5.19.1 Detailed Description

Header file of [Moisture.cpp](#).

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright


Copyright (c) 2022

5.20 include/NotFoundUserException.h File Reference


Exception thrown when user not found in database.

```
#include <stdexcept>
```

Include dependency graph for NotFoundUserException.h:



This graph shows which files directly or indirectly include this file:



Classes

- class [NotFoundUserException](#)

5.20.1 Detailed Description

Exception thrown when user not found in database.

Author

Javier Izquierdo Hernandez (j.izquierdoh.2021@alumnos.urjc.es)

Version

0.1

Date

2022-12-20

Copyright


Copyright (c) 2022

5.21 include/Sensor.h File Reference


Header file of [Sensor.cpp](#).

```
#include <string>
#include <vector>
#include <array>
#include <stdexcept>
```

Include dependency graph for Sensor.h:



This graph shows which files directly or indirectly include this file:



Classes

- class [Sensor](#)

5.21.1 Detailed Description

Header file of [Sensor.cpp](#).

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright


Copyright (c) 2022

5.22 include/Thermometer.h File Reference


Header file of [Thermometer.cpp](#).

```
#include "Sensor.h"
```

Include dependency graph for Thermometer.h:



This graph shows which files directly or indirectly include this file:



Classes

- class [Thermometer](#)

5.22.1 Detailed Description

Header file of [Thermometer.cpp](#).

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright


Copyright (c) 2022

5.23 include/User.h File Reference


Header file of [User.cpp](#).

```
#include <string>
#include <vector>
#include <chrono>
#include <ctime>
#include <ostream>
#include "UserConfig.h"
```

Include dependency graph for User.h:



This graph shows which files directly or indirectly include this file:



Classes

- class [User](#)

5.23.1 Detailed Description

Header file of [User.cpp](#).

Classes

- class [UserConfig](#)

5.24.1 Detailed Description

Header file of [UserConfig.cpp](#).

Author

Javier Izquierdo Hernandez (j.izquierdoh.2021@alumnos.urjc.es)

Version

0.1

Date

2022-12-22


Copyright

Copyright (c) 2022

5.25 src/Admin.cpp File Reference

```
#include "Admin.h"
```

Include dependency graph for Admin.cpp:



5.25.1 Detailed Description

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23


Copyright

Copyright (c) 2022

5.26 src/AirQuality.cpp File Reference

```
#include "AirQuality.h"
```

Include dependency graph for AirQuality.cpp:



5.26.1 Detailed Description

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23


Copyright

Copyright (c) 2022

5.27 src/CameraBW.cpp File Reference

```
#include "CameraBW.h"
```

Include dependency graph for CameraBW.cpp:



5.27.1 Detailed Description

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23


Copyright

Copyright (c) 2022

5.28 src/CameraRGB.cpp File Reference

```
#include "CameraRGB.h"
```

Include dependency graph for CameraRGB.cpp:



5.28.1 Detailed Description

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23


Copyright

Copyright (c) 2022

5.29 src/CLDashboard.cpp File Reference

```
#include "CLDashboard.h"
```

Include dependency graph for CLDashboard.cpp:



5.29.1 Detailed Description

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23


Copyright

Copyright (c) 2022

5.30 src/CLInterface.cpp File Reference

```
#include "CLInterface.h"
```

Include dependency graph for CLInterface.cpp:



5.30.1 Detailed Description

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23


Copyright

Copyright (c) 2022

5.31 src/CLIUtils.cpp File Reference

```
#include "CLIUtils.h"
```

Include dependency graph for CLIUtils.cpp:



Functions

- void **setTerminalSize** ()
- int **getTerminalWidth** ()
- int **getTerminalHeight** ()
- void **printCenterFromFile** (std::string fileName, std::array< int, 3 > frontColor, std::array< int, 3 > backColor)

Print the contents of the file in the center.
- void **printCenter** (const std::string toPrint, std::array< int, 3 > frontColor, std::array< int, 3 > backColor, const int padding)

Print the string in the center.
- void **printRight** (const std::string toPrint, std::array< int, 3 > frontColor, std::array< int, 3 > backColor, const int padding)
- void **printLeft** (const std::string toPrint, std::array< int, 3 > frontColor, std::array< int, 3 > backColor, const int padding)
- void **printColor** (std::string toPrint, std::array< int, 3 > frontColor, std::array< int, 3 > backColor)

Print the string to the terminal in the given color.
- void **startCustomTerminal** (int terminalSize)
- void **clearCustomTerminal** (int terminalSize)
- void **moveCursor** (int posX, int posY)
- std::vector< std::string > **newCommand** (**User** &user, std::string currentSensor)
- void **printGraphic** (const std::array< int, 60 > data, std::array< int, 3 > frontColor, std::array< int, 3 > backColor, std::array< int, 3 > pointColor, int valPerY, int posX, int posY, int scale)

Variables

- int **terminalWidth**
- int **terminalHeight**

5.31.1 Detailed Description

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright

Copyright (c) 2022

5.31.2 Function Documentation

5.31.2.1 `printCenter()`

```
void printCenter (
    const std::string toPrint,
    std::array< int, 3 > frontColor,
    std::array< int, 3 > backColor,
    const int padding = 0 )
```

Print the string in the center.

Parameters

<i>toPrint</i>	
<i>frontColor</i>	
<i>backColor</i>	
<i>padding</i>	

5.31.2.2 `printCenterFromFile()`

```
void printCenterFromFile (
    const std::string fileName,
    std::array< int, 3 > frontColor,
    std::array< int, 3 > backColor )
```

Print the contents of the file in the center.

Parameters

<i>fileName</i>	
<i>frontColor</i>	
<i>backColor</i>	

5.31.2.3 printColor()

```
void printColor (
    std::string toPrint,
    std::array< int, 3 > frontColor,
    std::array< int, 3 > backColor )
```

Print the string to the terminal in the given color.


Parameters

<i>toPrint</i>	
<i>frontColor</i>	
<i>backColor</i>	

5.32 src/CLLoginInterface.cpp File Reference

```
#include "CLLoginInterface.h"
```

Include dependency graph for CLLoginInterface.cpp:



5.32.1 Detailed Description

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23


Copyright

Copyright (c) 2022

5.33 src/CLMenu.cpp File Reference

```
#include "CLMenu.h"
```

Include dependency graph for CLMenu.cpp:



5.33.1 Detailed Description

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23


Copyright

Copyright (c) 2022

5.34 src/CLMenuBar.cpp File Reference

```
#include "CLMenuBar.h"
```

Include dependency graph for CLMenuBar.cpp:



5.34.1 Detailed Description

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright


Copyright (c) 2022

5.35 src/Dashboard.cpp File Reference

```
#include "Dashboard.h"
```

```
#include "CLDashboard.h"
```

Include dependency graph for Dashboard.cpp:



5.35.1 Detailed Description

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright

Copyright (c) 2022

5.36 src/Database.cpp File Reference


```

#include "Database.h"
#include "NotFoundUserException.h"
#include <fstream>
#include <iostream>

```

```
#include <iterator>
```

Include dependency graph for Database.cpp:



5.36.1 Detailed Description

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23


Copyright

Copyright (c) 2022

5.37 src/Humidity.cpp File Reference

```
#include "Humidity.h"
```

Include dependency graph for Humidity.cpp:



5.37.1 Detailed Description

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23


Copyright

Copyright (c) 2022

5.38 `src/Interface.cpp` File Reference

```
#include "Interface.h"  
#include "CLInterface.h"
```

Include dependency graph for Interface.cpp:



5.38.1 Detailed Description

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright


Copyright (c) 2022

5.39 src/LoginInterface.cpp File Reference

```
#include "LoginInterface.h"
#include "CLLoginInterface.h"
```

```
#include <stdexcept>
```

Include dependency graph for LoginInterface.cpp:



5.39.1 Detailed Description

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23


Copyright

Copyright (c) 2022

5.40 src/main.cpp File Reference

```
#include "main.h"
```

Include dependency graph for main.cpp:



Functions

- `int main (int argc, char *argv[])`

5.40.1 Detailed Description

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date


2022-11-23

Copyright

Copyright (c) 2022

5.41 src/Menu.cpp File Reference

```
#include "Menu.h"
#include "CLMenu.h"
Include dependency graph for Menu.cpp:
```



5.41.1 Detailed Description

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23


Copyright

Copyright (c) 2022

5.42 src/MenuBar.cpp File Reference

```
#include "MenuBar.h"
#include "CLMenuBar.h"
```


Include dependency graph for MenuBar.cpp:



5.42.1 Detailed Description

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23


Copyright

Copyright (c) 2022

5.43 src/Moisture.cpp File Reference

```
#include "Moisture.h"
```

Include dependency graph for Moisture.cpp:



5.43.1 Detailed Description

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright


Copyright (c) 2022

5.44 src/Sensor.cpp File Reference

```
#include "Sensor.h"
#include "Thermometer.h"
#include "Humidity.h"
#include "Moisture.h"
#include "AirQuality.h"
#include "CameraBW.h"
```

```
#include "CameraRGB.h"
```

Include dependency graph for Sensor.cpp:



5.44.1 Detailed Description

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23


Copyright

Copyright (c) 2022

5.45 src/Thermometer.cpp File Reference

```
#include "Thermometer.h"
```

Include dependency graph for Thermometer.cpp:



5.45.1 Detailed Description

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

1.0

Date

2022-11-23

Copyright


Copyright (c) 2022

5.46 src/User.cpp File Reference

```
#include "User.h"
#include <iostream>
```

```
#include <iomanip>
```

Include dependency graph for User.cpp:



Functions

- `std::ostream & operator<< (std::ostream &output, const User &user)`

5.46.1 Detailed Description

Author

Javier Izquierdo (j.izquierdoh.2021@alumnos.urjc.es)

Version

2.0

Date

2022-11-23


Copyright

Copyright (c) 2022

5.47 src/UserConfig.cpp File Reference

```
#include "UserConfig.h"
```

Include dependency graph for UserConfig.cpp:



5.47.1 Detailed Description

Author

Javier Izquierdo Hernandez (j.izquierdoh.2021@alumnos.urjc.es)

Version

0.1

Date

2022-12-22

Copyright

Copyright (c) 2022

Index

- addNewSensor
 - Dashboard, [26](#)
- addTimestamp
 - User, [49](#)
- addToMainMenu
 - Dashboard, [28](#)
- Admin, [7](#)
 - Admin, [8](#)
- AirQuality, [8](#)
 - AirQuality, [9](#)
 - requestData, [9](#)
- askEmployeeNumber
 - CLLoginInterface, [20](#)
- askNIF
 - CLLoginInterface, [20](#)
- CameraBW, [10](#)
 - CameraBW, [11](#)
 - requestData, [11](#)
- CameraRGB, [12](#)
 - CameraRGB, [12](#)
 - requestData, [13](#)
- canExit
 - Dashboard, [28](#)
- changeCurrentSensorInfo
 - Dashboard, [28](#)
- changeInterface
 - Dashboard, [29](#)
- changeMainMenu
 - CLDashboard, [15](#)
- checkUser
 - LoginInterface, [37](#)
- CLDashboard, [13](#)
 - changeMainMenu, [15](#)
 - CLDashboard, [15](#)
 - errorCommand, [15](#)
 - helpCommand, [15](#)
 - listSensor, [16](#)
 - permissionError, [16](#)
 - readCommand, [16](#)
 - showMainMenu, [16](#)
- clearMenu
 - CLMenu, [22](#)
- CLInterface, [17](#)
 - CLInterface, [18](#)
 - login, [18](#)
- CLIUtils.cpp
 - printCenter, [94](#)
 - printCenterFromFile, [94](#)
 - printColor, [95](#)
- CLIUtils.h
 - printCenter, [62](#)
 - printCenterFromFile, [63](#)
 - printColor, [63](#)
- CLLoginInterface, [19](#)
 - askEmployeeNumber, [20](#)
 - askNIF, [20](#)
 - showWelcomeMessage, [21](#)
- CLMenu, [21](#)
 - clearMenu, [22](#)
 - show, [22](#), [23](#)
- CLMenuBar, [23](#)
 - show, [24](#)
- Create
 - Dashboard, [29](#)
 - Interface, [34](#)
 - LoginInterface, [37](#)
 - Menu, [38](#)
 - MenuBar, [40](#)
 - Sensor, [45](#)
- Dashboard, [25](#)
 - addNewSensor, [26](#)
 - addToMainMenu, [28](#)
 - canExit, [28](#)
 - changeCurrentSensorInfo, [28](#)
 - changeInterface, [29](#)
 - Create, [29](#)
 - deleteSensor, [30](#)
 - exit, [30](#)
 - logout, [30](#)
 - moveWindowMainMenu, [30](#)
- Database, [31](#)
 - getUser, [31](#)
- deleteSensor
 - Dashboard, [30](#)
- errorCommand
 - CLDashboard, [15](#)
- exit
 - Dashboard, [30](#)
- getName
 - User, [49](#)
- getTimestamp
 - User, [49](#)
- getUser
 - Database, [31](#)
- hasAdminPermission

- User, 50
- helpCommand
 - CLDashboard, 15
- Humidity, 32
 - Humidity, 32
 - requestData, 33
- include/Admin.h, 53
- include/AirQuality.h, 54
- include/CameraBW.h, 56
- include/CameraRGB.h, 57
- include/CLDashboard.h, 58
- include/CLInterface.h, 60
- include/CLIUtils.h, 61
- include/CLLoginInterface.h, 63
- include/CLMenu.h, 65
- include/CLMenuBar.h, 66
- include/Dashboard.h, 67
- include/Database.h, 69
- include/Humidity.h, 70
- include/Interface.h, 72
- include/LoginInterface.h, 73
- include/main.h, 74
- include/Menu.h, 76
- include/MenuBar.h, 78
- include/Moisture.h, 79
- include/NotFoundUserException.h, 81
- include/Sensor.h, 82
- include/Thermometer.h, 83
- include/User.h, 85
- include/UserConfig.h, 86
- Interface, 33
 - Create, 34
 - loadMenu, 35
 - login, 35
- listSensor
 - CLDashboard, 16
- loadMenu
 - Interface, 35
- login
 - CLInterface, 18
 - Interface, 35
- LoginInterface, 36
 - checkUser, 37
 - Create, 37
- logout
 - Dashboard, 30
- Menu, 38
 - Create, 38
- MenuBar, 39
 - Create, 40
 - setCurrentMenu, 40
- Moisture, 41
 - Moisture, 42
 - requestData, 42
- moveWindowMainMenu
 - Dashboard, 30
- NotFoundUserException, 43
- permissionError
 - CLDashboard, 16
- printCenter
 - CLIUtils.cpp, 94
 - CLIUtils.h, 62
- printCenterFromFile
 - CLIUtils.cpp, 94
 - CLIUtils.h, 63
- printColor
 - CLIUtils.cpp, 95
 - CLIUtils.h, 63
- readCommand
 - CLDashboard, 16
- requestData
 - AirQuality, 9
 - CameraBW, 11
 - CameraRGB, 13
 - Humidity, 33
 - Moisture, 42
 - Sensor, 45
 - Thermometer, 47
- Sensor, 43
 - Create, 45
 - requestData, 45
 - Sensor, 44
- setCurrentMenu
 - MenuBar, 40
- setEmployeeNumber
 - User, 50
- setNIF
 - User, 50
- show
 - CLMenu, 22, 23
 - CLMenuBar, 24
- showMainMenu
 - CLDashboard, 16
- showWelcomeMessage
 - CLLoginInterface, 21
- src/Admin.cpp, 87
- src/AirQuality.cpp, 88
- src/CameraBW.cpp, 89
- src/CameraRGB.cpp, 90
- src/CLDashboard.cpp, 91
- src/CLInterface.cpp, 92
- src/CLIUtils.cpp, 93
- src/CLLoginInterface.cpp, 95
- src/CLMenu.cpp, 96
- src/CLMenuBar.cpp, 97
- src/Dashboard.cpp, 97
- src/Database.cpp, 98
- src/Humidity.cpp, 99
- src/Interface.cpp, 100
- src/LoginInterface.cpp, 101
- src/main.cpp, 102
- src/Menu.cpp, 104

- src/MenuBar.cpp, [104](#)
- src/Moisture.cpp, [105](#)
- src/Sensor.cpp, [106](#)
- src/Thermometer.cpp, [107](#)
- src/User.cpp, [108](#)
- src/UserConfig.cpp, [110](#)

- Thermometer, [46](#)
 - requestData, [47](#)
 - Thermometer, [46](#)

- User, [47](#)
 - addTimestamp, [49](#)
 - getName, [49](#)
 - getTimestamp, [49](#)
 - hasAdminPermission, [50](#)
 - setEmployeeNumber, [50](#)
 - setNIF, [50](#)
 - User, [49](#)
- UserConfig, [51](#)