

## Practice 9

Generated by Doxygen 1.8.17



<b>1 Hierarchical Index</b>	<b>1</b>
1.1 Class Hierarchy	1
<b>2 Class Index</b>	<b>3</b>
2.1 Class List	3
<b>3 File Index</b>	<b>5</b>
3.1 File List	5
<b>4 Class Documentation</b>	<b>7</b>
4.1 Admin Class Reference	7
4.1.1 Constructor & Destructor Documentation	8
4.1.1.1 Admin()	8
4.2 AirQuality Class Reference	9
4.2.1 Constructor & Destructor Documentation	9
4.2.1.1 AirQuality()	10
4.3 CameraBW Class Reference	10
4.3.1 Constructor & Destructor Documentation	11
4.3.1.1 CameraBW()	11
4.4 CameraRGB Class Reference	11
4.4.1 Constructor & Destructor Documentation	12
4.4.1.1 CameraRGB()	12
4.5 CLDashboard Class Reference	13
4.5.1 Constructor & Destructor Documentation	14
4.5.1.1 CLDashboard()	14
4.5.2 Member Function Documentation	14
4.5.2.1 changeMainMenu()	14
4.5.2.2 errorCommand()	15
4.5.2.3 helpCommand()	15
4.5.2.4 listSensor()	15
4.5.2.5 permissionError()	15
4.5.2.6 readCommand()	16
4.5.2.7 showMainMenu()	16
4.6 CLInterface Class Reference	16
4.6.1 Constructor & Destructor Documentation	17
4.6.1.1 CLInterface()	17
4.6.2 Member Function Documentation	17
4.6.2.1 login()	18
4.7 CLLoginInterface Class Reference	19
4.7.1 Member Function Documentation	20
4.7.1.1 askEmployeeNumber() [1/2]	20
4.7.1.2 askEmployeeNumber() [2/2]	21
4.7.1.3 askNIF() [1/2]	21

4.7.1.4 askNIF() [2/2]	21
4.7.1.5 showWelcomeMessage()	22
4.8 CLMenu Class Reference	22
4.8.1 Member Function Documentation	23
4.8.1.1 clearMenu()	23
4.8.1.2 show() [1/3]	23
4.8.1.3 show() [2/3]	24
4.8.1.4 show() [3/3]	24
4.9 CLMenuBar Class Reference	24
4.9.1 Member Function Documentation	25
4.9.1.1 show()	25
4.10 Config Class Reference	26
4.11 Dashboard Class Reference	27
4.11.1 Member Function Documentation	29
4.11.1.1 addNewSensor()	29
4.11.1.2 addToMainMenu() [1/2]	29
4.11.1.3 addToMainMenu() [2/2]	29
4.11.1.4 canExit()	30
4.11.1.5 changeCurrentSensorInfo()	30
4.11.1.6 changeInterface()	30
4.11.1.7 Create()	31
4.11.1.8 deleteSensor()	31
4.11.1.9 exit()	31
4.11.1.10 getDeleteUsers()	32
4.11.1.11 getNewUsers()	32
4.11.1.12 logout()	32
4.11.1.13 moveWindowMainMenu()	32
4.11.2 Member Data Documentation	33
4.11.2.1 numberOfSensorsPerMenu	33
4.12 Database Class Reference	33
4.12.1 Member Function Documentation	33
4.12.1.1 getUser()	33
4.13 GlobalConfig Class Reference	34
4.14 Humidity Class Reference	35
4.14.1 Constructor & Destructor Documentation	36
4.14.1.1 Humidity()	36
4.15 Interface Class Reference	36
4.15.1 Member Function Documentation	37
4.15.1.1 Create()	37
4.15.1.2 loadMenu()	38
4.15.1.3 login() [1/2]	38
4.15.1.4 login() [2/2]	38

4.16 LoginInterface Class Reference . . . . .	39
4.16.1 Member Function Documentation . . . . .	40
4.16.1.1 checkUser() . . . . .	40
4.16.1.2 Create() . . . . .	41
4.17 Menu Class Reference . . . . .	41
4.17.1 Member Function Documentation . . . . .	42
4.17.1.1 Create() . . . . .	42
4.18 MenuBar Class Reference . . . . .	42
4.18.1 Member Function Documentation . . . . .	43
4.18.1.1 Create() . . . . .	43
4.18.1.2 setCurrentMenu() . . . . .	44
4.19 MinTerminalSize Class Reference . . . . .	44
4.20 Moisture Class Reference . . . . .	45
4.20.1 Constructor & Destructor Documentation . . . . .	46
4.20.1.1 Moisture() . . . . .	46
4.21 NotFoundArgument Class Reference . . . . .	46
4.22 NotFoundUserException Class Reference . . . . .	47
4.23 Sensor Class Reference . . . . .	48
4.23.1 Constructor & Destructor Documentation . . . . .	49
4.23.1.1 Sensor() . . . . .	49
4.23.2 Member Function Documentation . . . . .	49
4.23.2.1 Create() . . . . .	49
4.23.2.2 requestData() . . . . .	50
4.24 Thermometer Class Reference . . . . .	50
4.24.1 Constructor & Destructor Documentation . . . . .	51
4.24.1.1 Thermometer() . . . . .	51
4.25 User Class Reference . . . . .	52
4.25.1 Constructor & Destructor Documentation . . . . .	53
4.25.1.1 User() . . . . .	53
4.25.2 Member Function Documentation . . . . .	54
4.25.2.1 addTimestamp() . . . . .	54
4.25.2.2 getName() . . . . .	54
4.25.2.3 getTimestamp() . . . . .	54
4.25.2.4 hasAdminPermission() . . . . .	54
4.25.2.5 setEmployeeNumber() . . . . .	54
4.25.2.6 setNIF() . . . . .	55
4.26 UserConfig Class Reference . . . . .	55
<b>5 File Documentation . . . . .</b>	<b>57</b>
5.1 include/Admin.h File Reference . . . . .	57
5.1.1 Detailed Description . . . . .	58
5.2 include/AirQuality.h File Reference . . . . .	58

---

5.2.1 Detailed Description . . . . .	59
5.3 include/CameraBW.h File Reference . . . . .	60
5.3.1 Detailed Description . . . . .	60
5.4 include/CameraRGB.h File Reference . . . . .	61
5.4.1 Detailed Description . . . . .	61
5.5 include/CLDashboard.h File Reference . . . . .	62
5.5.1 Detailed Description . . . . .	62
5.6 include/CLInterface.h File Reference . . . . .	63
5.6.1 Detailed Description . . . . .	64
5.7 include/CLIUtils.h File Reference . . . . .	65
5.7.1 Detailed Description . . . . .	66
5.7.2 Function Documentation . . . . .	66
5.7.2.1 printCenter() . . . . .	66
5.7.2.2 printCenterFromFile() . . . . .	67
5.7.2.3 printColor() . . . . .	67
5.8 include/CLLoginInterface.h File Reference . . . . .	67
5.8.1 Detailed Description . . . . .	68
5.9 include/CLMenu.h File Reference . . . . .	69
5.9.1 Detailed Description . . . . .	70
5.10 include/CLMenuBar.h File Reference . . . . .	70
5.10.1 Detailed Description . . . . .	71
5.11 include/Config.h File Reference . . . . .	72
5.11.1 Detailed Description . . . . .	72
5.12 include/Dashboard.h File Reference . . . . .	73
5.12.1 Detailed Description . . . . .	73
5.13 include/Database.h File Reference . . . . .	74
5.13.1 Detailed Description . . . . .	75
5.14 include/GlobalConfig.h File Reference . . . . .	75
5.14.1 Detailed Description . . . . .	76
5.15 include/Humidity.h File Reference . . . . .	76
5.15.1 Detailed Description . . . . .	77
5.16 include/Interface.h File Reference . . . . .	78
5.16.1 Detailed Description . . . . .	78
5.17 include/LoginInterface.h File Reference . . . . .	79
5.17.1 Detailed Description . . . . .	80
5.18 include/main.h File Reference . . . . .	80
5.18.1 Detailed Description . . . . .	81
5.19 include/Menu.h File Reference . . . . .	82
5.19.1 Detailed Description . . . . .	83
5.20 include/MenuBar.h File Reference . . . . .	83
5.20.1 Detailed Description . . . . .	84
5.21 include/MinTerminalSize.h File Reference . . . . .	85

---

5.21.1 Detailed Description . . . . .	85
5.22 include/Moisture.h File Reference . . . . .	86
5.22.1 Detailed Description . . . . .	86
5.23 include/NotFoundArgument.h File Reference . . . . .	87
5.23.1 Detailed Description . . . . .	87
5.24 include/NotFoundUserException.h File Reference . . . . .	88
5.24.1 Detailed Description . . . . .	89
5.25 include/Sensor.h File Reference . . . . .	89
5.25.1 Detailed Description . . . . .	90
5.26 include/Thermometer.h File Reference . . . . .	90
5.26.1 Detailed Description . . . . .	91
5.27 include/User.h File Reference . . . . .	91
5.27.1 Detailed Description . . . . .	92
5.28 include/UserConfig.h File Reference . . . . .	92
5.28.1 Detailed Description . . . . .	93
5.29 src/Admin.cpp File Reference . . . . .	94
5.29.1 Detailed Description . . . . .	94
5.30 src/AirQuality.cpp File Reference . . . . .	95
5.30.1 Detailed Description . . . . .	95
5.31 src/CameraBW.cpp File Reference . . . . .	95
5.31.1 Detailed Description . . . . .	96
5.32 src/CameraRGB.cpp File Reference . . . . .	96
5.32.1 Detailed Description . . . . .	96
5.33 src/CLDashboard.cpp File Reference . . . . .	97
5.33.1 Detailed Description . . . . .	97
5.34 src/CLInterface.cpp File Reference . . . . .	98
5.34.1 Detailed Description . . . . .	98
5.35 src/CLIUtils.cpp File Reference . . . . .	99
5.35.1 Detailed Description . . . . .	100
5.35.2 Function Documentation . . . . .	100
5.35.2.1 printCenter() . . . . .	100
5.35.2.2 printCenterFromFile() . . . . .	101
5.35.2.3 printColor() . . . . .	101
5.36 src/CLLoginInterface.cpp File Reference . . . . .	101
5.36.1 Detailed Description . . . . .	102
5.37 src/CLMenu.cpp File Reference . . . . .	102
5.37.1 Detailed Description . . . . .	103
5.38 src/CLMenuBar.cpp File Reference . . . . .	103
5.38.1 Detailed Description . . . . .	104
5.39 src/Config.cpp File Reference . . . . .	104
5.39.1 Detailed Description . . . . .	105
5.40 src/Dashboard.cpp File Reference . . . . .	105

5.40.1 Detailed Description . . . . .	106
5.41 src/Database.cpp File Reference . . . . .	106
5.41.1 Detailed Description . . . . .	107
5.42 src/GlobalConfig.cpp File Reference . . . . .	107
5.42.1 Detailed Description . . . . .	108
5.43 src/Humidity.cpp File Reference . . . . .	108
5.43.1 Detailed Description . . . . .	109
5.44 src/Interface.cpp File Reference . . . . .	109
5.44.1 Detailed Description . . . . .	110
5.45 src/LoginInterface.cpp File Reference . . . . .	110
5.45.1 Detailed Description . . . . .	111
5.46 src/main.cpp File Reference . . . . .	111
5.46.1 Detailed Description . . . . .	112
5.47 src/Menu.cpp File Reference . . . . .	113
5.47.1 Detailed Description . . . . .	113
5.48 src/MenuBar.cpp File Reference . . . . .	114
5.48.1 Detailed Description . . . . .	114
5.49 src/Moisture.cpp File Reference . . . . .	114
5.49.1 Detailed Description . . . . .	115
5.50 src/Sensor.cpp File Reference . . . . .	115
5.50.1 Detailed Description . . . . .	116
5.51 src/Thermometer.cpp File Reference . . . . .	116
5.51.1 Detailed Description . . . . .	117
5.52 src/User.cpp File Reference . . . . .	117
5.52.1 Detailed Description . . . . .	118
5.53 src/UserConfig.cpp File Reference . . . . .	118
5.53.1 Detailed Description . . . . .	119

<b>Index</b>	<b>121</b>
--------------	------------



# Chapter 1

## Hierarchical Index

### 1.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

Config . . . . .	26
GlobalConfig . . . . .	34
UserConfig . . . . .	55
Dashboard . . . . .	27
CLDashboard . . . . .	13
Database . . . . .	33
Interface . . . . .	36
CLInterface . . . . .	16
LoginInterface . . . . .	39
CLLoginInterface . . . . .	19
Menu . . . . .	41
CLMenu . . . . .	22
MenuBar . . . . .	42
CLMenuBar . . . . .	24
runtime_error	
MinTerminalSize . . . . .	44
NotFoundArgument . . . . .	46
NotFoundUserException . . . . .	47
Sensor . . . . .	48
AirQuality . . . . .	9
CameraBW . . . . .	10
CameraRGB . . . . .	11
Humidity . . . . .	35
Moisture . . . . .	45
Thermometer . . . . .	50
User . . . . .	52
Admin . . . . .	7



## Chapter 2

# Class Index

### 2.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

Admin	7
AirQuality	9
CameraBW	10
CameraRGB	11
CLDashboard	13
CLInterface	16
CLLoginInterface	19
CLMenu	22
CLMenuBar	24
Config	26
Dashboard	27
Database	33
GlobalConfig	34
Humidity	35
Interface	36
LoginInterface	39
Menu	41
MenuBar	42
MinTerminalSize	44
Moisture	45
NotFoundArgument	46
NotFoundUserException	47
Sensor	48
Thermometer	50
User	52
UserConfig	55



## Chapter 3

# File Index

### 3.1 File List

Here is a list of all documented files with brief descriptions:

include/ <a href="#">Admin.h</a>	
Header file of <a href="#">Admin.cpp</a>	57
include/ <a href="#">AirQuality.h</a>	
Header file of <a href="#">AirQuality.cpp</a>	58
include/ <a href="#">CameraBW.h</a>	
Header file of <a href="#">CameraBW.cpp</a>	60
include/ <a href="#">CameraRGB.h</a>	
Header file of <a href="#">CameraRGB.cpp</a>	61
include/ <a href="#">CLDashboard.h</a>	
Header file of <a href="#">CLDashboard.cpp</a>	62
include/ <a href="#">CLInterface.h</a>	
Header file of <a href="#">CLInterface.cpp</a>	63
include/ <a href="#">CLIUtils.h</a>	
Header file of <a href="#">CLIUtils.cpp</a>	65
include/ <a href="#">CLLoginInterface.h</a>	
Header file of <a href="#">CLLoginInterface.cpp</a>	67
include/ <a href="#">CLMenu.h</a>	
Header file of <a href="#">CLMenu.cpp</a>	69
include/ <a href="#">CLMenuBar.h</a>	
Header file of <a href="#">CLMenuBar.cpp</a>	70
include/ <a href="#">Config.h</a>	72
include/ <a href="#">Dashboard.h</a>	
Header file of <a href="#">Dashboard.cpp</a>	73
include/ <a href="#">Database.h</a>	
Header file of <a href="#">Database.cpp</a>	74
include/ <a href="#">GlobalConfig.h</a>	75
include/ <a href="#">Humidity.h</a>	
Header file of <a href="#">Humidity.cpp</a>	76
include/ <a href="#">Interface.h</a>	
Header file of <a href="#">Interface.cpp</a>	78
include/ <a href="#">LoginInterface.h</a>	
Header file of <a href="#">LoginInterface.cpp</a>	79
include/ <a href="#">main.h</a>	
Header file of <a href="#">main.cpp</a>	80
include/ <a href="#">Menu.h</a>	
Header file of <a href="#">Menu.cpp</a>	82


include/MenuBar.h	
Header file of <a href="#">MenuBar.cpp</a>	83
include/MinTerminalSize.h	85
include/Moisture.h	
Header file of <a href="#">Moisture.cpp</a>	86
include/NotFoundArgument.h	87
include/NotFoundUserException.h	
Exception thrown when user not found in database	88
include/Sensor.h	
Header file of <a href="#">Sensor.cpp</a>	89
include/Thermometer.h	
Header file of <a href="#">Thermometer.cpp</a>	90
include/User.h	
Header file of <a href="#">User.cpp</a>	91
include/UserConfig.h	
Header file of <a href="#">UserConfig.cpp</a>	92
src/Admin.cpp	94
src/AirQuality.cpp	95
src/CameraBW.cpp	95
src/CameraRGB.cpp	96
src/CLDashboard.cpp	97
src/CLInterface.cpp	98
src/CLIUtils.cpp	99
src/CLLoginInterface.cpp	101
src/CLMenu.cpp	102
src/CLMenuBar.cpp	103
src/Config.cpp	104
src/Dashboard.cpp	105
src/Database.cpp	106
src/GlobalConfig.cpp	107
src/Humidity.cpp	108
src/Interface.cpp	109
src/LoginInterface.cpp	110
src/main.cpp	111
src/Menu.cpp	113
src/MenuBar.cpp	114
src/Moisture.cpp	114
src/Sensor.cpp	115
src/Thermometer.cpp	116
src/User.cpp	117
src/UserConfig.cpp	118

## Chapter 4


# Class Documentation

### 4.1 Admin Class Reference

Inheritance diagram for Admin:



Collaboration diagram for Admin:



## Public Member Functions

- [Admin](#) (std::string number="00000", std::string nif="00000000", std::string name="default")  
Creates a new [Admin](#) object.

## Additional Inherited Members

### 4.1.1 Constructor & Destructor Documentation

#### 4.1.1.1 Admin()

```

Admin::Admin (
    std::string number = "00000",
    std::string nif = "00000000",
    std::string name = "default" )
  
```

Creates a new [Admin](#) object.

#### Parameters

<i>employeeNumber</i>	
<i>NIF</i>	
<i>name</i>	




The documentation for this class was generated from the following files:


- include/[Admin.h](#)
- src/[Admin.cpp](#)

## 4.2 AirQuality Class Reference

Inheritance diagram for AirQuality:



Collaboration diagram for AirQuality:



### Public Member Functions

- [AirQuality](#) (bool active=false, int valPerMin=1)  
*Create a new Air Quality object.*

### Additional Inherited Members

#### 4.2.1 Constructor & Destructor Documentation

#### 4.2.1.1 AirQuality()

```
AirQuality::AirQuality (
    bool active = false,
    int valPerMin = 1 )
```

Create a new Air Quality object.

##### Parameters


<i>active</i>	By default off
<i>valPerMin</i>	By default 1 val/min

The documentation for this class was generated from the following files:


- include/[AirQuality.h](#)
- src/[AirQuality.cpp](#)

### 4.3 CameraBW Class Reference

Inheritance diagram for CameraBW:



Collaboration diagram for CameraBW:



## Public Member Functions

- [CameraBW](#) (bool active=false, int valPerMin=1)  
*Create a new BW camera object.*

## Additional Inherited Members

### 4.3.1 Constructor & Destructor Documentation

#### 4.3.1.1 CameraBW()

```
CameraBW::CameraBW (
    bool active = false,
    int valPerMin = 1 )
```

Create a new BW camera object.

#### Parameters


<i>active</i>	By default off
<i>valPerMin</i>	By default 1 val/min

The documentation for this class was generated from the following files:


- include/[CameraBW.h](#)
- src/[CameraBW.cpp](#)

## 4.4 CameraRGB Class Reference

Inheritance diagram for CameraRGB:



Collaboration diagram for CameraRGB:



## Public Member Functions

- [CameraRGB](#) (bool active=false, int valPerMin=1)  
*Create a new RGB camera object.*

## Additional Inherited Members

### 4.4.1 Constructor & Destructor Documentation

#### 4.4.1.1 CameraRGB()

```
CameraRGB::CameraRGB (
    bool active = false,
    int valPerMin = 1 )
```

Create a new RGB camera object.

#### Parameters


<i>active</i>	By default off
<i>valPerMin</i>	By default 1 val/min

The documentation for this class was generated from the following files:


- include/[CameraRGB.h](#)
- src/[CameraRGB.cpp](#)

## 4.5 CLDashboard Class Reference

Inheritance diagram for CLDashboard:



Collaboration diagram for CLDashboard:



## Public Member Functions

- [CLDashboard](#) ([User](#) &user)  
*Create a new [Dashboard](#) for the command line.*
- void [showMainMenu](#) ()  
*Shows the default menu and starts the custom terminal.*

## Protected Member Functions

- void [changeMainMenu](#) (int n)  
*Change the page of the menu.*
- void [readCommand](#) ()  
*Reads and executes a command from the terminal.*
- void [listSensor](#) ()  
*Command that lists the sensors in the current menu page.*
- void [helpCommand](#) (std::string command, int &lineNumber)  
*Displays the use of the command.*
- void [errorCommand](#) (std::string command, int &lineNumber)  
*Shows error message because the command not being found.*
- void [permissionError](#) (int &lineNumber)  
*Shows error message because the permission being denied to execute it.*

## Additional Inherited Members

### 4.5.1 Constructor & Destructor Documentation

#### 4.5.1.1 CLDashboard()

```
CLDashboard::CLDashboard (  
    User & user )
```

Create a new [Dashboard](#) for the command line.

### 4.5.2 Member Function Documentation

#### 4.5.2.1 changeMainMenu()

```
void CLDashboard::changeMainMenu (  
    int n ) [protected]
```

Change the page of the menu.

## Parameters

<i>n</i>	Number of pages to shift ( positive to the right )
----------	--

#### 4.5.2.2 errorCommand()

```
void CLDashboard::errorCommand (
    std::string command,
    int & lineNumber ) [protected]
```

Shows error message because the command not being found.

## Parameters

<i>command</i>	Command input
<i>lineNumber</i>	Number of lines displayed

#### 4.5.2.3 helpCommand()

```
void CLDashboard::helpCommand (
    std::string command,
    int & lineNumber ) [protected]
```

Displays the use of the command.

## Parameters

<i>command</i>	Command to display info about
<i>lineNumber</i>	Number of lines displayed

#### 4.5.2.4 listSensor()

```
void CLDashboard::listSensor ( ) [protected]
```

Command that lists the sensors in the current menu page.

#### 4.5.2.5 permissionError()

```
void CLDashboard::permissionError (
    int & lineNumber ) [protected]
```

Shows error message because the permission being denied to execute it.

## Parameters

<i>lineNumber</i>	Number of lines displayed
-------------------	---------------------------

#### 4.5.2.6 readCommand()

```
void CLDashboard::readCommand ( ) [protected]
```

Reads and executes a command from the terminal.

#### 4.5.2.7 showMainMenu()

```
void CLDashboard::showMainMenu ( ) [virtual]
```

Shows the default menu and starts the custom terminal.


Implements [Dashboard](#).

The documentation for this class was generated from the following files:

- [include/CLDashboard.h](#)
- [src/CLDashboard.cpp](#)


## 4.6 CLInterface Class Reference

Inheritance diagram for CLInterface:





Collaboration diagram for CLInterface:



## Public Member Functions

- `CLInterface ()`  
Create a new [Interface](#) for the command line.
- `void login (int tries)`  
Controls the login interface for the command line.

## Additional Inherited Members

### 4.6.1 Constructor & Destructor Documentation

#### 4.6.1.1 CLInterface()

```
CLInterface::CLInterface ( )
```

Create a new [Interface](#) for the command line.

#### Note

Also gets the terminal size

### 4.6.2 Member Function Documentation

#### 4.6.2.1 login()

```
void CLInterface::login (  
    int tries ) [virtual]
```

Controls the login interface for the command line.

## Parameters

<i>tries</i>	Number of tries to login
--------------	--------------------------

## Note

If exceeded the number of tries, then the program will exit


Implements [Interface](#).

The documentation for this class was generated from the following files:


- include/[CLInterface.h](#)
- src/[CLInterface.cpp](#)

## 4.7 CLoginInterface Class Reference

Inheritance diagram for CLoginInterface:



Collaboration diagram for CLoginInterface:



## Public Member Functions

- void [showWelcomeMessage](#) ()  
*Show the login screen messages in the command line.*
- void [askEmployeeNumber](#) ()  
*Ask the user to input the employee number from the command line.*
- void [askEmployeeNumber](#) (const std::string &userNumber)  
*Default setter of employee number.*
- void [askNIF](#) ()  
*Ask the user to input the employee nif from the command line.*
- void [askNIF](#) (const std::string &nif)  
*Default setter of employee nif.*

## Additional Inherited Members

### 4.7.1 Member Function Documentation

#### 4.7.1.1 askEmployeeNumber() [1/2]

```
void CLoginInterface::askEmployeeNumber ( ) [virtual]
```

Ask the user to input the employee number from the command line.

Implements [LoginInterface](#).

#### 4.7.1.2 askEmployeeNumber() [2/2]

```
void CLLoginInterface::askEmployeeNumber (
    const std::string & userNumber ) [virtual]
```

Default setter of employee number.

##### Note

This method is used when the user executes the main with the NIF and employee number

##### Parameters

<i>userNumber</i>	
-------------------	--

Implements [LoginInterface](#).

#### 4.7.1.3 askNIF() [1/2]

```
void CLLoginInterface::askNIF ( ) [virtual]
```

Ask the user to input the employee nif from the command line.

Implements [LoginInterface](#).

#### 4.7.1.4 askNIF() [2/2]

```
void CLLoginInterface::askNIF (
    const std::string & nif ) [virtual]
```

Default setter of employee nif.

##### Note

This method is used when the user executes the main with the NIF and employee number

##### Parameters

<i>nif</i>	
------------	--

Implements [LoginInterface](#).

#### 4.7.1.5 showWelcomeMessage()

```
void CLLoginInterface::showWelcomeMessage ( ) [virtual]
```

Show the login screen messages in the command line.


Implements [LoginInterface](#).

The documentation for this class was generated from the following files:


- [include/CLLoginInterface.h](#)
- [src/CLLoginInterface.cpp](#)

## 4.8 CLMenu Class Reference

Inheritance diagram for CLMenu:



Collaboration diagram for CLMenu:



## Public Member Functions

- void [show](#) (std::vector< [Sensor](#) \* > sensors, [UserConfig](#) &config)  
*Shows the menu with six or less smaller sensors displayed in the command line.*
- void [show](#) ([Sensor](#) \*sensorToDisplay, [UserConfig](#) &config)  
*Shows the menu for the sensor selected in a detailed format in the command line.*
- void [show](#) ([User](#) &user)  
*Shows the config menu.*

## Protected Member Functions

- void [clearMenu](#) ()  
*Clear the menu in the command line.*

## Additional Inherited Members

### 4.8.1 Member Function Documentation

#### 4.8.1.1 [clearMenu\(\)](#)

```
void CLMenu::clearMenu ( ) [protected]
```

Clear the menu in the command line.

#### 4.8.1.2 [show\(\)](#) [1/3]

```
void CLMenu::show (
    Sensor * sensorToDisplay,
    UserConfig & config ) [virtual]
```

Shows the menu for the sensor selected in a detailed format in the command line.

##### Parameters

<i>sensorToDisplay</i>	<a href="#">Sensor</a> to display
<i>config</i>	<a href="#">User</a> configuration

Implements [Menu](#).

#### 4.8.1.3 show() [2/3]

```
void CLMenu::show (
    std::vector< Sensor * > sensors,
    UserConfig & config ) [virtual]
```

Shows the menu with six or less smaller sensors displayed in the command line.

##### Parameters

<i>sensors</i>	Array of sensor to display $\leq 7$
<i>config</i>	<a href="#">User</a> configuration

Implements [Menu](#).

#### 4.8.1.4 show() [3/3]

```
void CLMenu::show (
    User & user ) [virtual]
```

Shows the config menu.

##### Parameters

<i>user</i>	
-------------	--


Implements [Menu](#).

The documentation for this class was generated from the following files:

- include/[CLMenu.h](#)
- src/[CLMenu.cpp](#)


## 4.9 CLMenuBar Class Reference

Inheritance diagram for CLMenuBar:





Collaboration diagram for CLMenuBar:



## Public Member Functions

- void [show](#) ()  
*Show the menu bar in the command line.*

## Additional Inherited Members

### 4.9.1 Member Function Documentation

#### 4.9.1.1 show()

```
void CLMenuBar::show ( ) [virtual]
```

Show the menu bar in the command line.


Implements [MenuBar](#).

The documentation for this class was generated from the following files:

- include/[CLMenuBar.h](#)
- src/[CLMenuBar.cpp](#)

## 4.10 Config Class Reference

Inheritance diagram for Config:



### Public Member Functions

- **Config** (std::string language, std::array< int, 3 > backgroundColor, std::array< int, 3 > fontColor)
- std::string **getLanguage** () const
- void **setLanguage** (std::string newLanguage)
- std::array< int, 3 > \* **getBackgroundColor** ()
- void **setBackgroundColor** (std::array< int, 3 > newBackgroundColor)
- std::array< int, 3 > \* **getFontColor** ()
- void **setFontColor** (std::array< int, 3 > newFontColor)

### Protected Attributes


- char **language** [5]
- std::array< int, 3 > **backgroundColor**
- std::array< int, 3 > **fontColor**

The documentation for this class was generated from the following files:


- include/[Config.h](#)
- src/[Config.cpp](#)

## 4.11 Dashboard Class Reference

Inheritance diagram for Dashboard:



Collaboration diagram for Dashboard:



### Public Member Functions

- void **setUser** ([User](#) &user)

- virtual void **showMainMenu** ()=0
- bool **changeInterface** (std::string newInterface="")  
*Changes the current interface to the input one.*
- void **setNumberOfSensorsPerMenu** (int numOfSensorsPerMenu)
- void **addToMainMenu** ()  
*Adds all the current sensors to the dashboard.*
- void **addToMainMenu** (Sensor \*sensor)  
*Adds a sensor to the dashboard.*
- void **moveWindowMainMenu** (int n=1)  
*Shifts the main menu n pages.*
- void **changeCurrentSensorInfo** (std::string toChange, std::string newValue)  
*Changes the current sensor values.*
- void **addNewSensor** (std::string type)  
*Creates the new sensor and calls addToMainMenu.*
- void **deleteSensor** (std::string id)  
*Deletes the desired sensor from the dashboard.*
- std::vector< User > **getNewUsers** ()  
*Get the New Users vector.*
- std::vector< User > **getDeleteUsers** ()  
*Get the vector of users to delete.*
- void **exit** ()  
*Exits the dashboard and finishes the program.*
- void **logout** ()  
*Exits the dashboard and goes back to the login screen.*
- bool **canExit** ()  
*Called from main, checks if the program is allowed to exit.*

## Static Public Member Functions

- static Dashboard \* **Create** (User &user, const std::string type="CLI")  
*Create a new instance of the desired Dashboard interface.*

## Protected Member Functions

- **Dashboard** (User &user)

## Protected Attributes

- std::vector< Sensor \* > **sensor**  
*Vector of all the vectors in the dashboard.*
- std::vector< std::vector< Sensor \* > > **mainMenu**  
*Vetor that contains the pages of the main Menu.*
- int **mainMenuIndex**  
*Current page of the main Menu.*
- MenuBar \* **menuBar**
- Menu \* **menu**
- User \* **user**
- std::string **currentInterface**  
*Current interface, can be a sensor ID or the main menu (..)*

- `std::string` [lastInterface](#)  
*Last interface, can be a sensor ID or the main menu (..)*
- `Sensor *` [currentSensor](#)  
*If the currentInterface is a sensor then the value would be that sensor, if not the value is nullptr.*
- `int` [numberOfSensorsPerMenu](#)  
*Number of sensors shown by menu. Max value 6.*
- `bool` **allowedToExit**
- `std::vector< User >` **newUsers**
- `std::vector< User >` **deleteUsers**

### 4.11.1 Member Function Documentation

#### 4.11.1.1 `addNewSensor()`

```
void Dashboard::addNewSensor (
    std::string type )
```

Creates the new sensor and calls `addToMainMenu`.

##### Parameters

<i>type</i>	New sensor type
-------------	-----------------

##### See also

[addToMainMenu](#)

#### 4.11.1.2 `addToMainMenu()` [1/2]

```
void Dashboard::addToMainMenu ( )
```

Adds all the current sensors to the dashboard.

##### Note

Only called at the start of the program

#### 4.11.1.3 `addToMainMenu()` [2/2]

```
void Dashboard::addToMainMenu (
    Sensor \* sensor )
```

Adds a sensor to the dashboard.

## Parameters

<i>sensor</i>	<a href="#">Sensor</a> to add
---------------	-------------------------------

**4.11.1.4 canExit()**

```
bool Dashboard::canExit ( )
```

Called from main, checks if the program is allowed to exit.

## Returns

true End the program  
false Cannot exit, goes to login screen

**4.11.1.5 changeCurrentSensorInfo()**

```
void Dashboard::changeCurrentSensorInfo (
    std::string toChange,
    std::string newValue )
```

Changes the current sensor values.

## Parameters

<i>toChange</i>	Desired value to change
<i>newValue</i>	New value to add

**4.11.1.6 changeInterface()**

```
bool Dashboard::changeInterface (
    std::string newInterface = "" )
```

Changes the current interface to the input one.

## Parameters

<i>newInterface</i>	Desired interface to change ( .. = main <a href="#">Menu</a> )
---------------------	--

**Returns**

true = can change interface  
false = cannot change interface

**4.11.1.7 Create()**

```
Dashboard * Dashboard::Create (
    User & user,
    const std::string type = "CLI" ) [static]
```

Create a new instance of the desired [Dashboard](#) interface.

**Parameters**

<i>type</i>	Type of <a href="#">Dashboard</a> interface
-------------	---

**Returns**

Dashboard\*

**4.11.1.8 deleteSensor()**

```
void Dashboard::deleteSensor (
    std::string id )
```

Deletes the desired sensor from the dashboard.

**Parameters**

<i>id</i>	ID of the sensor to delete
-----------	----------------------------

**See also**

[addToMainMenu](#)

**4.11.1.9 exit()**

```
void Dashboard::exit ( )
```

Exits the dashboard and finishes the program.

**See also**

cleanSensor

**4.11.1.10 getDeleteUsers()**

```
std::vector<User> Dashboard::getDeleteUsers ( ) [inline]
```

Get the vector of users to delete.

**Returns**

std::vector<User>

**4.11.1.11 getNewUsers()**

```
std::vector<User> Dashboard::getNewUsers ( ) [inline]
```

Get the New Users vector.

**Returns**

std::vector<User>

**4.11.1.12 logout()**

```
void Dashboard::logout ( )
```

Exits the dashboard and goes back to the login screen.

**See also**

cleanSensor

**4.11.1.13 moveWindowMainMenu()**

```
void Dashboard::moveWindowMainMenu (
    int n = 1 )
```

Shifts the main menu n pages.



## Parameters

<i>n</i>	Number of pages to shift ( positive to the right )
----------	--

## 4.11.2 Member Data Documentation

### 4.11.2.1 numberOfSensorsPerMenu

```
int Dashboard::numberOfSensorsPerMenu [protected]
```

Number of sensors shown by menu. Max value 6.

The documentation for this class was generated from the following files:

- include/[Dashboard.h](#)
- src/[Dashboard.cpp](#)

## 4.12 Database Class Reference

### Public Member Functions

- void [getUser](#) (std::string employeeNumber, std::string NIF, [User](#) &currentUser)  
*Get the [User](#) object in the database, if not throws an exception.*
- void **resetUser** ([User](#) &currentUser)
- void **addUsers** (std::vector< [User](#) > newUsers)
- void **deleteUsers** (std::vector< [User](#) > deleteUsers)

### 4.12.1 Member Function Documentation

#### 4.12.1.1 getUser()

```
void Database::getUser (
    std::string employeeNumber,
    std::string NIF,
    User & currentUser )
```

Get the [User](#) object in the database, if not throws an exception.

## Parameters


<i>employeeNumber</i>	
<i>NIF</i>	
<i>currentUser</i>	

The documentation for this class was generated from the following files:


- [include/Database.h](#)
- [src/Database.cpp](#)

## 4.13 GlobalConfig Class Reference

Inheritance diagram for GlobalConfig:



Collaboration diagram for GlobalConfig:



### Public Member Functions

- **GlobalConfig** (std::string language="ENG", int triesToLogin=5, std::array< int, 3 > backgroundColor={0, 0, 0}, std::array< int, 3 > fontColor={255, 255, 255}, std::array< int, 3 > logoColor={0, 255, 0})
- int **getTriesToLogin** () const
- void **setTriesToLogin** (int newTriesToLogin)
- std::array< int, 3 > \* **getLogoColor** ()
- void **setLogoColor** (std::array< int, 3 > newLogoColor)

## Protected Attributes


- int **triesToLogin**
- std::array< int, 3 > **logoColor**

The documentation for this class was generated from the following files:


- include/[GlobalConfig.h](#)
- src/[GlobalConfig.cpp](#)

## 4.14 Humidity Class Reference

Inheritance diagram for Humidity:



Collaboration diagram for Humidity:



## Public Member Functions

- [Humidity](#) (bool active=false, int valPerMin=1)  
*Create a new [Humidity](#) object.*

## Additional Inherited Members

### 4.14.1 Constructor & Destructor Documentation

#### 4.14.1.1 Humidity()

```
Humidity::Humidity (
    bool active = false,
    int valPerMin = 1 )
```

Create a new [Humidity](#) object.

##### Parameters


<i>active</i>	By default off
<i>valPerMin</i>	By default 1 val/min

The documentation for this class was generated from the following files:


- include/[Humidity.h](#)
- src/[Humidity.cpp](#)

## 4.15 Interface Class Reference

Inheritance diagram for Interface:



Collaboration diagram for Interface:



## Public Member Functions

- void **setGlobalConfig** ([GlobalConfig](#) \*config)
- virtual void **login** (int tries)=0  
*Virtual interface for the login method.*
- void **login** (std::string userNumber, std::string nif)  
*Default login method without any interface.*
- bool **loadMenu** ()  
*Creates and loads the dashboard.*

## Static Public Member Functions

- static [Interface](#) \* **Create** (const std::string type="CLI")  
*Create a new [Interface](#) instance of the type specified.*

## Protected Attributes

- [LoginInterface](#) \* **loginInterface**
- [Dashboard](#) \* **dashboard**
- [User](#) \* **user**
- [GlobalConfig](#) \* **globalConfig**

### 4.15.1 Member Function Documentation

#### 4.15.1.1 Create()

```
Interface * Interface::Create (
    const std::string type = "CLI" ) [static]
```

Create a new [Interface](#) instance of the type specified.

**Parameters**

<i>type</i>	Type of interface
-------------	-------------------

**Returns**

Interface\* New [Interface](#) instance

**4.15.1.2 loadMenu()**

```
bool Interface::loadMenu ( )
```

Creates and loads the dashboard.

**Returns**

true = exit

false = login again

**4.15.1.3 login() [1/2]**

```
virtual void Interface::login (
    int tries ) [pure virtual]
```

Virtual interface for the login method.

**Parameters**

<i>tries</i>	
--------------	--

Implemented in [CLInterface](#).

**4.15.1.4 login() [2/2]**

```
void Interface::login (
    std::string userNumber,
    std::string nif )
```

Default login method withouth any interface.

## Parameters

<i>userNumber</i>	
<i>nif</i>	

## Note


This method is used when the user executes the main with the NIF and employee number

The documentation for this class was generated from the following files:


- [include/Interface.h](#)
- [src/Interface.cpp](#)

## 4.16 LoginInterface Class Reference

Inheritance diagram for LoginInterface:



Collaboration diagram for LoginInterface:



## Public Member Functions

- void **setGlobalConfig** ([GlobalConfig](#) \*config)
- virtual void **showWelcomeMessage** ()=0
- virtual void **askEmployeeNumber** ()=0
- virtual void **askEmployeeNumber** (const std::string &userNumber)=0
- virtual void **askNIF** ()=0
- virtual void **askNIF** (const std::string &userNumber)=0
- void **checkUser** ([User](#) &currentUser)  
*Sets the user pass to the corresponding employee number and NIF in the database.*
- **LoginInterface** ([LoginInterface](#) &otherLoginInterface)=delete
- void **operator=** (const [LoginInterface](#) &)=delete

## Static Public Member Functions

- static [LoginInterface](#) \* **Create** (const std::string="CLI")  
*Create a new Login interface instance of the type specified.*

## Public Attributes

- [Database](#) \* **database**

## Protected Attributes

- std::string **inputNIF**
- std::string **inputEmployeeNumber**
- [GlobalConfig](#) \* **globalConfig**

### 4.16.1 Member Function Documentation

#### 4.16.1.1 checkUser()

```
void LoginInterface::checkUser (
    User & currentUser )
```

Sets the user pass to the corresponding employee number and NIF in the database.

#### Parameters

<i>currentUser</i>	
--------------------	--



## 4.16.1.2 Create()

```
LoginInterface * LoginInterface::Create (
    const std::string type = "CLI" ) [static]
```

Create a new Login interface instance of the type specified.

## Parameters

<i>type</i>	Type of login interface
-------------	-------------------------

## Returns


LoginInterface\* New login interface instance

The documentation for this class was generated from the following files:

- include/LoginInterface.h
- src/LoginInterface.cpp

## 4.17 Menu Class Reference

Inheritance diagram for Menu:



## Public Member Functions

- virtual void **show** (std::vector< [Sensor](#) \* > sensors, [UserConfig](#) &config)=0
- virtual void **show** ([Sensor](#) \*sensorToDisplay, [UserConfig](#) &config)=0
- virtual void **show** ([User](#) &user)=0

## Static Public Member Functions

- static [Menu](#) \* [Create](#) (const std::string type="CLI")  
*Create a new [Menu](#) instance of the type specified.*

## 4.17.1 Member Function Documentation

### 4.17.1.1 Create()

```
Menu * Menu::Create (
    const std::string type = "CLI" ) [static]
```

Create a new [Menu](#) instance of the type specified.

#### Parameters

<i>type</i>	Type of menu
-------------	--------------

#### Returns


Menu\* New menu instance

The documentation for this class was generated from the following files:


- [include/Menu.h](#)
- [src/Menu.cpp](#)

## 4.18 MenuBar Class Reference

Inheritance diagram for MenuBar:



Collaboration diagram for MenuBar:



### Public Member Functions

- virtual void **show** ()=0
- void **setUser** (User &user)
- void **setCurrentMenu** (std::string currentMenu)  
*Sets the current menu.*

### Static Public Member Functions

- static MenuBar \* **Create** (const std::string type="CLI")  
*Create a new Menu bar instance of the type specified.*

### Protected Attributes

- User user
- std::string currentMenu

## 4.18.1 Member Function Documentation

### 4.18.1.1 Create()

```
MenuBar * MenuBar::Create (
    const std::string type = "CLI" ) [static]
```

Create a new Menu bar instance of the type specified.

**Parameters**

<i>type</i>	Type of menu bar
-------------	------------------

**Returns**

MenuBar\* New menu bar instance

**4.18.1.2 setCurrentMenu()**

```
void MenuBar::setCurrentMenu (
    std::string currentMenu )
```

Sets the current menu.

**Parameters**


<i>currentMenu</i>	
--------------------	--

The documentation for this class was generated from the following files:


- include/[MenuBar.h](#)
- src/[MenuBar.cpp](#)

**4.19 MinTerminalSize Class Reference**

Inheritance diagram for MinTerminalSize:



Collaboration diagram for MinTerminalSize:




The documentation for this class was generated from the following file:


- include/[MinTerminalSize.h](#)

## 4.20 Moisture Class Reference

Inheritance diagram for Moisture:



Collaboration diagram for Moisture:



## Public Member Functions

- [Moisture](#) (bool active=false, int valPerMin=1)  
Create a new [Moisture](#) object.

## Additional Inherited Members

### 4.20.1 Constructor & Destructor Documentation

#### 4.20.1.1 Moisture()

```
Moisture::Moisture (
    bool active = false,
    int valPerMin = 1 )
```

Create a new [Moisture](#) object.

#### Parameters


<i>active</i>	By default off
<i>valPerMin</i>	By default 1 val/min

The documentation for this class was generated from the following files:


- include/[Moisture.h](#)
- src/[Moisture.cpp](#)

## 4.21 NotFoundArgument Class Reference

Inheritance diagram for NotFoundArgument:



Collaboration diagram for NotFoundArgument:




The documentation for this class was generated from the following file:


- [include/NotFoundArgument.h](#)

## 4.22 NotFoundUserException Class Reference

Inheritance diagram for NotFoundUserException:



Collaboration diagram for NotFoundUserException:




The documentation for this class was generated from the following file:

- [include/NotFoundUserException.h](#)

## 4.23 Sensor Class Reference

Inheritance diagram for Sensor:



### Public Member Functions

- [Sensor](#) (std::string id="", std::string type="none", std::string magnitude="-", bool active=true, int valPerMin=1)

*Construct a new [Sensor](#): [Sensor](#) object.*

- void **setId** (std::string newId)
- std::string **getId** ()
- void **setType** (std::string newType)
- std::string **getType** ()
- void **setArea** (std::string)
- std::string **getArea** ()
- void **setMagnitude** (std::string magnitude)
- std::string **getMagnitude** ()
- void **setActive** (bool)
- bool **isActive** ()
- void **setValPerMin** (int valPerMin)
- int **getValPerMin** ()
- std::vector< int > [requestData](#) ()

*Request data from sensor.*

### Static Public Member Functions

- static [Sensor](#) \* [Create](#) (const std::string type)

*Creates an instance of the sensor type.*

### Static Public Attributes

- static std::array< std::string, 6 > **availableTypesId** = {"therm","hum","airqual","bwcam","rgbcam","moist"}
- static std::array< std::string, 6 > **availableTypes** = {"thermometer","humidity","airquality","bwcamera","rgbcamera","moisture"}



## Protected Member Functions

- void **addNewData** (int)
- void **removeOldData** (int)

## Protected Attributes

- char **id** [11]
- char **type** [21]
- char **area** [21]
- char **magnitude** [11]
- bool **active**
- int **valPerMin**

### 4.23.1 Constructor & Destructor Documentation

#### 4.23.1.1 Sensor()

```
Sensor::Sensor (
    std::string id = "",
    std::string type = "none",
    std::string magnitude = "-",
    bool active = true,
    int valPerMin = 1 )
```

Construct a new [Sensor::Sensor](#) object.

##### Parameters

<i>id</i>	Identification of type and number
<i>type</i>	Type of sensor
<i>magnitude</i>	Data values magnitude
<i>active</i>	<a href="#">Sensor</a> is On/Off
<i>valPerMin</i>	Number of values per min

### 4.23.2 Member Function Documentation

#### 4.23.2.1 Create()

```
Sensor * Sensor::Create (
    const std::string type ) [static]
```

Creates an instance of the sensor type.

**Parameters**

<i>type</i>	
-------------	--

**Returns**

Sensor\*

**4.23.2.2 requestData()**

```
std::vector< int > Sensor::requestData ( )
```

Request data from sensor.

**Returns**


std::vector<int>

The documentation for this class was generated from the following files:


- include/[Sensor.h](#)
- src/[Sensor.cpp](#)

**4.24 Thermometer Class Reference**

Inheritance diagram for Thermometer:



Collaboration diagram for Thermometer:



## Public Member Functions

- [Thermometer](#) (bool active=false, int valPerMin=1)  
*Create a new [Thermometer](#) object.*

## Additional Inherited Members

### 4.24.1 Constructor & Destructor Documentation

#### 4.24.1.1 Thermometer()

```
Thermometer::Thermometer (
    bool active = false,
    int valPerMin = 1 )
```

Create a new [Thermometer](#) object.

#### Parameters


<i>active</i>	By default off
<i>valPerMin</i>	By default 1 val/min

The documentation for this class was generated from the following files:


- include/[Thermometer.h](#)
- src/[Thermometer.cpp](#)

## 4.25 User Class Reference

Inheritance diagram for User:



Collaboration diagram for User:



### Public Member Functions

- [User](#) (std::string number="00000", std::string nif="00000000", std::string name="default")  
*Create a new [User](#).*
- [User](#) ([UserConfig](#) [UserConfig](#), std::string number="00000", std::string nif="00000000", std::string name="default")
- std::string **getNIF** () const
- bool **isSameNIF** (std::string NIF)
- std::string **getEmployeeNumber** () const
- bool **isSameEmployeeNumber** (std::string employeeNumber)
- std::string **getName** () const  
*Returns the user name.*

- void **setName** (std::string newName)
- void **addTimestamp** ()  
*Set the timestamp.*
- std::string **getTimestamp** () const  
*Returns the timestamp.*
- bool **hasAdminPermission** ()  
*Returns the user permissions.*
- bool **operator<** (const [User](#) &) const
- bool **operator==** (const [User](#) &) const
- void **setNIF** (std::string)  
*Set the user NIF.*
- void **setEmployeeNumber** (std::string)  
*Set the user employee number.*
- void **setConfig** ([UserConfig](#) newConfig)
- void **setLanguage** (std::string newLanguage)
- void **setFontColor** (std::array< int, 3 > newFontColor)
- void **setBackgroundColor** (std::array< int, 3 > newBackgroundColor)
- void **setGraphicColor** (std::array< int, 3 > newGraphicColor)
- [UserConfig](#) \* **getConfiguration** ()

## Protected Attributes

- char **name** [21]
- char **NIF** [9]
- char **employeeNumber** [6]
- char **lastLogTime** [25]
- bool **adminPermission**
- [UserConfig](#) **userConfiguration**

## Friends

- std::ostream & **operator<<** (std::ostream &, const [User](#) &)

## 4.25.1 Constructor & Destructor Documentation

### 4.25.1.1 User()

```
User::User (
    std::string number = "00000",
    std::string nif = "00000000",
    std::string name = "default" )
```

Create a new [User](#).

#### Parameters

<i>employeeNumber</i>	
<i>NIF</i>	
<i>name</i>	

## 4.25.2 Member Function Documentation

### 4.25.2.1 addTimestamp()

```
void User::addTimestamp ( )
```

Set the timestamp.

### 4.25.2.2 getName()

```
std::string User::getName ( ) const [inline]
```

Returns the user name.

#### Returns

std::string [User](#) name

### 4.25.2.3 getTimestamp()

```
std::string User::getTimestamp ( ) const
```

Returns the timestamp.

#### Returns

std::string Timestamp

### 4.25.2.4 hasAdminPermission()

```
bool User::hasAdminPermission ( )
```

Returns the user permissions.

#### Returns

true = has admin permissions

false = does not have admin permissions

### 4.25.2.5 setEmployeeNumber()

```
void User::setEmployeeNumber (
    std::string newEmployeeNumber )
```

Set the user employee number.

## Parameters

<i>employeeNumber</i>	
-----------------------	--

**4.25.2.6 setNIF()**

```
void User::setNIF (
    std::string newNIF )
```

Set the user NIF.

## Parameters


<i>N<sub>IF</sub></i>	
-----------------------	--

The documentation for this class was generated from the following files:


- include/[User.h](#)
- src/[User.cpp](#)

**4.26 UserConfig Class Reference**

Inheritance diagram for UserConfig:



Collaboration diagram for UserConfig:



## Public Member Functions

- **UserConfig** (std::string language="ENG", std::array< int, 3 > backgroundColor={0, 0, 0}, std::array< int, 3 > fontColor={255, 255, 255}, std::array< int, 3 > graphicColor={255, 0, 0})
- std::array< int, 3 > \* **getGraphicColor** ()
- void **setGraphicColor** (std::array< int, 3 > newGraphicColor)

## Protected Attributes

- std::array< int, 3 > **graphicColor**

The documentation for this class was generated from the following files:

- include/[UserConfig.h](#)
- src/[UserConfig.cpp](#)



## Chapter 5


# File Documentation

### 5.1 include/Admin.h File Reference


Header file of [Admin.cpp](#).

```
#include "User.h"
```

Include dependency graph for Admin.h:



This graph shows which files directly or indirectly include this file:



## Classes

- class [Admin](#)

### 5.1.1 Detailed Description

Header file of [Admin.cpp](#).

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23

#### Copyright


Copyright (c) 2022

## 5.2 include/AirQuality.h File Reference


Header file of [AirQuality.cpp](#).

```
#include "Sensor.h"
```

Include dependency graph for AirQuality.h:



This graph shows which files directly or indirectly include this file:



## Classes

- class [AirQuality](#)

### 5.2.1 Detailed Description

Header file of [AirQuality.cpp](#).

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23

#### Copyright


Copyright (c) 2022

## 5.3 include/CameraBW.h File Reference


Header file of [CameraBW.cpp](#).

```
#include "Sensor.h"
```

Include dependency graph for CameraBW.h:



This graph shows which files directly or indirectly include this file:



### Classes

- class [CameraBW](#)

### 5.3.1 Detailed Description

Header file of [CameraBW.cpp](#).

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23

#### Copyright


Copyright (c) 2022

## 5.4 include/CameraRGB.h File Reference


Header file of [CameraRGB.cpp](#).

```
#include "Sensor.h"
```

Include dependency graph for CameraRGB.h:



This graph shows which files directly or indirectly include this file:



### Classes

- class [CameraRGB](#)

### 5.4.1 Detailed Description

Header file of [CameraRGB.cpp](#).

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23

#### Copyright

Copyright (c) 2022


## 5.5 include/CLDashboard.h File Reference

Header file of [CLDashboard.cpp](#).


```
#include "Dashboard.h"
```

```
#include "CLIUtils.h"
```

Include dependency graph for CLDashboard.h:



This graph shows which files directly or indirectly include this file:



### Classes


- class [CLDashboard](#)

### 5.5.1 Detailed Description

Header file of [CLDashboard.cpp](#).



This graph shows which files directly or indirectly include this file:



## Classes

- class [CLInterface](#)

### 5.6.1 Detailed Description

Header file of [CLInterface.cpp](#).

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23

#### Copyright

Copyright (c) 2022




## 5.7 include/CLIUtils.h File Reference


Header file of [CLIUtils.cpp](#).

```
#include "User.h"
#include "MinTerminalSize.h"
#include <iostream>
#include <algorithm>
#include <iomanip>
#include <fstream>
#include <array>
```

Include dependency graph for CLIUtils.h:



This graph shows which files directly or indirectly include this file:



## Functions

- void **setTerminalSize** ()
- int **getTerminalWidth** ()
- int **getTerminalHeight** ()
- void **printCenterFromFile** (const std::string fileName, std::array< int, 3 > frontColor, std::array< int, 3 > backColor, const int padding=0)
 

*Print the contents of the file in the center.*
- void **printRightFromFile** (const std::string fileName, std::array< int, 3 > frontColor, std::array< int, 3 > backColor, const int padding=0)
- void **printLeftFromFile** (const std::string fileName, std::array< int, 3 > frontColor, std::array< int, 3 > backColor, const int padding=0)
- void **printLogo** (const std::string fileName, std::array< int, 3 > frontColor, std::array< int, 3 > backColor)
- void **printColorFromFile** (const std::string fileName, std::array< int, 3 > frontColor, std::array< int, 3 > backColor)
- void **printCenter** (const std::string toPrint, std::array< int, 3 > frontColor, std::array< int, 3 > backColor, const int padding=0)
 

*Print the string in the center.*
- void **printRight** (const std::string toPrint, std::array< int, 3 > frontColor, std::array< int, 3 > backColor, const int padding=0)

- void **printLeft** (const std::string toPrint, std::array< int, 3 > frontColor, std::array< int, 3 > backColor, const int padding=0)
- void **printColor** (std::string toPrint, std::array< int, 3 > frontColor, std::array< int, 3 > backColor)  
*Print the string to the terminal in the given color.*
- void **startCustomTerminal** (User &user, int)
- std::vector< std::string > **newCommand** (User &user, std::string="")
- void **clearCustomTerminal** (User &user, int)
- void **cleanScreen** (std::array< int, 3 > backColor)
- void **cleanScreen** ()
- void **newLine** (int lines=1)
- void **reloadCursorPos** ()
- void **saveCursorPos** ()
- void **moveCursor** (int posX, int posY)
- void **printGraphic** (const std::vector< int > data, std::array< int, 3 > frontColor, std::array< int, 3 > backColor, std::array< int, 3 > pointColor, int valPerY=1, int posX=10, int posY=10, int scale=1)

### 5.7.1 Detailed Description

Header file of [CLIUtils.cpp](#).

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23

#### Copyright

Copyright (c) 2022

### 5.7.2 Function Documentation

#### 5.7.2.1 printCenter()

```
void printCenter (
    const std::string toPrint,
    std::array< int, 3 > frontColor,
    std::array< int, 3 > backColor,
    const int padding = 0 )
```

Print the string in the center.

## Parameters

<i>toPrint</i>	
<i>frontColor</i>	
<i>backColor</i>	
<i>padding</i>	

**5.7.2.2 printCenterFromFile()**

```
void printCenterFromFile (
    const std::string fileName,
    std::array< int, 3 > frontColor,
    std::array< int, 3 > backColor,
    const int padding = 0 )
```

Print the contents of the file in the center.

## Parameters

<i>fileName</i>	
<i>frontColor</i>	
<i>backColor</i>	

**5.7.2.3 printColor()**

```
void printColor (
    std::string toPrint,
    std::array< int, 3 > frontColor,
    std::array< int, 3 > backColor )
```

Print the string to the terminal in the given color.


## Parameters

<i>toPrint</i>	
<i>frontColor</i>	
<i>backColor</i>	


**5.8 include/CLLoginInterface.h File Reference**

Header file of [CLLoginInterface.cpp](#).

```
#include "LoginInterface.h"
#include "CLIUtils.h"
Include dependency graph for CLLoginInterface.h:
```



This graph shows which files directly or indirectly include this file:



## Classes

- class [CLLoginInterface](#)

### 5.8.1 Detailed Description

Header file of [CLLoginInterface.cpp](#).

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

## Date

2022-11-23


## Copyright

Copyright (c) 2022


## 5.9 include/CLMenu.h File Reference

Header file of [CLMenu.cpp](#).

```
#include "Menu.h"
#include "CLIUtils.h"
Include dependency graph for CLMenu.h:
```



This graph shows which files directly or indirectly include this file:



## Classes

- class [CLMenu](#)

### 5.9.1 Detailed Description

Header file of [CLMenu.cpp](#).

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23

#### Copyright


Copyright (c) 2022

## 5.10 include/CLMenuBar.h File Reference


Header file of [CLMenuBar.cpp](#).

```
#include "MenuBar.h"  
#include "CLIUtils.h"
```

Include dependency graph for CLMenuBar.h:



This graph shows which files directly or indirectly include this file:



## Classes

- class [CLMenuBar](#)

### 5.10.1 Detailed Description

Header file of [CLMenuBar.cpp](#).

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date


2022-11-23

#### Copyright


Copyright (c) 2022

## 5.11 include/Config.h File Reference

```
#include <string>
#include <array>
#include <filesystem>
Include dependency graph for Config.h:
```



This graph shows which files directly or indirectly include this file:



### Classes

- class [Config](#)

#### 5.11.1 Detailed Description

##### Author

Javier Izquierdo Hernandez ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

##### Version

0.1

##### Date

2022-12-26

##### Copyright

Copyright (c) 2022




## 5.12 include/Dashboard.h File Reference


Header file of [Dashboard.cpp](#).

```
#include "Admin.h"
#include "MenuBar.h"
#include "Menu.h"
#include <filesystem>
```

Include dependency graph for Dashboard.h:



This graph shows which files directly or indirectly include this file:



### Classes

- class [Dashboard](#)

### 5.12.1 Detailed Description

Header file of [Dashboard.cpp](#).

Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

## Version

1.0

## Date

2022-11-23

## Copyright


Copyright (c) 2022

## 5.13 include/Database.h File Reference


Header file of [Database.cpp](#).

```
#include "Admin.h"
#include <set>
#include <fstream>
#include <iostream>
#include <iterator>
#include <filesystem>
```

Include dependency graph for Database.h:



This graph shows which files directly or indirectly include this file:



## Classes

- class [Database](#)

### 5.13.1 Detailed Description

Header file of [Database.cpp](#).

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23


#### Copyright

Copyright (c) 2022


## 5.14 include/GlobalConfig.h File Reference

```
#include "Config.h"
```

Include dependency graph for GlobalConfig.h:



This graph shows which files directly or indirectly include this file:



## Classes

- class [GlobalConfig](#)

### 5.14.1 Detailed Description

#### Author

Javier Izquierdo Hernandez ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

0.1

#### Date

2022-12-26

#### Copyright


Copyright (c) 2022

## 5.15 include/Humidity.h File Reference


Header file of [Humidity.cpp](#).

```
#include "Sensor.h"
```

Include dependency graph for Humidity.h:



This graph shows which files directly or indirectly include this file:



## Classes

- class [Humidity](#)

### 5.15.1 Detailed Description

Header file of [Humidity.cpp](#).

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23

#### Copyright


Copyright (c) 2022

## 5.16 include/Interface.h File Reference


Header file of [Interface.cpp](#).

```
#include "LoginInterface.h"
#include "Dashboard.h"
#include "Admin.h"
```

Include dependency graph for Interface.h:



This graph shows which files directly or indirectly include this file:



### Classes

- class [Interface](#)

### 5.16.1 Detailed Description

Header file of [Interface.cpp](#).

**Author**

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

**Version**

1.0

**Date**

2022-11-23


**Copyright**

Copyright (c) 2022


## 5.17 include/LoginInterface.h File Reference

Header file of [LoginInterface.cpp](#).

```
#include "Database.h"  
#include "GlobalConfig.h"  
Include dependency graph for LoginInterface.h:
```



This graph shows which files directly or indirectly include this file:



## Classes

- class [LoginInterface](#)

### 5.17.1 Detailed Description

Header file of [LoginInterface.cpp](#).

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23

#### Copyright

Copyright (c) 2022

## 5.18 include/main.h File Reference


Header file of [main.cpp](#).

```
#include "Interface.h"
#include "GlobalConfig.h"
```




```
#include "NotFoundArgument.h"
```

Include dependency graph for main.h:



This graph shows which files directly or indirectly include this file:



## Functions

- int **main** (int argc, char \*argv[], char \*envp[])
- bool **checkArgumentIndex** (int indexToCheck, int argSize)

### 5.18.1 Detailed Description

Header file of [main.cpp](#).

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

## Version

1.0

## Date

2022-11-23


## Copyright

Copyright (c) 2022


## 5.19 include/Menu.h File Reference

Header file of [Menu.cpp](#).

```
#include "Sensor.h"
#include "Admin.h"
Include dependency graph for Menu.h:
```



This graph shows which files directly or indirectly include this file:



## Classes

- class [Menu](#)

### 5.19.1 Detailed Description

Header file of [Menu.cpp](#).

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23

#### Copyright


Copyright (c) 2022

## 5.20 include/MenuBar.h File Reference


Header file of [MenuBar.cpp](#).

```
#include <string>
#include "Admin.h"
```

Include dependency graph for MenuBar.h:



This graph shows which files directly or indirectly include this file:



## Classes

- class [MenuBar](#)

### 5.20.1 Detailed Description

Header file of [MenuBar.cpp](#).

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23


#### Copyright

Copyright (c) 2022


## 5.21 include/MinTerminalSize.h File Reference

```
#include <stdexcept>
```

Include dependency graph for MinTerminalSize.h:



This graph shows which files directly or indirectly include this file:



### Classes

- class [MinTerminalSize](#)

### 5.21.1 Detailed Description

#### Author

Javier Izquierdo Hernandez ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

0.1

#### Date

2023-01-17

#### Copyright


Copyright (c) 2023

## 5.22 include/Moisture.h File Reference


Header file of [Moisture.cpp](#).

```
#include "Sensor.h"
```

Include dependency graph for Moisture.h:



This graph shows which files directly or indirectly include this file:



### Classes

- class [Moisture](#)

### 5.22.1 Detailed Description

Header file of [Moisture.cpp](#).

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23


#### Copyright

Copyright (c) 2022


## 5.23 include/NotFoundArgument.h File Reference

```
#include <stdexcept>
```

Include dependency graph for NotFoundArgument.h:



This graph shows which files directly or indirectly include this file:



### Classes

- class [NotFoundArgument](#)

#### 5.23.1 Detailed Description

Author

Javier Izquierdo Hernandez ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

**Version**

0.1

**Date**

2022-12-31

**Copyright**


Copyright (c) 2022

## 5.24 include/NotFoundUserException.h File Reference


Exception thrown when user not found in database.

```
#include <stdexcept>
```

Include dependency graph for NotFoundUserException.h:



This graph shows which files directly or indirectly include this file:



### Classes

- class [NotFoundUserException](#)



### 5.24.1 Detailed Description

Exception thrown when user not found in database.

#### Author

Javier Izquierdo Hernandez ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

0.1

#### Date

2022-12-20

#### Copyright


Copyright (c) 2022

## 5.25 include/Sensor.h File Reference


Header file of [Sensor.cpp](#).

```
#include <vector>
#include <array>
#include <iostream>
#include <fstream>
#include <algorithm>
#include <iomanip>
#include <filesystem>
```

Include dependency graph for Sensor.h:



This graph shows which files directly or indirectly include this file:



## Classes

- class [Sensor](#)

### 5.25.1 Detailed Description

Header file of [Sensor.cpp](#).

Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

Version

1.0

Date

2022-11-23

Copyright


Copyright (c) 2022

## 5.26 include/Thermometer.h File Reference


Header file of [Thermometer.cpp](#).

```
#include "Sensor.h"
```

Include dependency graph for Thermometer.h:



This graph shows which files directly or indirectly include this file:



## Classes

- class [Thermometer](#)

### 5.26.1 Detailed Description

Header file of [Thermometer.cpp](#).

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23

#### Copyright


Copyright (c) 2022

## 5.27 include/User.h File Reference

Header file of [User.cpp](#).

```
#include <string>
#include <vector>
#include <chrono>
#include <ctime>
#include <ostream>
#include "UserConfig.h"
```


Include dependency graph for User.h:






```
#include "Config.h"
```

Include dependency graph for UserConfig.h:



This graph shows which files directly or indirectly include this file:



## Classes

- class [UserConfig](#)

### 5.28.1 Detailed Description

Header file of [UserConfig.cpp](#).

#### Author

Javier Izquierdo Hernandez ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

0.1

## Date

2022-12-22


## Copyright

Copyright (c) 2022

## 5.29 src/Admin.cpp File Reference

```
#include "Admin.h"
```

Include dependency graph for Admin.cpp:



### 5.29.1 Detailed Description

## Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

## Version

1.0

## Date

2022-11-23


## Copyright

Copyright (c) 2022

## 5.30 src/AirQuality.cpp File Reference

```
#include "AirQuality.h"
```

Include dependency graph for AirQuality.cpp:



### 5.30.1 Detailed Description

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23


#### Copyright

Copyright (c) 2022

## 5.31 src/CameraBW.cpp File Reference

```
#include "CameraBW.h"
```

Include dependency graph for CameraBW.cpp:



### 5.31.1 Detailed Description

**Author**

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

**Version**

1.0

**Date**

2022-11-23


**Copyright**

Copyright (c) 2022

## 5.32 src/CameraRGB.cpp File Reference

```
#include "CameraRGB.h"
```

Include dependency graph for CameraRGB.cpp:



### 5.32.1 Detailed Description

**Author**

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

**Version**

1.0

**Date**

2022-11-23

**Copyright**


Copyright (c) 2022



## 5.33 src/CLDashboard.cpp File Reference

```
#include "CLDashboard.h"
```

Include dependency graph for CLDashboard.cpp:



### 5.33.1 Detailed Description

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23

#### Copyright


Copyright (c) 2022



## 5.35 src/CLIUtils.cpp File Reference

```
#include "CLIUtils.h"
```

Include dependency graph for CLIUtils.cpp:



## Functions

- void **setTerminalSize** ()
- int **getTerminalWidth** ()
- int **getTerminalHeight** ()
- void **printColorFromFile** (std::string fileName, std::array< int, 3 > frontColor, std::array< int, 3 > backColor)
- void **printRightFromFile** (std::string fileName, std::array< int, 3 > frontColor, std::array< int, 3 > backColor, const int padding)
- void **printLeftFromFile** (std::string fileName, std::array< int, 3 > frontColor, std::array< int, 3 > backColor, const int padding)
- void **printCenterFromFile** (std::string fileName, std::array< int, 3 > frontColor, std::array< int, 3 > backColor, const int padding)

*Print the contents of the file in the center.*

- void **printLogo** (std::string fileName, std::array< int, 3 > frontColor, std::array< int, 3 > backColor)
- void **printCenter** (const std::string toPrint, std::array< int, 3 > frontColor, std::array< int, 3 > backColor, const int padding)

*Print the string in the center.*

- void **printRight** (const std::string toPrint, std::array< int, 3 > frontColor, std::array< int, 3 > backColor, const int padding)
- void **printLeft** (const std::string toPrint, std::array< int, 3 > frontColor, std::array< int, 3 > backColor, const int padding)
- void **printColor** (std::string toPrint, std::array< int, 3 > frontColor, std::array< int, 3 > backColor)

*Print the string to the terminal in the given color.*

- void **startCustomTerminal** (User &user, int terminalSize)
- void **clearCustomTerminal** (User &user, int terminalSize)
- void **cleanScreen** (std::array< int, 3 > backColor)
- void **cleanScreen** ()
- void **moveCursor** (int posX, int posY)
- void **newLine** (int lines)
- void **reloadCursorPos** ()
- void **saveCursorPos** ()
- std::vector< std::string > **newCommand** (User &user, std::string currentSensor)
- void **printGraphic** (const std::vector< int > data, std::array< int, 3 > frontColor, std::array< int, 3 > backColor, std::array< int, 3 > pointColor, int valPerY, int posX, int posY, int scale)

## Variables

- int **terminalWidth**
- int **terminalHeight**

### 5.35.1 Detailed Description

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23

#### Copyright

Copyright (c) 2022

### 5.35.2 Function Documentation

#### 5.35.2.1 printCenter()

```
void printCenter (
    const std::string toPrint,
    std::array< int, 3 > frontColor,
    std::array< int, 3 > backColor,
    const int padding = 0 )
```

Print the string in the center.

#### Parameters

<i>toPrint</i>	
<i>frontColor</i>	
<i>backColor</i>	
<i>padding</i>	

### 5.35.2.2 printCenterFromFile()

```
void printCenterFromFile (
    const std::string fileName,
    std::array< int, 3 > frontColor,
    std::array< int, 3 > backColor,
    const int padding = 0 )
```

Print the contents of the file in the center.

#### Parameters

<i>fileName</i>	
<i>frontColor</i>	
<i>backColor</i>	

### 5.35.2.3 printColor()

```
void printColor (
    std::string toPrint,
    std::array< int, 3 > frontColor,
    std::array< int, 3 > backColor )
```

Print the string to the terminal in the given color.


#### Parameters

<i>toPrint</i>	
<i>frontColor</i>	
<i>backColor</i>	

## 5.36 src/CLLoginInterface.cpp File Reference

```
#include "CLLoginInterface.h"
```

Include dependency graph for CLLoginInterface.cpp:



### 5.36.1 Detailed Description

Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

Version

1.0

Date

2022-11-23


Copyright

Copyright (c) 2022

## 5.37 src/CLMenu.cpp File Reference

```
#include "CLMenu.h"
```

Include dependency graph for CLMenu.cpp:



### 5.37.1 Detailed Description

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23


#### Copyright

Copyright (c) 2022

## 5.38 src/CLMenuBar.cpp File Reference

```
#include "CLMenuBar.h"
```

Include dependency graph for CLMenuBar.cpp:



### 5.38.1 Detailed Description

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23

#### Copyright


Copyright (c) 2022

## 5.39 src/Config.cpp File Reference

```
#include "Config.h"
```



Include dependency graph for Config.cpp:



### 5.39.1 Detailed Description

#### Author

Javier Izquierdo Hernandez ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

0.1

#### Date

2022-12-26


#### Copyright

Copyright (c) 2022

## 5.40 src/Dashboard.cpp File Reference

```
#include "Dashboard.h"
#include "CLDashboard.h"
```

Include dependency graph for Dashboard.cpp:



### 5.40.1 Detailed Description

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23


#### Copyright

Copyright (c) 2022

## 5.41 src/Database.cpp File Reference

```
#include "Database.h"
#include "NotFoundUserException.h"
```

Include dependency graph for Database.cpp:



### 5.41.1 Detailed Description

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23


#### Copyright

Copyright (c) 2022

## 5.42 src/GlobalConfig.cpp File Reference

```
#include "GlobalConfig.h"
```

Include dependency graph for GlobalConfig.cpp:



### 5.42.1 Detailed Description

#### Author

Javier Izquierdo Hernandez ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

0.1

#### Date

2022-12-26


#### Copyright

Copyright (c) 2022

## 5.43 `src/Humidity.cpp` File Reference

```
#include "Humidity.h"
```

Include dependency graph for Humidity.cpp:



### 5.43.1 Detailed Description

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23

#### Copyright

Copyright (c) 2022

## 5.44 src/Interface.cpp File Reference

```
#include "Interface.h"
#include "CLInterface.h"
```



Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es))

1.0


2022-11-23

Copyright (c) 2022

```
#include "LoginInterface.h"
#include "CLLoginInterface.h"
```

```
#include <stdexcept>
```

Include dependency graph for LoginInterface.cpp:



### 5.45.1 Detailed Description

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23


#### Copyright

Copyright (c) 2022

## 5.46 src/main.cpp File Reference

```
#include "main.h"
```

Include dependency graph for main.cpp:



## Functions

- `int main (int argc, char *argv[], char *envp[])`

### 5.46.1 Detailed Description

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23


#### Copyright

Copyright (c) 2022



## 5.47 src/Menu.cpp File Reference

```
#include "Menu.h"  
#include "CLMenu.h"  
Include dependency graph for Menu.cpp:
```



### 5.47.1 Detailed Description

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date


2022-11-23

#### Copyright

Copyright (c) 2022

## 5.48 src/MenuBar.cpp File Reference

```
#include "MenuBar.h"
#include "CLMenuBar.h"
Include dependency graph for MenuBar.cpp:
```



### 5.48.1 Detailed Description

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23


#### Copyright

Copyright (c) 2022

## 5.49 src/Moisture.cpp File Reference

```
#include "Moisture.h"
```

Include dependency graph for Moisture.cpp:



### 5.49.1 Detailed Description

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23

#### Copyright

Copyright (c) 2022

## 5.50 src/Sensor.cpp File Reference

```
#include "Sensor.h"
#include "Thermometer.h"
#include "Humidity.h"
#include "Moisture.h"
#include "AirQuality.h"
#include "CameraBW.h"
```

```
#include "CameraRGB.h"
```

Include dependency graph for Sensor.cpp:



### 5.50.1 Detailed Description

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date

2022-11-23


#### Copyright

Copyright (c) 2022

## 5.51 src/Thermometer.cpp File Reference

```
#include "Thermometer.h"
```

Include dependency graph for Thermometer.cpp:



### 5.51.1 Detailed Description

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

1.0

#### Date


2022-11-23

#### Copyright

Copyright (c) 2022

## 5.52 src/User.cpp File Reference

```
#include "User.h"
#include <iostream>
#include <iomanip>
Include dependency graph for User.cpp:
```



### Functions

- `std::ostream & operator<< (std::ostream &output, const User &user)`

### 5.52.1 Detailed Description

#### Author

Javier Izquierdo ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es) )

#### Version

2.0

#### Date

2022-11-23


#### Copyright

Copyright (c) 2022

## 5.53 src/UserConfig.cpp File Reference

```
#include "UserConfig.h"
```

Include dependency graph for UserConfig.cpp:



### 5.53.1 Detailed Description

#### Author

Javier Izquierdo Hernandez ( [j.izquierdoh.2021@alumnos.urjc.es](mailto:j.izquierdoh.2021@alumnos.urjc.es))

#### Version

0.1

#### Date

2022-12-22

#### Copyright

Copyright (c) 2022





# Index

- addNewSensor
  - Dashboard, [29](#)
- addTimestamp
  - User, [54](#)
- addToMainMenu
  - Dashboard, [29](#)
- Admin, [7](#)
  - Admin, [8](#)
- AirQuality, [9](#)
  - AirQuality, [9](#)
- askEmployeeNumber
  - CLLoginInterface, [20](#)
- askNIF
  - CLLoginInterface, [21](#)
- CameraBW, [10](#)
  - CameraBW, [11](#)
- CameraRGB, [11](#)
  - CameraRGB, [12](#)
- canExit
  - Dashboard, [30](#)
- changeCurrentSensorInfo
  - Dashboard, [30](#)
- changeInterface
  - Dashboard, [30](#)
- changeMainMenu
  - CLDashboard, [14](#)
- checkUser
  - LoginInterface, [40](#)
- CLDashboard, [13](#)
  - changeMainMenu, [14](#)
  - CLDashboard, [14](#)
  - errorCommand, [15](#)
  - helpCommand, [15](#)
  - listSensor, [15](#)
  - permissionError, [15](#)
  - readCommand, [16](#)
  - showMainMenu, [16](#)
- clearMenu
  - CLMenu, [23](#)
- CLInterface, [16](#)
  - CLInterface, [17](#)
  - login, [17](#)
- CLIUtils.cpp
  - printCenter, [100](#)
  - printCenterFromFile, [100](#)
  - printColor, [101](#)
- CLIUtils.h
  - printCenter, [66](#)
  - printCenterFromFile, [67](#)
- printColor, [67](#)
- CLLoginInterface, [19](#)
  - askEmployeeNumber, [20](#)
  - askNIF, [21](#)
  - showWelcomeMessage, [21](#)
- CLMenu, [22](#)
  - clearMenu, [23](#)
  - show, [23](#), [24](#)
- CLMenuBar, [24](#)
  - show, [25](#)
- Config, [26](#)
- Create
  - Dashboard, [31](#)
  - Interface, [37](#)
  - LoginInterface, [40](#)
  - Menu, [42](#)
  - MenuBar, [43](#)
  - Sensor, [49](#)
- Dashboard, [27](#)
  - addNewSensor, [29](#)
  - addToMainMenu, [29](#)
  - canExit, [30](#)
  - changeCurrentSensorInfo, [30](#)
  - changeInterface, [30](#)
  - Create, [31](#)
  - deleteSensor, [31](#)
  - exit, [31](#)
  - getDeleteUsers, [32](#)
  - getNewUsers, [32](#)
  - logout, [32](#)
  - moveWindowMainMenu, [32](#)
  - numberOfSensorsPerMenu, [33](#)
- Database, [33](#)
  - getUser, [33](#)
- deleteSensor
  - Dashboard, [31](#)
- errorCommand
  - CLDashboard, [15](#)
- exit
  - Dashboard, [31](#)
- getDeleteUsers
  - Dashboard, [32](#)
- getName
  - User, [54](#)
- getNewUsers
  - Dashboard, [32](#)
- getTimestamp

- User, 54
- getUser
  - Database, 33
- GlobalConfig, 34
- hasAdminPermission
  - User, 54
- helpCommand
  - CLDashboard, 15
- Humidity, 35
  - Humidity, 36
- include/Admin.h, 57
- include/AirQuality.h, 58
- include/CameraBW.h, 60
- include/CameraRGB.h, 61
- include/CLDashboard.h, 62
- include/CLInterface.h, 63
- include/CLIUtils.h, 65
- include/CLLoginInterface.h, 67
- include/CLMenu.h, 69
- include/CLMenuBar.h, 70
- include/Config.h, 72
- include/Dashboard.h, 73
- include/Database.h, 74
- include/GlobalConfig.h, 75
- include/Humidity.h, 76
- include/Interface.h, 78
- include/LoginInterface.h, 79
- include/main.h, 80
- include/Menu.h, 82
- include/MenuBar.h, 83
- include/MinTerminalSize.h, 85
- include/Moisture.h, 86
- include/NotFoundArgument.h, 87
- include/NotFoundUserException.h, 88
- include/Sensor.h, 89
- include/Thermometer.h, 90
- include/User.h, 91
- include/UserConfig.h, 92
- Interface, 36
  - Create, 37
  - loadMenu, 38
  - login, 38
- listSensor
  - CLDashboard, 15
- loadMenu
  - Interface, 38
- login
  - CLInterface, 17
  - Interface, 38
- LoginInterface, 39
  - checkUser, 40
  - Create, 40
- logout
  - Dashboard, 32
- Menu, 41
  - Create, 42
- MenuBar, 42
  - Create, 43
  - setCurrentMenu, 44
- MinTerminalSize, 44
- Moisture, 45
  - Moisture, 46
- moveWindowMainMenu
  - Dashboard, 32
- NotFoundArgument, 46
- NotFoundUserException, 47
- numberOfSensorsPerMenu
  - Dashboard, 33
- permissionError
  - CLDashboard, 15
- printCenter
  - CLIUtils.cpp, 100
  - CLIUtils.h, 66
- printCenterFromFile
  - CLIUtils.cpp, 100
  - CLIUtils.h, 67
- printColor
  - CLIUtils.cpp, 101
  - CLIUtils.h, 67
- readCommand
  - CLDashboard, 16
- requestData
  - Sensor, 50
- Sensor, 48
  - Create, 49
  - requestData, 50
  - Sensor, 49
- setCurrentMenu
  - MenuBar, 44
- setEmployeeNumber
  - User, 54
- setNIF
  - User, 55
- show
  - CLMenu, 23, 24
  - CLMenuBar, 25
- showMainMenu
  - CLDashboard, 16
- showWelcomeMessage
  - CLLoginInterface, 21
- src/Admin.cpp, 94
- src/AirQuality.cpp, 95
- src/CameraBW.cpp, 95
- src/CameraRGB.cpp, 96
- src/CLDashboard.cpp, 97
- src/CLInterface.cpp, 98
- src/CLIUtils.cpp, 99
- src/CLLoginInterface.cpp, 101
- src/CLMenu.cpp, 102
- src/CLMenuBar.cpp, 103

- src/Config.cpp, [104](#)
- src/Dashboard.cpp, [105](#)
- src/Database.cpp, [106](#)
- src/GlobalConfig.cpp, [107](#)
- src/Humidity.cpp, [108](#)
- src/Interface.cpp, [109](#)
- src/LoginInterface.cpp, [110](#)
- src/main.cpp, [111](#)
- src/Menu.cpp, [113](#)
- src/MenuBar.cpp, [114](#)
- src/Moisture.cpp, [114](#)
- src/Sensor.cpp, [115](#)
- src/Thermometer.cpp, [116](#)
- src/User.cpp, [117](#)
- src/UserConfig.cpp, [118](#)
  
- Thermometer, [50](#)
  - Thermometer, [51](#)
  
- User, [52](#)
  - addTimestamp, [54](#)
  - getName, [54](#)
  - getTimestamp, [54](#)
  - hasAdminPermission, [54](#)
  - setEmployeeNumber, [54](#)
  - setNIF, [55](#)
  - User, [53](#)
- UserConfig, [55](#)