Mash

Generated by Doxygen 1.9.1

1 Class Index 1

1.1 Class List 1

2 Class Documentation 3

2.1 alias Struct Reference 3

2.2 Command Struct Reference 3

2.3 ExecInfo Struct Reference 4

2.4 FileInfo Struct Reference 5

2.5 Job Struct Reference 5

2.6 JobList Struct Reference 6

2.7 ParseInfo Struct Reference 6

2.8 source_file Struct Reference 7

2.9 SubInfo Struct Reference 7

2.10 token Struct Reference 7

Index 9

Chapter 1

Class Index

1.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

alias . . . 3
Command . . . 3
ExecInfo . . . 4
FileInfo . . . 5
Job . . . 5
JobList . . . 6
ParseInfo . . . 6
source_file . . . 7
SubInfo . . . 7
token . . . 7

Chapter 2

Class Documentation

2.1 alias Struct Reference

Public Attributes

- char **command** [ALIAS_MAX_COMMAND]
- char **reference** [ALIAS_MAX_REFERENCE]

The documentation for this struct was generated from the following file:

- include/builtin/alias.h

2.2 Command Struct Reference

Collaboration diagram for Command:



Public Attributes

- char **argv** [MAX_ARGUMENTS][MAX_ARGUMENT_SIZE]
- int **argc**
- char * **current_arg**
- pid_t **pid**
- int **search_location**
- int **next_status_needed_to_exec**
- int **do_wait**
- int **input**
- int **output**
- int **err_output**
- int **fd_pipe_input** [2]
- int **fd_pipe_output** [2]
- struct Command * **pipe_next**
- char * **output_buffer**

The documentation for this struct was generated from the following file:

- include/builtin/command.h

2.3 ExecInfo Struct Reference

Collaboration diagram for ExecInfo:



Public Attributes

- Command * **command**
- Command * **last_command**
- ParseInfo * **parse_info**
- FileInfo * **file_info**
- SubInfo * **sub_info**
- char * **line**
- struct ExecInfo * **prev_exec_info**

The documentation for this struct was generated from the following file:

- include/exec_info.h

2.4 FileInfo Struct Reference

Public Attributes

- int **mode**
- char * **ptr**
- char **buffer** [MAX_ARGUMENT_SIZE]

The documentation for this struct was generated from the following file:

- include/exec_info.h

2.5 Job Struct Reference

Collaboration diagram for Job:

Public Attributes

- int **execution**
- int **pos**
- int **relevance**
- pid_t **pid**
- pid_t **end_pid**
- int **state**
- char * **command**
- struct Job * **next_job**

The documentation for this struct was generated from the following file:

- include/builtin/jobs.h

2.6 JobList Struct Reference

Collaboration diagram for JobList:



Public Attributes

- Job * **head**
- Job * **last**
- int **n_jobs**

The documentation for this struct was generated from the following file:

- include/builtin/jobs.h

2.7 ParseInfo Struct Reference

Public Attributes

- int **exec_depth**
- int **request_line**
- int **has_arg_started**
- int **finished**
- char * **copy**
- spec_char(* **curr_lexer**)[ASCII_CHARS]
- spec_char(* **old_lexer**)[ASCII_CHARS]

The documentation for this struct was generated from the following file:

- include/parse.h

2.8 source_file Struct Reference

Public Attributes

- char **file** [MAX_FILE_LENGTH]

The documentation for this struct was generated from the following file:

- include/builtin/source.h

2.9 SubInfo Struct Reference

Public Attributes

- char **last_alias** [ALIAS_MAX_COMMAND]
- char * **old_ptr**
- char **buffer** [MAX_ARGUMENT_SIZE]
- spec_char(* **old_lexer**)[ASCII_CHARS]

The documentation for this struct was generated from the following file:

- include/exec_info.h

2.10 token Struct Reference

Collaboration diagram for token:



Public Attributes

- char **data** [MAX_OPERAND_SIZE]
- double **value**
- int **type**
- int **priority**
- int **symbol_priority**
- struct token * **next**

The documentation for this struct was generated from the following file:

- src/builtin/mash_math.c

Index

alias, 3

Command, 3

ExecInfo, 4

FileInfo, 5

Job, 5
JobList, 6

ParseInfo, 6

source_file, 7
SubInfo, 7

token, 7