

AREA SUMMARY	
TOTAL A/C LIVING AREA	1536.00 SQ FT
ENTRANCE	76.00 SQ FT
GARAGE	436.00 SQ FT
LANAI	240.00 SQ FT
TOTAL UNDER ROOF	2289.00 SQ FT




JOB DATA	
ULTIMATE DESIGN WIND SPEED	173
NOMINAL DESIGN WIND SPEED	135
RISK CATEGORY	2
IMPORTANCE FACTOR	1.0
BUILDING OCCUPANCY CLASSIFICATION	RESIDENTIAL
BUILDING CONSTRUCTION TYPE	SB
EXPOSURE CATEGORY	C
OPENING PROTECTION	
INTERNAL PRESSURE COEFFICIENTS	+0.18, -0.18 (ENCLOSED)
FLOOR LIVE LOAD	1/360 LIVE, 1/240 DEAD
ROOF LIVE LOAD	1/360 LIVE, 1/240 DEAD SUPPORTING PLASTER CEILING
THE STRUCTURAL COMPONENTS OF THIS PLAN ARE IN COMPLIANCE WITH THE 2017 FRIEDMAN BUILDING CODE, WIND LOAD COMPLIANCE AND ITS RESISTANCE TO GRAVITY AND DESIGN PRESSURES GENERATED BY A WIND VELOCITY OF 170 MPH	

WIND VELOCITY (MPH)	173
IMPORTANCE FACTOR	1.0
EXPOSURE CATEGORY	C
INTERNAL PRESSURE COEFFICIENT	+0.18, -0.18
MEAN ROOF HEIGHT (FT)	9'-4"
BUILDING WIDTH (FT)	30'-10"
BUILDING LENGTH (FT)	46'-4"
ROOF SLOPE	6/12
ENCLOSED STRUCTURE	

DOOR SCHEDULE	
ZONE	SYMBOL
ZONE 4	(1)
ZONE 5	(2)
ZONE 4	(3)
ZONE 4	(4)

WINDOW SCHEDULE	
ZONE	SYMBOL
ZONE 5	(5)
ZONE 4	(7)
ZONE 4	(8)


SOFFITS	
ZONE	EFFECTIVE WIND AREA
ZONE 5	10.00 Sq'ft




FLOOR PLAN
SCALE 1/4" = 1'-0"

LEGEND
EXTERIOR CMU WALL
INTERIOR PARTITION


JCA ENGINEERS LLC
STRUCTURAL CONSULTANTS
CA No. 30943
JAVIER CANIZARES, P.E.
FL 63883
14449 SW 17 STREET
MIAMI, FLORIDA 33175
PHONE: 305-979-6507
jcanizares.eng@gmail.com




FRONT ELEVATION
SCALE 1/4" = 1'-0"



RIGHT ELEVATION
SCALE 1/4" = 1'-0"



REAR ELEVATION
SCALE 1/4" = 1'-0"



LEFT ELEVATION
SCALE 1/4" = 1'-0"