

Docker Compose

Ismael Fernández Zambrano

"¿QUÉ ES ESO DE DOCKER COMPRES?"



"¿QUÉ USO TIENE ACTUALMENTE EN EL MUNDO REAL?"



- **docker-compose.yml:** fichero de configuración

```yaml
version: '3'
services:
  web:
    # indica la imagen
    image: hello-world

    # Mapping of container port to host [PUERTO_HOST]:[PUERTO_CONTENEDOR]
    ports:
      - "5000:5000"

    # Mount volume
    volumes:
      - "/usercode/:/code"

    # Link database container to app container
    links:
      - "database:backenddb"

  database:

    # image to fetch from docker hub
    image: mysql/mysql-server:5.7

    # Environment variables for startup script
    # container will use these variables
    # to start the container with these define variables.
    environment:
      - "MYSQL_ROOT_PASSWORD=root"
      - "MYSQL_USER=testuser"
      - "MYSQL_PASSWORD=admin123"
      - "MYSQL_DATABASE=backend"

    volumes:
      - "/usercode/db/init.sql:/docker-entrypoint-initdb.d/init.sql"
```



docker-compose up: crear contenedores y ejecutarlos

docker-compose down: apaga todos los servicios levantado con compone

docker-compose ps: permite ver los contenedores funcionando



“HELLO WORLD”

```yaml
version: '1'

services:
  prueba1:
    image: hello-world
  prueba2:
    image: hello-world
  prueba3:
    image: hello-world
```



“WORDPRESS”

```yaml
version: '1'

services:
  wordpress_ismael_1:
    image: wordpress
    ports:
      - "8080:80"
  wordpress_ismael_2:
    image: wordpress
    ports:
      - "8081:80"
  wordpress_ismael_3:
    image: wordpress
    ports:
      - "8082:80"
  wordpress_ismael_4:
    image: wordpress
    ports:
      - "8083:80"
```



“NEXTCLOUD”

```yaml
version: '1'

services:
  wordpress:
    image: wordpress
    ports:
      - "8080:80"
  nextcloud:
    image: nextcloud
    ports:
      - "8081:80"
    volumes:
      - "/Users/IsmaelFdez/dockerVolumen:/var/www/html/data"
  sonarqube:
    image: sonarqube
    ports:
      - "8083:9000"
```

¡Muchas Gracias!