1.	What are the benefits of using pipenv? Choose all that apply.	1/1 point
	✓ It manages the dependencies	
	 Correct That's correct. Using pipenv you can manage the dependencies for your project. 	
	☐ It makes your project more secure	
	☐ It makes your project run faster	
	✓ It creates a virtual environment for your project	
	 Correct That's correct. Pipenv automatically creates a virtual environment and installs all the dependencies inside it. 	
2.	What is the default port number used by Django webserver?	1 / 1 point
	O 443	
	O 8001	
	8000	
	Correct That's correct. 8000 is the default port number used by the Django webserver when you apply this command python manage.py runserver inside a Django project directory.	

3.	What does the following command do?	1/1 point
	python manage.py startapp	
	O It creates a Django project	
	It creates a new Django app	
	O It installs Django	
	Correct That's correct. You can use this command inside a Django project to create a new Django app following the application name. If your app name is LittleLemonAPI, then you will have to apply this command python manage.py startapp LittleLemonAPI	
4.	Authentication and authorization are the same thing. True False	1/1 point
	Correct That's correct. Authentication and authorization are different things, and they play a very important role in securing your project. Authentication checks if the user can enter the system, and authorization checks if the authenticated user has the appropriate privilege to perform a task.	
5.	Which of the following HTTP status codes are used to indicate client-side and server-side errors? Choose all that apply.	1/1 point
	✓ 404 Not Found	
	Correct That's correct. This code is used when someone requests a non-existing item.	
	301- Moved Permanently	
	✓ 503 - Service Unavailable	
	Correct That's correct. This code is used when the server is down or cannot handle the request due to overloading.	
	201 - Created	
	✓ 403 - Forbidden	
	Correct That's correct. This code is used when client credential like the username and password, or the token is not valid.	

6.	What are the valid Accept headers for requesting XML content? Choose all that apply.	1/1 point
	application/x-xml	
	✓ application/xml	
	Correct That's correct. A client can send the Accept: application/xml header to request XML content from the server.	
	code/xml	
	✓ text/xml	
	Correct That's correct. This is a valid header for requesting XML content from the server.	
	application/xml-content	
7.	What can lead to data corruption in an API project? Choose all that apply.	1/1 point
	☐ Lack of caching	
	✓ Lack of authorization	
	Correct That's correct. The lack of a solid authorization layer can lead any user with a valid authentication token to access any API endpoints and they will be able to modify the data.	
	✓ Lack of authentication	
	♥ Correct That's correct. Without authentication anyone can get in and modify the data.	
	☐ Lack of throttling	
	✓ Lack of data validation and sanitization	
	Correct That's correct. Incorrect or malformed data may be stored in the database without proper data validation. Lack of sanitization can create security threats which can also corrupt the data.	1.

8.	Which of the following statements are valid for Insomnia? Choose all that apply.	1/1 point
	✓ It's a REST API Client	
	✓ Correct That's correct. You can use Insomnia to make HTTP requests.	
	✓ Insomnia can send different types of payloads	
	Correct That's correct. While making an API call, you can send different types of payloads like JSON, Form URL Encoded Data using Insomnia.	
	☐ Insomnia has a mobile client	
	☐ Insomnia has a command line tool	
	Insomnia is cross-platform	
	Correct That's correct. You can download Insomnia for multiple operating systems like Windows, macOS and Linux.	
9.	Which of the following API clients/tools has both web and desktop versions? Curl Insomnia Postman	1/1 point
	Correct That's correct. Postman comes with a desktop app and offers a web version that can be used in your browser to make API calls.	
	10. What is the purpose of renderer classes in DRF?	1 / 1 point
	Quickly scaffold a CRUD API project	
	Convert serialized data to display as HTML, XML and JSON	
	Convert model instance to native Python data types	
	Correct That's correct. DRF comes with a few built-in renderer classes to convert serialized data and display it in various formats. You can also use third-party renderers in DRF.	