Cucumber Report

| Start : Nov 06, 6:01:00.235 pm	End : Nov 06, 6:01:07.112 pm	Duration : 6.877 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 2 FAILED - 2 SKIPPED - 15

Features: 1

Scenarios: 2

Steps: 19

Pass % (Features): 0 %

Pass % (Scenarios): 0 %

Pass % (Steps): 10 %

#	Feature Name	T	P	F	S	Duration
1	Automate the Login page and Some funcionality of Filtering, Add to Cart, Remove and logout (Sauce lab)	2	0	2	0	6.877 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Automate the Login page and Some funcionality of Filtering, Add to Cart, *	Test the login page using the Decision Table Technique	10	1	1	8	3.843 s
2	Automate the Login page and Some funcionality of Filtering, Add to Cart, *	Test The Filtering Product	9	1	1	7	3.010 s

The feature name and/or scenario name has been cropped to fit in the available space.

(F)- Automate the Login page and Some funcionality of Filtering, Add to Cart, Remove and logout (Sauce lab)

FAILED	DURATION - 6.877 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 19 Pass - 2 Fail - 2 Skip - 15	
/ 6:01:00.235 pm // 6:01:07.112 pm /					

(S)- Test the login page using the Decision Table Technique

FAILED	DURATION - 3.843 s		Steps Total - 10 Pass - 1 Fail - 1 Skip - 8	
/ 6:01:00.240 pm // 6:01:04.083 pm /				
Automate the Login page and Some funcionality of Filtering, Add to Cart, Remove and logout (Sauce *				
@SaucelabLoginPage @SW_InterviewTest				

#	Step / Hook Details	Status	Duration
1	Given - Given Open the sauce lab application	PASSED	1.263 s
2	Then - Then Verify that the Login page is Appeared or not	FAILED	0.028 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=118.0.5993.120) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b382bc7a55b24fe3d56f70f9d7039062, findElement {using=xpath, value=//div[@id = 'root']//div//div[text() = 'Swag Labs']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.120, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64694}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64694/devtoo..., se:cdpVersion: 118.0.5993.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b382bc7a55b24fe3d56f70f9d7039062
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy22.getAttribute(Unknown Source) at com.SauceLabPages.PF_LoginPage.VerifythatTheURlRedirectTotheLoginPage(PF_LoginPage.java:35) at com.SaucelabMainClass.Background.verify_that_the_login_page_is_appeared_or_not(Background.java:31) at ?.Verify that the Login page is Appeared or not(file:///C:/SauceLab_Test/src/test/resources/SauceLab_Feature/Start_to_Signoff.feature:8) * Not displayable characters are replaced by '?'.		
3	Given - Given Without Entering any Data click on Login Btn	SKIPPED	0.001 s
4	Then - Then Verify that the UserName Validation is appeared Epic sadface: Username is required	SKIPPED	0.004 s
5	Then - Then Enter the UserName and Click on Login Btn	SKIPPED	0.002 s
6	Then - Then Verify that the Password Required Validation is Appeared Epic sadface: Password is required	SKIPPED	0.001 s
7	Then - Then Enter the UserName and Password and Verify that the validation is working properly for ENtering Wrong user Name and Password UserName | Password | ValidationMsg InvalidUserName | secret_sauce | Epic sadface: Username and password do not match any user in this service locked_out_user | InvalidPassword | Epic sadface: Username and password do not match any user in this service Invalid_UserName | Invalid_Password | Epic sadface: Username and password do not match any user in this service	SKIPPED	0.001 s
8	Then - Then Verify that Case Sensitive is working Standard_User | secret_sauce | Epic sadface: Username and password do not match any user in this service	SKIPPED	0.001 s
9	Then - Then Enter the Correct UserName Password and Login to the Application	SKIPPED	0.000 s
10	And - And Verify that the user is redirect to the Inventory Page	SKIPPED	0.000 s
	AFTER - com.Hooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=118.0.5993.120) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:	FAILED	0.008 s

#	Step / Hook Details	Status	Duration
	[b382bc7a55b24fe3d56f70f9d7039062, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.120, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64694}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64694/devtoo..., se:cdpVersion: 118.0.5993.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b382bc7a55b24fe3d56f70f9d7039062 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.Hooks.ApplicationHooks.tearDown(ApplicationHooks.java:45)		

(S)- Test The Filtering Product

FAILED	DURATION - 3.010 s
/ 6:01:04.102 pm // 6:01:07.112 pm /	
Automate the Login page and Some funcionality of Filtering, Add to Cart, Remove and logout (Sauce *	
@AddOrRemoveItems @SW_InterviewTest	

Steps
Total - 9
Pass - 1
Fail - 1
Skip - 7

9

#	Step / Hook Details	Status	Duration
1	Given - Given Open the sauce lab application	PASSED	1.112 s
2	Then - Then Verify that the Login page is Appeared or not	FAILED	0.034 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=118.0.5993.120) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		

#	Step / Hook Details	Status	Duration

	[2875d47debe4f974d2129b853a878829, findElement {using=xpath, value=//div[@id = 'root']//div//div[text() = 'Swag Labs']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.120, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64710}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64710/devtoo..., se:cdpVersion: 118.0.5993.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2875d47debe4f974d2129b853a878829
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy22.getAttribute(Unknown Source)
	  at com.SauceLabPages.PF_LoginPage.VerifythatTheURlRedirectTotheLoginPage(PF_LoginPage.java:35)
	  at com.SaucelabMainClass.Background.verify_that_the_login_page_is_appeared_or_not(Background.java:31)
	  at ?.Verify that the Login page is Appeared or not(file:///C:/SauceLab_Test/src/test/resources/SauceLab_Feature/Start_to_Signoff.feature:8)
	* Not displayable characters are replaced by '?'.		

3	Given - Given Enter the Correct UserName Password and Login to the Application	SKIPPED	0.001 s
4	Then - Then Check by default sorting order from A to Z are selected	SKIPPED	0.000 s
5	Then - Then Add to Cart Some Inventory Items and Before add to cart Get the Amount of that particular Product ItemsName Sauce Labs Backpack Sauce Labs Bolt T-Shirt Sauce Labs Fleece Jacket Test.allTheThings() T-Shirt (Red)	SKIPPED	0.000 s
6	Then - Then Click on the Cart Button which is on the Header top left	SKIPPED	0.000 s
7	Then - Then Verify that all Item which we selected are on the cart List and amount is appearing Correctly	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
	ItemsName Sauce Labs Backpack Sauce Labs Bolt T-Shirt Sauce Labs Fleece Jacket Test.allTheThings() T-Shirt (Red)		
8	Then - Then Remove Some Selected Item ItemsName Test.allTheThings() T-Shirt (Red)	SKIPPED	0.000 s
9	And - And Click On Check Out Button	SKIPPED	0.000 s
	AFTER - com.Hooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.010 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=118.0.5993.120) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2875d47debe4f974d2129b853a878829, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.120, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64710}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64710/devtoo..., se:cdpVersion: 118.0.5993.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2875d47debe4f974d2129b853a878829
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330)
	  at com.Hooks.ApplicationHooks.tearDown(ApplicationHooks.java:45)		