GeonosisAI: 2-minute demo runbook

The goal is a clean 2:00 video. Nothing has to be robust, only this exact path, and every number on screen must be honest. Keep the **SIM**, **STUB** and **SEEDED** labels visible.

The trick: two tickets

Ticket	Purpose	How
A: "pre-baked"	Footage for Train, Eval-after, Report and Shipped	Run it fully **before** recording, using `--seed-evals` so it is fast.
B: "live"	Footage for filing, baseline, diagnose, plan, Discord, phone	Record it live, with no `--seed-evals`, so the trials visibly run.

---

1. Setup (once, about 5 min)

Publish the web app from the repo root:

```
git push && W=$TMPDIR/geonosis-prod && git worktree add --detach $W HEAD && cd $W
&& \
npx vercel@65.2.0 link --yes --project geonosisai --scope jaximus808s-projects && \
npx vercel@65.2.0 deploy --prod --yes --scope jaximus808s-projects; cd - ; git
worktree remove --force $W
```

Tab 1 (backend). Start it first, then wait for the box of URLs. Use fast mode for ticket A (section 2):

```
make demo-maincloud ARGS="--orch-port 8028 --web-port 3737 --seed-evals"
```

Check that the banner says `Modal: STUB (no credits used)`.

Tab 2 (tunnel). Start it in a second terminal tab after Tab 1, and leave both running:

```
make demo-hybrid ARGS="--stack attach --orch-url http://127.0.0.1:8028 --stream-
port 8791 \
  --robot-name sim-yam-mujoco --stdb-url https://maincloud.spacetimedb.com --db
robo-factory-a706j"
```

Wait about 1 minute, then check that `geonosis.jaxonp.com/api/tdm110/backend` shows `"ok": true`.

Browser. Use Chrome. Log in at `geonosis.jaxonp.com/ops/login` with the passcode (`grep RDF_OPERATOR_PASSCODE .env`). In the cockpit, cancel any old open tickets (More, then Cancel ticket) so the robot is free.

Optional: to show the phone text offer on camera, set `RDF_TEXT_MODE=live` in `.env` before Tab 1.

---

2. Pre-bake ticket A (about 10 min, not recorded)

1. Tab 1 is already in fast mode from setup.
2. **New ticket:** “Pick up the cube and place it in the empty plate.”, Sim robot, $50, target 80%.
3. **Approve the plan,** then do the jobs from your phone until the plan count is met. Claim, drive, Finish – success.
4. **Let it finish:** it runs Train (**STUB**), then Eval (seeded, about 95%), then **Shipped**. Leave ticket A alone after that.
5. **Restart Tab 1 without the fast flag:** Ctrl-C, then `make demo-maincloud ARGS="--orch-port 8028 --web-port 3737"`. Then restart Tab 2 (the tunnel).

---

3. Shot list: 2:00 total

Record the laptop at 1440x900 and the phone separately. You can speed up waiting in the edit (2 to 4x on trials).

#	Time	Screen and capture	Voice-over (about 180 words, read at an easy pace)
1	0:00 (8 s)	`/` **landing**: Hero, “Ticket in. Deployed robot out.”	*Robots need task-specific data to work. GeonosisAI is a droid foundry: you file a ticket, and it gets your robot to the reliability you need.*
2	0:08 (8 s)	`/tickets/new`: Type ticket **B**’s prompt and submit.	*Here’s the job: put the cube on the plate, 80% reliable, $50 budget.*
3	0:16 (14 s)	**Cockpit, Baseline**: Trials filling in live, with a failure note (“missed grasp”). Speed this up.	*First it measures. The base policy runs ten trials on the robot, which is our MuJoCo sim of the YAM arm tonight.*
4	0:30 (16 s)	**Cockpit, Diagnose, then Plan**: Failure cluster cards. Zoom on the planner’s reasoning, then click **Approve plan**.	*Claude watches the failures and groups them by cause. The planner buys exactly the data that fixes them: recovery takeovers at the failure point, not generic demos. I approve the spend.*
5	0:46 (8 s)	`/factory`: Droids at their machines and a speech bubble changing.	*Every agent is visible. Some reason with Claude; Factory Droids sleep until SpacetimeDB wakes them.*
6	0:54 (6 s)	**Discord #job-board**: The new job card with its QR code and code.	*The jobs go out to Discord and by text.*
7	1:00 (26 s)	**Phone**: Scan the QR, claim, the cockpit, drive the arm, place the cube, Finish, then **Accepted** and the payout.	*Anyone with a phone can claim a job, drive the arm from the browser, and get paid once Claude’s reviewer accepts the episode. Stripe test mode.*
8	1:26 (10 s)	**Ticket A: Train, then Eval**: The training row (**STUB** label), then the Eval trial strip at about 9/10.	*Accepted episodes fine-tune pi zero point five. On the sim we stub the GPU; on Modal it’s one H100.*
9	1:36 (14 s)	**Ticket A: Report**: Before and after with confidence intervals; data bought and cost.	*Then it proves it: before and after, with error bars, and every decision logged.*
10	1:50 (10 s)	**Title card (or real-arm clip)**: Wordmark, geonosis.jaxonp.com, the repo link.	*Ticket in. Deployed robot out. GeonosisAI.*

If you get a real-arm clip (someone teleoperating the YAM from a phone), use it as shot 10's background, or cut 3 seconds of it into shot 7: "and the same flow drives the real YAM."

---

4. What's real vs sim (say it plainly if asked)

- **Real:** Claude diagnosis, planning and review; Factory Droids waking on SpacetimeDB; maincloud; Discord and text jobs; phone teleop with recording and review; Stripe test-mode payouts; the hybrid deploy at geonosis.jaxonp.com. π0.5 LoRA fine-tunes were proven separately on a Modal H100.
- **Sim:** the arm is MuJoCo. Its policy is a scripted stand-in, labelled **[SIM]** and **not** π0.5. Training in the video is a **STUB**. Its before/after gap is by design, not learned.

---

5. If something breaks while recording

Symptom	Fix
Site says "backend offline"	Restart Tab 2 and wait about 1 minute.
"Waiting for robot: TKT-X has it"	Click **Run this ticket now**, or cancel the other ticket.
Sim arm locked (e-stop)	On the robot page, click **Clear e-stop**.
Laptop hot or laggy while driving	Set Quality to **Smooth**, and close other 3D tabs (`/robots` , `/live` , `/factory`).
Episode rejected	Fine; show it ("rejected episodes aren't paid"), then do one more.
Discord card missing	Check `RDF_DROP_MODE=live` in `.env` ; use `/ops/drops` , then **Post now**.
Baseline taking too long	Speed it up in the edit, or use ticket A's finished baseline.

---

6. Submit (Devpost due 8:30 AM)

1. Fill in or remove the `TODO after real run` lines, using sim numbers labelled as sim: `grep -n "TODO after real run" docs/submission/*.md README.md`
2. Paste `docs/submission/devpost.md` into Devpost, then add the video, `github.com/jaximus808/GeonosisAI` and `geonosis.jaxonp.com` .

3. Practise `docs/submission/pitch.md` twice; the judge Q&A is in `docs/submission/qa.md`.