

SIMATS ENGINEERING (SAVEETHA SCHOOL OF ENGINEERING)
Department of Computer Science and Engineering

ASSESSMENT TOOL 2- Concept Mapping

Course Code:	CSA0313	Course Title:	Data Structures
CO Assessed:	CO1 – Imitation (BL3, BL4)	Assessment:	Assessment Tool 2 – Concept Mapping
Weightage:	10% of CIA	Total Marks:	100
CO1 Statement:	Basics, Data, Data object, Data structure, Abstract Data Types (ADT), realization of ADT in C, Primitive and non-primitive data structure, Linear and non-linear data structure Arrays & Recursion, Performance analysis and Measurement: Time and space analysis of algorithms, Average, best and worst-case analysis.		
Student Name:	S. Jaxon Rizal	Reg. No.:	192511421
Section / Batch:		Date:	

Code of Conduct

I (Name / Reg No) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the Student: S. Jaxon


Instructions

- This test contains 2 concept mapping. Total: 100 Marks.
- Evaluation of Answer Quality -Checking whether the answer includes: Concept Identification, Linkages, Organization, Integration of Literature, and Clarity
- No DTP printouts or electronic devices permitted. They should provide materials in PDF format.

Rubrics

Questions	Problem Understanding	Method Selection	Solution Process	Accuracy of Calculation	Interpretation of Results	Total Marks
Q1						
Q2						

Q.13.



Q.1.

STUDENT ATTENDANCE SYSTEM

↓ uses

ARRAY

(Fixed Size Storage)

↓ leads to

SEQUENTIAL ACCESS

(Access elements in order)

↓ has

LIMITATION

Fixed size,
Hard to insert / Delete

↓ overcome by

LINKED LIST

(Dynamic Allocation)

↓ provides

FLEXIBILITY

Easy Insert

Easy Delete

Dynamic Size

↓ enables

Application

Frequent Attendance Updates
& Record Management

ARRAY

- * Stores attendance records in fixed size.
- * Elements stored in contiguous memory.
- * Access is simple and fast.

LINKED LIST

- * Dynamic memory allocation
- * More flexible than arrays.