CSS Font Properties

- (1) font-family
- (2) font-size
- (3) font-style
- (4) font-weight
- (5) font-variant

1. font-family:

- > The font-family property specifies the font for an element.
- Syntax:

font-family : family-name | generic-family ;

2. font-size:

- The font-size property sets the size of a font.
- Syntax:

```
font-size: small | smaller | x-small | xx-small | medium
        | large | larger | x-large | large | length | % | px
```

3. font-style:

- > The font-style property specifies the font style for a text.
- Syntax:

font-style : normal | italic | oblique;

4. font-weight:

➤ The font-weight property sets how thick or thin characters in text should be displayed.

• Syntax:

font-weight: normal | bold | bolder | lighter | number;

5. font-variant:

➤ In a small-caps font, all lowercase letters are converted to uppercase letters.

• Syntax:

font-variant: normal | small-caps;



CSS Text Properties

- (1) color property
- (2) text-align property
- (3) text-decoration property
- (4) text-transform property
- (5) text-indent property
- (6) line-height property
- (7) word-spacing property
- (8) letter-spacing property
- (9) word-warp property
- (10) word-break property
- (11) overflow property
- (12) text-shadow
- (13) box-shadow

1. color:

- The color property specifies the color of text.
- Syntax:

```
color: color-name | rgb | hex;
```

2. text-align:

- > The text-align property specifies the horizontal alignment of text in an element.
- Syntax:

```
text-align: left | right | center | justify;
```

3. text-decoration:

> The text-decoration property specifies the decoration added to text.

• Syntax:

text-decoration: [text-decoration-line] (required)

[text- decoration-color]

[text- decoration-style];

Property	Value
text-decoration-line	underline overline line-through none
text- decoration-color	color-name
text- decoration-style	solid dashed dotted double wavy none

4. text-transform:

> The text-transform property controls the capitalization of text.

Syntax:

text-transform: uppercase | lowercase | capitalize

5. text-indent property:

➤ The text-indent property specifies the indentation of the first line in a text-block.

• Syntax:

text-indent : length | %

6. line-height property:

➤ The line-height property specifies the height of a line.

• Syntax:

line-height: normal | number | length

7. word-spacing:

➤ The word-spacing property increases or decreases the white space between words.

Syntax:

word-spacing: normal | length

8. letter-spacing:

➤ The letter-spacing property increases or decreases the space between characters in a text.

• Syntax:

letter-spacing: normal | length

9. word-wrap:

➤ The word-wrap property allows long words to be able to be broken and wrap onto the next line.

• Syntax:

word-wrap: normal | break-word

10. Word-break:

➤ The word-break property specifies how words should break when reaching the end of a line.

• Syntax:

word-break: normal | break-all | keep-all

11. overflow:

➤ The overflow property specifies whether to clip the content or to add scrollbars when the content of an element is too big to fit in the specified area.

• Syntax:

```
overflow: auto | scroll | hidden | visible
overflow-x: auto | scroll | hidden | visible
overflow-y: auto | scroll | hidden | visible
```

12. text-shadow:

- > The CSS3 text-shadow property applies shadow to text.
 - Syntax:

```
text-shadow:x y blur color;
```

13. box-shadow:

- > The CSS3 box-shadow property applies shadow to elements.
 - Syntax:

```
box-shadow : x y blur color;
```