1.	Which of the following format is supported by MongoDB? A. SQL B. XML C. BSON D. All of the mentioned
2.	Stores documents in A. Store B. Collections C. Indexes
3.	D. None of the mentioned above Initial release of MongoDB was in the year?
	A.2000 B. 2005 C. 2009 D.2011
4.	Amongst which of the following is / are true about MongoDB?
	 A. MongoDB is a cross-platform database B. Document oriented database C. High performance database D. All of the mentioned above
5.	MongoDB NoSQL is not a
	A. Relational databaseB. Network databaseC. Communication setD. None of the mentioned above
6.	Which of the following will display details of sName "Sumit"? A. db.Students.find({sName: "Sumit"}) B. db.Students.find({sName: "Sumit"},{"sName":1, "GPA":1, "_id":0}) C. db.Students.find({sName: "Sumit"},{"sName":1, "GPA":0}) D. db.Students.find({sName: Sumit})
7.	MongoDB is adatabase that provides high performance, high availability, and easy scalability. a) graph b) key value c) document d) all of the mentioned

8. How to create a database in mongodb?

 a) use databaseName b) new databaseName c) create databaseName d) None of the above
9. Which of the following is used to start server in MongoDB? A. mongod B. mongo C. start-mongo D. start-mongo.sh
10.MongoDB has been adopted assoftware by a number of major websites and services. A. Frontend B. Backend C. Proprietary D. all of the mentioned
11. NoSQL databases is used mainly for handling large volumes ofdata.
A. Unstructured B. Structured C. semi-structured D. all of the mentioned
12. Command display the list of databases.
A. show db B. show dbs C. show data D. display dbs
13. What is ReactJS?
A. Server-side frameworkB. user interface frameworkC. both a and bD. none of the above
14. Who created React.js?

B. Jordan Walke

A. Jordan Mike

15. What is Babel?
A. JavaScript compiler
B. JavaScript interpreter
C. JavaScript transpiler
D. None of the above
16. Identify the command used to create a react app.
A. npm install create-react-app
B. npm install -g create-react-app
C. install -g create-react-app
D. None of the above
17.In MVC, what does React.js act as?
A. Model
B. Controller
C. Router
D. Middleware
18 . Which of the following is not a SQL database?
A. SQL Server
B. MongoDB
C. Cassandra
D. None of the mentioned
19. Which of the following is used in React.js to increase performance?
A. Virtual DOM
B. Original DOM
C. Both A and B
D. None of the above
20. How many elements can a valid react component return?
A. 1
B. 2
C. 3
D. 4
21. Among the following which is used to create a class inheritance?
A. Inherits
B. Extends

C. Tim Lee

C. Create

D. D.Jordan Lee

D. this		
22. Which of the following are two ways to handle data in react?		
 A. services and components B. State and props C. state and services D. state and component 		
23. Choose the method with refers to the parent class in ReactJS?		
A. this() B. super() C. iniherits() D. self()		
24. JSX stands for		
A. Javascript XML B. JSON XML C. JSON D. Javascript and AngularJS		
25. The function which is called to render HTML to a web page in react?		
A. ReactDOM_render() B. render() C. render_DOM() D. DOM_HTML()		
26. Choose the method which is not a part of ReactDOM?		
A. ReactDOM.createPortal() B. ReactDOM.hydrate() C. ReactDOM.destroy() D. ReactDOM.findDOMNode()		
27.In which directory is react component saved?		
 A. vendor/js/components/ B. components/js C. js/components D. vendor/components 		
28. Which company developed ReactJS?		
A. Apple		

B. Facebook

C. Google

D. Twitter	
29. Which of the following is an advantage of AngularJS?	
a) Uses dependency injection and makes use of separation of conce	rns

- b) Code is unit-testable
- c) Provides reusable components
- d) All of the mentioned
- 30. React is a _____
 - A. JavaScript framework
 - B. JavaScript library
 - C. both a and b
 - D. none of the above
- 31. Which of the following is the correct name of React.js?
 - A. React
 - B. React.js
 - C. ReactJS
 - D. All of the above
- 32. Which of the following is used to pass data to a component from outside in React?
- a) props
- b) render with arguments
- c) setState
- d) PropTypes
- 33. What is the use of npm?

A. use packages with installation

- B. use packages without installation
- C. Both A & B
- D. None of the above
- 34. Which of the following function is used to change the state of the React.js component?

A. this.setState

- B. this.setChangeState
- C. this.State{}
- D. None of the above.
- 35. Which of the following function is called to render HTML to the web page in React?
 - A. render()

- B. render∏
- C. ReactDOM render()
- D. Render{}
- 36. AngularJS is perfect for?
 - A. SPAs
 - B. MPAs
 - C. DPAs
 - D. CPAs
- 37. Which of the following is the correct syntax for writing AngularJS expressions ?atch
 - A. (expression)
 - B. {{expression}}
 - C. {{{expression}}}
 - D. [expression]
- 38. Which of the following directive is used to bind the application data to the HTML view in AngularJS?
 - A. ng-app directive
 - B. ng-model directive
 - C. ng-bind directive
 - D. ng-init directive
- 39. What will be the output for the following code?

- A. The output is 1
- B. The output is 15
- C. The output is 19

- D. PHP and JavaScript
- 45. Which of the following statement is true for AngularJS?
 - A. AngularJS is a closed-source front-end web framework
 - B. AngularJS is an open-source front-end web framework
 - C. AngularJS is an open-source backend web framework
 - D. AngularJS is a closed-source back-end web framework
- 46. What is Model in MVC?
 - A. Model represents server side data.
 - B. Model represents data stored in database.
 - C. Model is the lowest level of the pattern responsible for maintaining data.
 - D. None of the above.
- 47. AngularJS is a ____
 - A. Java framework
 - B. JavaScript framework
 - C. HTML framework
 - D. SQL framework
- 48. Choose the valid AngularJS expression.
 - A. $\{(2+2)\}$
 - B. {2+2}
 - C. {{2+2}}
 - D. ((2+2))
- 49. Angular CLI stands for
 - A. Angular command-line interceptor
 - B. Angular command line
 - C. Angular command-line interface
 - D. Angular command-line user interfaces
- 50. Module created by using AngularJS function is known as
 - A. module()
 - B. mod()
 - C. Angular module()
 - D. mdl()