	SAMPLE MCQ
1. PHP is an example of	
A. Server-side B. Browser-si	de
C. Client-side D. In-side	
2. PHP Stands for?	
A. PHP Hypertex Processor	B. PHP Hyper Markup Processor PHP
C. Hyper Markup Preprocessor PHP	D. Hypertext Preprocessor
3. PHP scripts are enclosed within-	
A. <php> </php>	B. ?php ?php
C	D. php ?>
4. Which of the following method	display input data at URL when sending to server?
A. Get	B. Post
C. Both	D. None
5. Which one of the following state	ements should be used to include a file in PHP?
A. #include 'filename';	B. include 'filename';
C. Both	D. None
6. PHP variables are preceded by -	
A	B. \$
c. @	p. & Learn
7. The Maximum length of Char co	
A. 65535	B. 255
C. 212	D. none
8. In PHP in order to access MySQL	database which function is used?
A. mysqlconnect()	B. mysql-connect()
C musal connect()	D cal connect/

Jump2Learn Publication [www.jump2learn.com]

	-	ı	٠	
	•		۰	

9. How do you print "Hello World"	in PHP?	
A. echo "Hello World"	B. Document.write('Hello World')	
C. "Hello World"	D. none	
10. In PHP each statement is termi	nated by?	
A	B. "	
c.;	D.	
11. How do you get information fro	om a form that is submitted using the "get" method	
A. \$_GET[]	B. Request.Query()	
C. Server.get()	D. None	
12. When using the POST method,	variables are displayed in the URL, TRUE or FALSE?	
A. TRUE	B. FALSE	
13. What is a correct way to add a	comment in PHP?	
A. /**/	B. <comment></comment>	
C.	D. *//*	
14. How do you create an array in	PHP?	
A. \$cars="Volvo", BMW","Tata"	B. \$cars= array("Volvo", "BMW","Tata")	
C. \$cars=[Volvo], [BMW],[Tata]	D. \$cars="Volvo", "BMW", "Tata"	
15. Which of the following PHP fur	ction will used to check if a value is in array or not?	
A. this_array()	B. in_array()	
	D. Is_array()	
	ENT sequences begin at by default in MYSQL? B1	
A. 0 C. 1	D. 5	
		
17. Who is the Father of PHP?		
A. Rasmus Lerdorf	B. Chales Babbage	
C. Drek Kolkevi	D. None	

18. PHP's numerically ind	lexed array begin with position -	
A. 1	B1	
C. 0	D. None of these	
19. Which method is use	d to execute the database query through PHP?	
A. mysqli_query()	B. mysql_query_insert()	
C. mysqlir_query()	D. quesry()	
20. Which of the looping	statements is/are supported by PHP?	
A. While Loop	B. DoWhile Loop	
C. For Loop	D. All of these	
21. Which function is us	sed to count total elements in Array?	
A. total()	B. countif()	
C. sum()	D. count()	
22. Which tag of HTML	is used to give new line in PHP ?	
A. <new></new>	B. <line></line>	
C. <br< td=""><td>D. <hr/></td><td></td></br<>	D. <hr/>	
23. When you use the	Post method to collect data, that data can be visible to-	
A. None	B. Selected few	Parameter Contraction of the Con
C. Only You	D. Everyone	1
24.What is the file ext. Axml Chtml		
25. Which Operating	System supports to run PHP?	
A. windows	B. linux	
C. mac	D. All of the Above	
26. Which of the folio	owing is used to create a session?	
A. session_start()	B. \$_SESSION[]	
C. isset()	D. none	
		1

27. Which of the following provides the size of the uploaded file in PHP?

A. \$_FILES['file']['name']

B. \$_FILES['file']['type']

c. \$_FILES['file']['temp']

D. \$_FILES['file']['size']

28. Who developed jQuery, and in which year it was first released?

A. John Richard in 2001

B. Mark Bensman in 2004

C. John Resig in 2006

D.None of the above

29. jQuery is a -

A. JavaScript method

B. JavaScript library

C. JSON library

D. PHP method

30. Which of the following jQuery method is used to hide the selected elements?

A. The hidden() method

B.The hide() method

C. The visible(false) method

D.The display(none) method

31. Which jQuery method is used to set one or more style properties to the selected element?

A. The html() method

B. The style() method

C. The css() method

D. All of the above

32. The correct syntax to set the background color of all h1 elements to yellow in jQuery –

A. \$("h1").style("background-color","yellow");

B.\$("h1").html("background-color","yellow");

C. \$("h1").css("background-color","yellow");

D.\$("h1").layout("background-color","yellow");

33. Which of the following jQuery method is used to stop jQuery for few milliseconds?

A. stop() method

B. delay() method

C. slowdown() method

D. pause() method

34. Which of the jQuery function prevents the code from running before the loading of the document finishes?

A. \$(document).load()

B. \$(document).unload()

Jump2Learn Publication [www.jump2learn.com]

C. \$(document).ready()

D. \$(document).trim()

35. Which of the following jQuery method is used to set the value of an element?

A. val() method

B. setValue() method

C. content() method

D. None of the above

36. Which jQuery method is used to get all ancestors of the matched set of elements?

A. parents() method

B. parent() method

C. offsetParent() method

D.None of the above

37. The toggle() method in jQuery is used to -

A. toggle between the hide() and show() methods

B.toggle between the fadeln() and fadeOut() methods

C. toggle between the slideUp() and slideDown() methods

D. None of the above

38. Which of the following is the correct code in jQuery to make all div elements

150px high?

A. \$("div").height(150);

B. \$("div").height = "150";

C. \$("div").height = 150;

D.None of the above

39. What does the syntax \$("p") will select?

A. All paragraph elements

B.Only first paragraph element

C. Only last paragraph element

D.None of the above

40. Which of the following sign is used as a shortcut for jQuery?

A. the % sign

B.the & sign

C. the \$ sign

D.the @ sign JumpzLearn