Sr. no	Que	А	В	С	D	Correct Ans
1	NoSQL databases is used mainly for handling large volumes of data.	Semi Structured	Structured	Unstructured	All of the Above	Unstructured
2	NoSQL is not a	Relational Database	Network Database	Communicatio n Set	none of the above	Relational Database
3	A record in MongoDB is a	Document	Table	Record	none of the above	Document
4		Store	Collection	Index	Page	Collection
5	MongoDB was first developed by Software in 2007.	9gen	10gen	11gen	8gen	10gen
6	Amongst which of the following is / are the command used to create collection in MongoDB?	db.dropDatabas e()	db.createCollecti on()	create collection("na me")	None	db.createCollec tion()
7	Which of the following is the correct name of React.js?	React	ReactJS	React.JS	All of the Above	All of the Above
8	What would be the output of the following example? var Helloword=(props)=> { return(<div> Hello World 1 </div> Hello World 2); } ReactDOM.render(<helloworld></helloworld> ,mountNode)	Hello world 1	Hello world 2	Hello World 1 Hello World 2	Error	Error
9	How many numbers of elements a valid react component can return?	1	2	4	5	1
10	What is a state in React?	A permanent storage.	Ithe component.	External storage of the component.	None	Internal storage of the component.

11	What are the two ways to handle data in React.	State & Props	State & Services	Service & Component	State & Component	State & Props
12	Which of the following is used to pass data to a component from outside in React.js?	setState	Render	Props	PropType	Props
13	What is the correct syntax to write expression in JSX?	[expression]	{expression}	{{expression}}	_expression	{expression}
14	A class component must include the statement.	extends React.Component	extends React	externds Components	extends component.rea ct	extends React.Component
15	What are components in ReactJS?	Components are UDF		Components are the HTML elements.	Components are like functions that return HTML elements.	Components are like functions that return HTML elements.
16	Which of the following will cause React to skip rendering a component if its props have not changed.	memo()	render()	return()	component()	memo()
17	Hooks were added to React in version	16.9	16.8	16.4	16.7	16.8
18	Which of the following function is used to change the state of the React.js component?	this.setState	this.setChangeStat e	this.State{}	None	this.setState
19	Who is known as the father of AngularJS?	Brad Green	Misko Hevery	Mike Adams	Adam Abrons	Misko Hevery
20	Which of the following directive is used to bind the value of HTML controls to application data?	ng-app	ng-init	ng-all	ng-model	ng-model
21	Which of the following community Angular JS belong to?	Twitter	Facebook	Google	Microsoft	Google
22	An AngularJS module defines an	expression	application	Model	element	application
23	Which directive repeats an HTML element?	ng-repeats	ng-loop	ng-model	ng-repeat	ng-repeat
24	Which directive defines the application controller?	ng-NewController	ng-controller	ng-controller	ng-control	ng-controller
25	Filters can be added to expressions by using the, followed by a filter.	comma character (,)	Colon character (:)	Hyphen character (-)	pipe character ()	pipe character ()
26	Which of the following syntax is used to create a	module("app", []);	var myModule= new Module();	var myModule= angular.module();	module()	module("app", []);

2/	Which directive can be used to write AngularJS expressions?	ng-expression	ng-bind	Ing-hind	ng- bindexpression	ng-bind
28	Consider the below statement – what will be the output? <div data-ng-app="" data-ng-init="qty=3;"> The result is: {{qty * price}} </div>	The result is : Undefined	The result is : NAN	The result is : 3	The result is : 0	The result is : NAN
	lelement?	ng-disable	ng-disabed	ng-enabled=0	None	ng-disabed
30	Which of the following statement is true in the case of \$routeProvider?	It is a service.	IIt is a module.	It is a component.	It's a Framework	It is a service.