## **SDJ International College**

#### TYBCA - 501 PHP, MySQL & jQuery MCQ

- 1. Variable name in PHP starts with -
  - A. ! (Exclamation)
  - B. \$ (Dollar)
  - C. & (Ampersand)
  - D. # (Hash)
- 2. What is the full form of WAMP?
  - A. Windows Application MySQL and PHP
  - B. Windows Apache MySQL and PHP
  - C. Windows Apache MySQL and Perl
  - D. None of these
- 3. Who is known as the father of PHP?
  - A. Drek Kolkevi
  - B. List Barely
  - C. Rasmus Lerdrof
  - D. None of the above
- 4. Which of the following is not a variable scope in PHP?
  - A. Extern
  - B. Local
  - C. Static
  - D. Global
- 5. Which of the following is used to display the output in PHP?
  - A. echo
  - B. write
  - C. print
  - D. Both echo and print
- 6. Which of the following is used for concatenation in PHP?
  - A. + (plus)
  - B. \* (Asterisk)
  - C. . (dot)
  - D. append()
- 7. Which of the following is the use of strpos() function in PHP?
  - A. The strpos() function is used to search for the spaces in a string
  - B. The strpos() function is used to search for a number in a string

# C. The strpos() function is used to search for a character/text in a string

- D. The strpos() function is used to search for a capitalize character in a string
- 8. Which of the following is the correct way to create a function in PHP?
  - A. Create myFunction()
  - B. New\_function myFunction()
  - C. function myFunction()
  - D. None of the above
- 9. Which of the following is the correct use of the strcmp() function in PHP?
  - A. The strcmp() function is used to compare the strings excluding case
  - B. The strcmp() function is used to compare the uppercase strings
  - C. The strcmp() function is used to compare the lowercase strings
  - D. The strcmp() function is used to compare the strings including case
- 10. What is the use of isset() function in PHP?
  - A. The isset() function is used to check whether variable is set or not
  - B. The isset() function is used to check whether the variable is free or not
  - C. The isset() function is used to check whether the variable is string or not
  - D. None of the above
- 11. Which of the following function displays the information about PHP and its configuration?
  - A. php info()
  - B. phpinfo()
  - C. info()
  - D. None of the above
- 12. Which of the following function is used to set cookie in PHP?
  - A. createcookie()
  - B. makecookie()
  - C. setcookie()
  - D. None of the above
- 13. Which of the following function is used to unset a variable in PHP?
  - A. delete()
  - B. unset()
  - C. unlink()
  - D. None of the above
- 14. Which of the following is/are the code editors in PHP?

	A.	Notepad++
	В.	Notepad
	C.	Adobe Dreamweaver
	D.	All of the above
15.	ı	String values in PHP must be enclosed within -
		Double Quotes
		Single Quotes
		Both Single and Double Quotes
	D.	None of the above
16.		Which of the following variable name is invalid?
		\$newVar
	В.	\$new_Var
	C.	\$new-var
	D.	All of the above
17.		Which of the following is the correct way to create an array in PHP?
	A.	<pre>\$season = array["summer" , "winter" , "spring" , "autumn"];</pre>
	В.	<pre>\$season = array("summer" , "winter" , "spring" , "autumn");</pre>
	C.	<pre>\$season = "summer" , "winter" , "spring" , "autumn";</pre>
	D.	All of the above
18.		Echo returns 1 on success whereas print does not return any value.
		True
	В.	False
19.		Predict the output of the following piece of code.
	_	= 40;
	Ec	ho "\\$g=".(\$g>>1);
	A.	\$g=80
	В.	\$g=160
		\$g=20
	D.	\$g=10
20.		The terminates the remaining iteration of the loop whereas
		statement terminates the current iteration of the loop.
		Break, continue
		For, foreach
		While, dowhile
	D.	Continue, break

- 21. Pick the odd one out.
  - A. current()
  - B. next()
  - C. list()
  - D. prev()
- 22. Which of the following is not a super global array?
  - A. \$\_POST
  - B. \$\_COOKIE
  - C. \$\_REQUEST
  - D. None of these
- 23. What will be the output of the following code? \$s="Let your dreams be bigger than your fears"; echo "Position:".strrpos(\$s,"your");
  - A. Position:4
  - B. Position:30
  - C. Position:31
  - D. Position:5
- 24. What will be the output of the following code? echo ceil(129.5)."::".floor(129.5)."::".round(129.5);
  - A. 129::129::129
  - B. 130::130::130
  - C. 129::130::129
  - D. 130::129::130
- 25. Which of the following function by default returns the current time measured in the number of seconds since January 1 1970 00:00:00?
  - A. date()
  - B. time()
  - C. mktime()
  - D. curtime()
- 26. With respect to variable number of arguments in UDF, which of the following function returns the number of arguments passed during function call?
  - A. func\_num\_args()
  - B. func\_get\_arg()
  - C. func\_get\_args()
  - D. func\_get\_argv()

27.	The is	a persistent user state management technique,
v	whereas	is non-persistent user state management
t	technique.	
A	A. Cookie, Session	
Ε	B. Session, Cookie	
C	C. Cookie, Query Strir	ıg
Ι	D. Query String, Sessi	on
28.	Which function nee	ds to be called whenever we want to set or get the
v	value of session variab	les?
A	A. start_session()	
	B. session_start()	
	C. mysql_session_star	t()
Ι	D. \$_SESSION()	
29.	Which of the follow	ing function is used for both; setting the cookie
		destroy session variables?
	A. \$_COOKIE[]	
	B. \$_COOKIE()	
	C. Unset()	
1	D. Setcookie()	
30.	The fr	unction is used to destroy all session variables.
	A. session_unregister(	1
	B. unset()	
	C. session_destroys()	
1	D. session_destroy()	
31.		uper global array is used to retrieve the properties of
	-	e selected using file control.
	A. \$_FILE	
	B. \$_FILES	
	C. \$_REQUEST	
L	D. \$_POST	
32.	•	o import the jQuery library file in the code?
	A. <head></head>	
	B. <script></td><td></td></tr><tr><td></td><td>C. <import></td><td></td></tr><tr><td>L</td><td>D. <style></td><td></td></tr><tr><td>33.</td><td>Which selector exp</td><td>ression will hide all the elements having class cute?</td></tr></tbody></table></script>	

	Α.	\$(.cute).nide();
	В.	\$(".cute").hide();
	C.	\$("#cute").hide();
	D.	\$(".cute").hides();
34	•	Pick the odd one out.
	A.	fadeIn()
	В.	fadeOut()
	C.	show()
	D.	fadeTo()
35		Which of the following jQuery method is used to sets or gets the value of
	for	rm control?
	A.	html()
	В.	text()
	C.	value()
	D.	val()
36		The method removes the child elements from the selected
	ele	ement whereas the method removes the selected element
	an	ad its child elements.
	A.	empty() and remove()
	В.	remove() and empty()
		delete() and remove()
		remove() and delete()
37		Which of the following does not belongs to sibling method of a jQuery?
	A.	children()
	В.	siblings()
	C.	next()
	D.	prev()
38	•	The function sends a unique query to the currently
	ac	tive database in order execute it.
	A.	mysqli_query()
	В.	mysqli_fetch_array()
	C.	mysqli_execute()
		mysqli_select_db()
39		The storage engine supports FOREIGN KEY referential
	int	tegrity constraints.
		ISAM
	B.	MyISAM

	D.	Merge
40	А. В. <b>С.</b>	Which of the following is not a server-side scripting language? PHP ASP  Java Script Python
41	rei yoʻ A.	Following are the advantages of some scripting languages. (i) Code main hidden from the user. (ii) It is browser independent. According to ur opinion, it's a scripting language.  Client-Side  Server-Side
42	A. <b>B.</b> C.	Which of the following is not a feature of PHP? Open Source Suitability Flexibility Embedded with HTML
	А. В. С.	PHP Programmer can write the PHP code in which tags? Canonical Tag php //Code ? Short Tag //Code ? ASP Tag <% Code %> All of the above
44	А. В. <b>С.</b>	Which of the following is a composite PHP data-type? Integer Boolean Array String
45	is : A. <b>B.</b>	String within single quote is parsed whereas string within double quote not parsed.  True  False  May be
46	А. В.	Array with alpha-numeric index in PHP is known as Indexed Array String Array Access Array

C. InnoDB

### D. Associative Array

В. <b>С</b> .	Which PHP built-in function will help you to create constants?  Const()  Constant()  Define()  Include()
\$p=9 \$q=9	
В. С.	bool(false) bool(true) 1 0
А. В. <b>С</b> .	In PHP, the is an error control operator whereas is a ring concatenation and assignment operator.  .= , .  `` , @  .@, .=  .= , @
ex A. B. C.	Which of the following function/functions are used to print message and it from the current php script?  Die()  Exit()  Break()  Both exit() and die()
A. <b>B.</b> C.	If you want to check-out that particular element is present in array or ot. You will use which PHP built-in function?  Is_array()  In_array()  Present_array()  Is_found()
A.	Which sorting method is used if we want to sort elements of an array in scending order by preserving it key-value association? sort() ksort()

- C. arsort()
- D. asort()
- **53.** I have declare a variable like; \$asan="Chakrasan"; Which of the following line will display an output She is doing Chakrasan?
  - A. echo 'She is doing \$asan';
  - B. echo "She is doing \$Asan";
  - C. echo "She is doing \$asan";
  - D. All of these
- 54. I want to create a constant named COLLEGE with value "SDJIC". Which line of code will help me?
  - A. const('COLLEGE', 'SDJIC)
  - B. Constant ('COLLEGE', 'SDJIC)
  - C. Define('COLLEGE', 'SDJIC)
  - D. Include ('COLLEGE', 'SDJIC)
  - E. None of these
- 55. I want to compare two values at the same time I am also looking forward that the data type of these values must also be same. Which operator I should use?
  - A. =
  - B. ==
  - C. ===
  - D. strcasecmp()
- 56. Which sorting method is used if we want to sort elements of an array in descending order of their key at the same time preserving it key-value association?
  - A. kdsort()
  - B. ksort()
  - C. krsort()
  - D. assort()
  - E. rsort()
- 57. We can execute PHP scripts on Windows as well as Linux based platform. Which feature state so?
  - A. Open source
  - B. Cost
  - C. Strong user community
  - D. Cross platform compatibility
  - E. Stability

A. <b>B</b> . C	I have declare a variable like; \$n = 100; What will be the output of the ommands echo \$n << 2; and echo \$n >> 2 respectively?  200 50  400 25  50 200  25 400
59. st W A. B	I have defined an array storing marks of the student with its associated abject name. I am interested in fetching both key and value of this array. Thich of the following construct should I use?  While For Foreach Switch
pi ha <b>A</b> B C	I am writing a program to check input number is prime or not. As soon is I came to know that a number is divisible indicating a number is not rime, I want to come out of the loop. Which of the following statement I ave to use?  break  continue  die  exit
A B C	Assume that you have defined one array storing anything and you want access the last element of the array. Which function you will adopt?  current()  next()  prev()  end()
B C D	When we use form method, then form data are visible in the URL.  get  post request All of these None of these
le	I want to take an input of joining date of an employee and want to assign loj" as its name property. I also want to apply a restriction that user can't ave this field empty. Suggest me appropriate HEML code. <input name="doj" required="" type="date"/>

B. <input type="doj" name="date" required />

- C. <input type="date" name="doj" />
- D. <input type="text" name="doj" required />
- 64. Assume that you have designed a form having post method. Which amongst the following array will store the form data for processing?
  - A. \$\_GET
  - B. \$\_POST
  - C. \$\_REQUEST
  - D. Both \$ POST and \$ REQUEST
- 65. Which of the following function(s) can be used to compare two strings by ignoring their case?
  - A. strcmp()
  - B. compare()
  - C. strcasecmp()
  - D. All of these
- 66. I have a number 34.0054 in a variable \$x. I want to round up the value of this variable irrespective of whether the remaining part is greater than equal to 5 or not, and store into a variable \$y. Which statement should I write?
  - A. y = abs(x);
  - B. y = ceil(x)
  - C. y = floor(x)
  - D. y = round(x)
- 67. Which of the following date function can be used to make sure a particular date is a valid date or not by providing month, day and year respectively?
  - A. date()
  - B. detdate()
  - C. setdate()
  - D. checkdate()
  - 68. I have designed a form having one submit button and the name property of that button is save. Which of the following statement is correct to check whether save element is present (set) in the \$\_REQUEST array or not?
    - A. if (present (\$\_REQUEST['save']))
    - B. if (isset \$\_REQUEST['save'])
    - C. if (isset (\$\_Request['save']))
    - D. if ( isset (\$\_REQUEST['save']) )

69.	Which of the following meta character can be used in regular ssion of the ereg() that indicates that there should be zero or one
	rence of the preceding character or expression?
Α.	
В.	+
C.	
D.	
70.	Which of the following function can be used to redirect from one
page 1	to another page unconditionally?
A.	include()
В.	location()
C.	header()
D.	implode()
with t A. <b>B.</b> C.	If we want to preserve the values of local variables that we have ed inside the function body for the next function call, we can do it the help of keyword.  global static function none of these
a cool do so A. <b>B.</b> C.	Sapna is a PHP programmer and she has stored the product id 4' in a variable \$pid. She wants to preserve this value for 7 days in kie named ck_pid. Which line of code she needs to write in order to setcookie("ck_pid", \$pid, 7 * 24 * 60 * 60);  setcookie("ck_pid", \$pid, time() + 7 * 24 * 60 * 60);  setcookie("ck_pid", \$pid,);  setcookie("ck_pid", \$pid, time() - 7 * 24 * 60 * 60);
73.	We can retrieve the values of query string variables using
array.	Only \$_GET
	Only \$_POST
	Only \$_REQUEST
	-
ט.	Both \$_GET and \$_REQUEST
A.	PHP provides the in-built function to upload file to ent location other then temporary location.  move_upload_file()  upload_move_file()

#### C. move\_uploaded\_file()

- D. uploaded\_move\_file()
- 75. Assume Event table in some database having some records. Which SQL command you can use if you want to change the value of Event\_Time field of this table?
  - A. INSERT
  - B. ADD
  - C. UPDATE
  - D. ALTER
- 76. Suppose you have designed a database name "db\_Quiz". Which of the following line of code is used to select this database in the PHP application? Assume that connection resource is stored in \$con variable.
  - A. mysqli\_db\_select(\$con, db\_Quiz)
  - B. mysqli\_db\_select(\$con, "db\_Quiz")
  - C. mysqli\_select\_db(\$con, db\_Quiz)
  - D. mysqli\_select\_db(\$con, "db\_Quiz")
- 77. Which of the following is not a jQuery event?
  - A. click()
  - B. onClick()
  - C. blur()
  - D. mouseleave()
- 78. While establishing connection of PHP with MySQL using mysqli\_connect() function, we need to provide name of the MySQL user. What is the default name of the MySQL user?
  - A. localhost
  - B. mysql
  - C. root
  - D. mysqli
- 79. What CSV stands for?
  - A. Common Separated Value
  - B. Command Separated Value
  - C. Comma Separated Value
  - D. Comma Standard Value
- 80. Which of the following selector expression will select the element having id "hdng"?
  - A. \$(#hdng)

#### B. \$('#hdng')

- C. \$('.hdng')
- D. \$(hdng)
- 81. Which of the following method does not provides sliding effect?
  - A. slideUp()
  - B. slideDown()
  - C. fadeIn()
  - D. slideToggle()
- 82. I have a dropdown menu in my form having class property "city". What line of jQuery code should I write if I want to get the value of that menu? Consider that I want to store that value in a variable named "vcity".
  - A. vcity = ('.city').val();
  - B. var vcity = \$('.city').val();
  - C. var vcity = \$('.city').text();
  - D. var vcity = \$('.city').html();
- 83. Suppose you want to execute SELECT query that you have stored in a variable \$q, and the connection is stored in \$con resource variable. You want to store the address of this query's result in a variable name \$result. Which of the following line you should write to do this job?
  - A. \$res = mysqli\_query(\$con, \$q);
  - B. \$result = mysqli\_query(\$con, \$q);
  - C. \$result = mysqli\_query(\$q);
  - D. \$result = mysqli\_fetch\_array(\$con, \$q);
- 84. Which of the following function will help you, if you want to get the number of rows present in the result set of SELECT query?
  - A. mysqli\_fetch\_row()
  - B. mysqli\_num\_row()
  - C. mysqli\_num\_rows()
  - D. None of these
- 85. Which of the following function will fetches a result row as an associative array, a numeric array, or both.
  - A. mysqli\_fetch\_array()
  - B. mysqli\_fetch\_row()
  - C. mysqli\_fetch\_assoc()
  - D. mysqli\_result()

- Which of the following jQuery method is used to add as well as 86. remove remove one or more CSS class from the selected element? A. addClass() B. removeClass() C. toggleClass() D. ToggleClass() Which of the following form method of the form element is suggested to use when we want to pass sensitive information? A. POST B. GET 88. Which of the following function(s) is/are used to count total number of elements in an array? A. Count B. Sizeof C. Array\_count D. Both count and sizeof 89. Which of the following function is used to add the content of some other file in the current script? A. Require() B. Include() C. Include\_once() D. All of the above 90. Does PHP support the concept of conditional function? A. Yes B. No What will be the output of the following PHP code? echo chr(90); A. a B. z (lower) C. Z (upper) D. Y What will be the output of the following PHP code? echo "<br>".sqrt(100)."::".pow(10,2);
  - A. 100::10 B. 100::100 **C. 10:100**

D. None of the above
We can use to comment a single line in PHP code?  i) /?  ii) //  iii) #  iv) /* */
A. Only ii) B. i), iii) and iv) C. <b>ii), iii) and iv)</b> D. Both ii) and iv)
Which of the following php statement/statements will store 111 in variable num?  i) int \$num = 111;  ii) int num = 111;  iii) \$num = 111;  iv) 111 = \$num;
A. Both i) and ii) B. All of the mentioned. C. <b>Only iii)</b> D. Only i)
Which of the following jQuery filtering method returns all elements that do not match the criteria?  A. first()  B. last()  C. filter()  D. not()
The traversing method of jQuery returns all ancestor elements of the selected element, all the way up to the document's root element.  A. parent()  B. parents()  C. parentsUntil()
Which of the following jQuery method is used to sets or get one or more style properties for the selected elements?  A. html()  B. css()  C. val()

- D. addCSS()
- 98. Which of the following is a built-in function in PHP that adds a value to the end of an array?
  - A. array\_push()
  - B. inend\_array()
  - C. into\_array()
  - D. None of the above
- 99. Which of the following function converts a string to all uppercase?
  - A. upper()
  - B. uppercase()
  - C. struppercase()
  - D. strtoupper()
- 100. The function in PHP that can be used to concatenate array elements to form a single delimited string is -
  - A. implode()
  - B. concat()
  - C. explode()
  - D. concatenate()
- 101. Which of the following sign is used as a shortcut for jQuery?
- A. the % sign
- B. the & sign
- C. the \$ sign
- D. the @ sign
- 102. Which of the following jQuery method is used to hide the selected elements?
  - A. The hidden() method
  - B. The hide() method
  - C. The visible(false) method
  - D. The display(none) method
- 103. The jQuery used to find all next sibling elements after the current element is
  - A. find() method
  - B. nextAll() method
  - C. siblings() method
  - D. None of the above

	Which jQuery method is used to set one or more style properties to the lected element?
	A. The html() method
	B. The style() method
	C. The css() method
	D. All 3 options
	Which of the following jQuery method is used to stop jQuery for few illiseconds?
	A. stop() method
	B. delay() method
	C. slowdown() method
	D. pause() method
106.	Which Program copies the databases from one server to another A. Mysqlflush
	B. Mysqldbcopy
	C. Mysqlflushdb
	D. Mysqlcopydb
107.	
	A. Truncate
	B. B: Delete
	C. C: Remove
	D. D: Both delete and remove
108.	Which sign is used to access variable of variable in PHP? <b>A. \$\$</b>
	B. \$
	C. \$@
	D. \$!
109.	Which of the function is used to sort an array in descending order?
105.	A. assort()
	B. ksort()
	C. dsort()
	D. rsort()
110	··
110.	Which one following property scopes is not supported by PHP?
	A. public B. final
	C. friendly
	D. static
	D. Static

111.	Which of the following is/are a PHP code editor?  A. Notepad ++  B. VS Code Editor  C. Sublime Text  D. All of the above
112.	How to define a function in PHP?  A. function {function body}  B. functionName(parameters) {function body}  C. function functionName(parameters) {function body}  D. None of the above
113.	Which of the following is use to create session?  A. \$_SESSION[]  B. isset() function  C. session_start() function  D. session_destroy() function
114.	PHP is an example of scripting language.  A. Server-side  B. Client-side  C. Browser-side  D. In-side
115.	Which of the following is not true?  A. PHP can be used to develop web applications.  B. PHP makes a website dynamic  C. PHP applications cannot be compile  D. PHP cannot be embedded into html.
116.	PHP scripts are enclosed within  A. <php> </php> B. php ? C. ?php ?php  D.
117.	<ul><li>Which of the following is true about php.ini file?</li><li>A. The PHP configuration file, php.ini, is the final and most immediate way to affect PHP's functionality.</li><li>B. The php.ini file is read each time PHP is initialized.</li><li>C. None of the statement is true</li></ul>

#### D. Both of the given statement is true

118. The function in PHP that can be used to concatenate array elements to form a single delimited string is –

#### A. implode()

- B. concat()
- C. explode()
- D. concatenate()
- 119. What will be the output of following code

```
<?php
while()
{
    echo "Hello World";
}
?>
```

- A. Hello World
- B. Infinite loop
- C. no output
- D. Error
- 120. What will be the output of the code

```
<?php
$x = 15;
$y = 20;
if($x < ++$x || $y < ++$y)
{
echo "Hello World";
}
else
{
echo "Hii everyone";
}
?>
```

#### A. Hii everyone

- B. Hello World
- C. Hello World Hii everyone
- D. None of the above
- 121. What will be the output of the following code?

```
<?php
$SDJIC = "SDJ International College";
$college = "SDJIC";
echo $$college;
?>
```

- A. SDJIC
- **B. SDJ International College**
- C. Error
- D. Warning
- 122. Which PHP function is used to redirect user from one page to another?
  - A. redirect()
  - B. redirectTo()
  - C. header()
  - D. move()