Get Order Book

API to retrieve the list of a orders placed for the current day. Orders initiated by the user remain active for a single day and are automatically cleared at the conclusion of the trading session. The reply indicates the most current status of the order. For a comprehensive list of all possible order statuses, please refer to the appendix on order status.

Request

```
curl --location 'https://api.upstox.com/v2/order/retrieve-all' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--header 'Authorization: Bearer {your_access_token}'
```

For additional samples in various languages, please refer to the Sample code section on this page.

Responses 200

Response Body


```
[
  {
    "exchange": "BSE",
    "product": "D",
    "price": 0.8,
    "quantity": 1,
    "status": "complete",
    "guid": null,
    "tag": null,
    "instrument_token": "BSE_EQ|INE220J01025",
    "placed_by": "*****",
    "trading_symbol": "FCONSUMER",
    "tradingsymbol": "FCONSUMER",
    "order_type": "LIMIT",
    "validity": "DAY",
    "trigger_price": 0,
    "disclosed_quantity": 0,
```

```
    "transaction_type": "BUY",
    "average_price": 0.8,
    "filled_quantity": 1,
    "pending_quantity": 0,
    "status_message": null,
    "status_message_raw": null,
    "exchange_order_id": "1697686200000169148",
    "parent_order_id": null,
    "order_id": "231019025057849",
    "variety": "SIMPLE",
    "order_timestamp": "2023-10-19 09:23:23",
    "exchange_timestamp": "2023-10-19 09:23:23",
    "is_amo": false,
    "order_request_id": "2",
    "order_ref_id": "57744821658411"
  },
  {
    "exchange": "NFO",
    "product": "I",
    "price": 0,
    "quantity": 1500,
    "status": "rejected",
    "guid": null,
    "tag": null,
    "instrument_token": "NSE_FO|52567",
    "placed_by": "******",
    "trading_symbol": "SBIN23OCTFUT",
    "tradingsymbol": "SBIN23OCTFUT",
    "order_type": "SL-M",
    "validity": "DAY",
    "trigger_price": 570,
    "disclosed_quantity": 0,
    "transaction_type": "SELL",
    "average_price": 0,
    "filled_quantity": 0,
    "pending_quantity": 0,
    "status_message": "You need to add Rs. 138385.27 in your account to place
this trade.",
    "status_message_raw": "RMS:Margin Exceeds,Required:153892.45,
Available:15507.18 for entity account-****** across exchange across segment
across product ",
    "exchange_order_id": "",
    "parent_order_id": null,
    "order_id": "231019025000398",
    "variety": "SIMPLE",
    "order_timestamp": "2023-10-19 09:15:00",
    "exchange_timestamp": null,
```

```
    "is_amo": false,
    "order_request_id": "1",
    "order_ref_id": "33832759664502"
  },
  {
    "exchange": "BFO",
    "product": "D",
    "price": 0.05,
    "quantity": 10,
    "status": "cancelled",
    "guid": null,
    "tag": null,
    "instrument_token": "BSE_FO|822663",
    "placed_by": "******",
    "trading_symbol": "SENSEX23O2066000PE",
    "tradingsymbol": "SENSEX23O2066000PE",
    "order_type": "LIMIT",
    "validity": "DAY",
    "trigger_price": 0,
    "disclosed_quantity": 0,
    "transaction_type": "BUY",
    "average_price": 0,
    "filled_quantity": 0,
    "pending_quantity": 10,
    "status_message": null,
    "status_message_raw": null,
    "exchange_order_id": "1697687100012002451",
    "parent_order_id": null,
    "order_id": "231019025000428",
    "variety": "SIMPLE",
    "order_timestamp": "2023-10-19 09:30:53",
    "exchange_timestamp": "2023-10-19 09:30:53",
    "is_amo": false,
    "order_request_id": "1",
    "order_ref_id": "1168356875930923"
  }
]
```


Name	Type	Description
status	string	A string indicating the outcome of the request. Typically `success` for successful operations.

Name	Type	Description
data	object	Response data for order Book
data[].exchange	string	Exchange to which the order is associated. Valid exchanges can be found in the Exchange Appendix
data[].product	string	Signifies if the order was either Intraday, Delivery or CO. Possible values: `I`, `D`, `CO`, `MTF`.
data[].price	float	Price at which the order was placed
data[].quantity	int32	Quantity with which the order was placed
data[].status	string	Indicates the current status of the order. Valid order statuses can be found in the Order Status Appendix
data[].tag	string	Tag to uniquely identify an order
data[].instrument_token	string	Key of the instrument. For the regex pattern applicable to this field, see the Field Pattern Appendix.
data[].placed_by	string	Uniquely identifies the user (commonly referred as UCC)
data[].trading_symbol	string	Shows the trading symbol of the instrument
data[].order_type	string	Type of order. It can be one of the following MARKET refers to market order LIMIT refers to Limit Order SL refers to Stop Loss Limit SL-M refers to Stop Loss Market. Possible values: `MARKET`, `LIMIT`, `SL`, `SL-M`.
data[].validity	string	It can be one of the following - DAY(default), IOC.

Name	Type	Description
		Possible values: `DAY`, `IOC`.
data[].trigger_price	float	If the order was a stop loss order then the trigger price set is mentioned here
data[].disclosed_quantity	int32	The quantity that should be disclosed in the market depth
data[].transaction_type	string	Indicates whether its a buy or sell order. Possible values: `BUY`, `SELL`.
data[].average_price	float	Average price at which the qty got traded
data[].filled_quantity	int32	The total quantity traded from this particular order
data[].pending_quantity	int32	Pending quantity to be filled
data[].status_message	string	Indicates the reason when any order is rejected, not modified or cancelled
data[].status_message_raw	string	Description of the order's status as received from RMS
data[].exchange_order_id	string	Unique order ID assigned by the exchange for the order placed
data[].parent_order_id	string	In case the order is part of the second of a CO, the parent order ID is indicated here
data[].order_id	string	Unique order ID assigned internally for the order placed
data[].variety	string	Order complexity
data[].order_timestamp	string	User readable timestamp at which the order was placed

Name	Type	Description
data[].exchange_timestamp	string	User readable time at which the order was placed or updated
data[].is_amo	boolean	Signifies if the order is an After Market Order
data[].order_request_id	string	Apart from 1st order it shows the count of how many requests were sent
data[].order_ref_id	string	Uniquely identifies an order for internal usage.

Sample Code

Get all orders for the day

Python Node.js Java PHP Python SDK Node.js SDK Java SDK

```python
import requests

url = 'https://api.upstox.com/v2/order/retrieve-all'
headers = {
    'Content-Type': 'application/json',
    'Accept': 'application/json',
    'Authorization': 'Bearer {your_access_token}'
}

response = requests.get(url, headers=headers)
print(response.text)
```

GET /order/retrieve-all

Request

LIVE URL
https://api.upstox.com/v2