Get Order Details

API to retrieve the latest status of a specific order. Orders placed by the user remain available for one trading day and are automatically removed at the end of the trading session.

Request

```
curl --location 'https://api.upstox.com/v2/order/details?
order_id=240108010445130' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--header 'Authorization: Bearer {your_access_token}'
```

For additional samples in various languages, please refer to the Sample code section on this page.

Query Parameters

Name	Required	Type	Description
order_id	false	string	The order reference ID for which the order status is required. For the regex pattern applicable to this field, see the Field Pattern Appendix.

Responses 200 4XX

Response Body

```
{
  "status": "success",
  "data": {
    "exchange": "NSE",
    "product": "D",
    "price": 571.0,
    "quantity": 1,
```

```
    "status": "complete",
    "tag": null,
    "instrument_token": "NSE_EQ|INE062A01020",
    "placed_by": "******",
    "trading_symbol": "SBIN-EQ",
    "tradingsymbol": "SBIN-EQ",
    "order_type": "LIMIT",
    "validity": "DAY",
    "trigger_price": 0.0,
    "disclosed_quantity": 0,
    "transaction_type": "BUY",
    "average_price": 570.95,
    "filled_quantity": 1,
    "pending_quantity": 0,
    "status_message": null,
    "status_message_raw": null,
    "exchange_order_id": "1300000025660919",
    "parent_order_id": null,
    "order_id": "231019025562880",
    "variety": "SIMPLE",
    "order_timestamp": "2023-10-19 13:25:13",
    "exchange_timestamp": "2023-10-19 13:25:13",
    "is_amo": false,
    "order_request_id": "1",
    "order_ref_id": "GTT-C23191000044253"
  }
}
```


Name	Type	Description
status	string	A string indicating the outcome of the request. Typically `success` for successful operations.
data	object	Response data for order Book
data.exchange	string	Exchange to which the order is associated. Valid exchanges can be found in the Exchange Appendix
data.product	string	Signifies if the order was either Intraday, Delivery or CO. Possible values: `I`, `D`, `CO`, `MTF`.

Name	Type	Description
data.price	float	Price at which the order was placed
data.quantity	int32	Quantity with which the order was placed
data.status	string	Indicates the current status of the order. Valid order statuses can be found in the Order Status Appendix
data.tag	string	Tag to uniquely identify an order
data.instrument_token	string	Key of the instrument. For the regex pattern applicable to this field, see the Field Pattern Appendix.
data.placed_by	string	Uniquely identifies the user (commonly referred as UCC)
data.trading_symbol	string	Shows the trading symbol of the instrument
data.order_type	string	Type of order. It can be one of the following MARKET refers to market order LIMIT refers to Limit Order SL refers to Stop Loss Limit SL-M refers to Stop Loss Market. Possible values: `MARKET`, `LIMIT`, `SL`, `SL-M`.
data.validity	string	It can be one of the following - DAY(default), IOC. Possible values: `DAY`, `IOC`.
data.trigger_price	float	If the order was a stop loss order then the trigger price set is mentioned here
data.disclosed_quantity	int32	The quantity that should be disclosed in the market depth
data.transaction_type	string	Indicates whether its a buy or sell order. Possible values: `BUY`, `SELL`.

Name	Type	Description
data.average_price	float	Average price at which the qty got traded
data.filled_quantity	int32	The total quantity traded from this particular order
data.pending_quantity	int32	Pending quantity to be filled
data.status_message	string	Indicates the reason when any order is rejected, not modified or cancelled
data.status_message_raw	string	Description of the order's status as received from RMS
data.exchange_order_id	string	Unique order ID assigned by the exchange for the order placed
data.parent_order_id	string	In case the order is part of the second of a CO, the parent order ID is indicated here
data.order_id	string	Unique order ID assigned internally for the order placed
data.variety	string	Order complexity
data.order_timestamp	string	User readable timestamp at which the order was placed
data.exchange_timestamp	string	User readable time at which the order was placed or updated
data.is_amo	boolean	Signifies if the order is an After Market Order
data.order_request_id	string	Apart from 1st order it shows the count of how many requests were sent
data.order_ref_id	string	Uniquely identifies an order for internal usage.

Sample Code

Get order details for an order number

Python | Node.js | Java | PHP | Python SDK | Node.js SDK | Java SDK

```python
import requests

url = 'https://api.upstox.com/v2/order/details'
headers = {
    'Content-Type': 'application/json',
    'Accept': 'application/json',
    'Authorization': 'Bearer {your_access_token}'
}

params = {'order_id': '240108010445130'}

response = requests.get(url, headers=headers, params=params)

print(response.text)
```

GET /order/details

Request

LIVE URL
https://api.upstox.com/v2

+ Show optional parameters