

Test. CSS

1) What is CSS and why it is used?

- * CSS is for ^{sheet} Cascading style sheet in design your webpage layout and style.
- * CSS helping for making a webpage looking good and user friendly design.
- * Basically layout is a design of your website. It decide with content in which place.

2) What are the three types of CSS?

1) Inline CSS.

Inline is to design specific element using style attribute inside html file in the html tags or element.

2) Internal CSS.

Internal are used inside style tags, which is placed inside head section of html document.

3) External CSS.

Separate .css file, html page that link to it priority lowest.

3) Difference b/w inline, Internal, External CSS.

Inline	Internal	External
* Inside an individual html page.	uses style tags in the head	Separate .css file
* Only specific element is on	single html page it reside in	html page that links to it
* priority is highest	priority medium	priority is lowest

4) Which CSS type has highest priority

*) Inline CSS is the highest priority that style applied directly inside the HTML.

*) Element using the style attribute.

5) Which CSS method is mostly used in real time project.

There are three most-used CSS methods are utility - Post-CSS, BEM (Block, Element, modifier) methodology and CSS modules. The exact choice depends on the framework & scale of the project.

6) What are CSS selector.

1) (*) - universal

2) (.) - class

3) (#) - id

4) (h1, h2, p) - Group

5) (div p) - Descendant

6) (div > p) - Child selector.

7) difference B/w class & ID selector.

class selector	ID selector
*).dot	*) # hash
*) can be created on many element.	*) must be unique
*) One element can have multiple class	*) One element can have only one id
*) lower specificity.	*) highest specificity.

8) What is the purpose of universal selector in CSS?

The purpose of the universal selector in CSS, represented by an asterisk (*), is to target and apply styles to every single element on a web page. It acts as a wildcard that matches any element type within its specified scope.

9) What is cascading in CSS?

Multiple styles can apply to same element and browser decide which style should win.

Rule priority is inline

next id

next class

next element

next universal

10) What is specificity in CSS?

Specificity is the priority calculation used to browser to determine which should apply when multiple style & rule.

Inline : 1000 points

id : 100 P

class : 10 P

attribute : 10 P

element : 1 P

universal : 0 P

11) What is the difference b/w Block & Inline element.

Block Element	Inline element
1) It always start in new line	1) It not start in new line
2) It like a container to hold the many content or tags inside the block level.	2) It take content width
3) It always take a full width of screen	3) Inside a inline you can add any inline tags.
4) Block level are building your basic structure	4) you can not add inside never add a block level element.

12) What is Flex and why it is used?

*) Flex box is the one dimensional layout it works row or column to make a responsive layout.

*) And Flex is helping to split the webpage & align the content row or column.

*) Flex is the most used layout system in CSS.

13) Different b/w Justify - Content & align - Item?

Justify content: Align item horizontally and first activate flex (flex start, flex, end, center etc --)

align item: align item vertically (stretch, start, end, center).

14) difference b/w px, em, rem & % unit.

1) em (element based) It used for component

specific sizing

2) px. is mainly used for Borders, shadows, text-spacing or finding - size image.

3) rem (root element) font-size of root element or mainly typography and layout.

4) %. The size of parent element property fluid layout dimension like width or height.

15) What is difference b/w RGB, RGBA, & HEX color value in CSS?

1) RGB - uses decimal number (0-255) for red, green and blue.

2) RGBA - adds an alpha channel for transparency (0.0 to 1.0)

3) HEX, use hexadecimal (0-9, A-F) to represent RGB value.