

CivicPulse AI

Deep Research Report

AI-Powered Predictive Civic Infrastructure Intelligence

Smart India Hackathon Project Research and Recommendation

Prepared for the CivicPulse SIH Team and Mentor

15 August 2026

Table of Contents

- Executive Verdict
- 1. Research Scope and Evidence Quality
- 2. Existing Solutions and Overlap
- 3. SIH Analysis
- 4. Ten Genuine Innovation Gaps
- 5. Twenty Technically Meaningful Features
- 6. Alternative Directions
- 7. India-Specific Design
- 8. Realistic Datasets and APIs
- 9. Architecture and Model Choices
- 10. Strong Innovation Layer
- 11. Judge-Style Scoring
- 12. Competition Analysis and What Not to Build
- 13. Final Recommendation
- References and Source Links

Executive Verdict

Recommendation: MODIFY — do not submit CivicPulse as a broad “AI civic complaint platform.”

The broad idea is relevant, but most of its visible features already exist in municipal systems, commercial products, research prototypes, GitHub projects, and recent hackathon submissions: image-based issue detection, geotagged complaints, duplicate detection, routing, priority scoring, heatmaps, multilingual reporting, and dashboards are no longer distinctive. BBMP’s Fix My Street, for example, already supports geotagged civic-issue reporting, photos, bilingual access, and an administrative dashboard. [web:116]

CivicPulse Monsoon: an explainable ward-level early-warning and work-order optimization system that predicts drainage/waterlogging failures before complaints, identifies the likely blocked or overloaded infrastructure, estimates affected population, and recommends the smallest preventive intervention.

This gives you a clear India-specific problem, a measurable prediction task, a technically difficult architecture, and a strong two-minute demo. Do not claim that the model predicts an exact failure with “87% certainty” unless you have calibrated historical labels. Use risk probability, confidence intervals, and evidence instead.

1. Research Scope and Evidence Quality

What is verified

- SIH 2024 included relevant problem statements on water-distribution-line inspection, street-light fault detection, inter-departmental urban cooperation, and other municipal operations. [file:16]
- SIH 2024 PS SIH1514 addressed inspection and analysis of 100–200 mm water-distribution lines, including leakage, damage, GIS mapping, image analytics, and faster maintenance. [file:16]
- SIH 2024 PS SIH1512 addressed centralized street-light fault detection and location tracking to move away from citizen-grievance-driven maintenance. [file:19]
- SIH 2024 PS SIH1724 addressed a platform for inter-departmental cooperation in Indian cities for data/resource sharing and unified planning. [file:17]
- MoHUA’s DataSmart Cities Strategy is built around People, Process, and Platform for data-driven urban governance. [web:75]
- IUDX is an open-source urban data-exchange platform intended to connect city data providers, users, ULBs, and urban service-delivery systems. [web:117]
- India’s OGD platform provides machine-readable government datasets in formats including CSV, JSON, XML, and RDF. [web:33]
- Government rainfall data includes station-level, gridded IMD/NRSC, and district-normal rainfall resources. [web:31]
- IMD publishes public API references for district rainfall, state rainfall, AWS data, and related products. [web:42]
- NRSC/NDEM provides flood-hazard, historical inundation, population-overlay, and flood-forecasting products. [web:104][web:105]
- SIH 2025 had a highly similar official problem statement: SIH25031, “Crowdsourced Civic Issue Reporting and Resolution System,” Government of Jharkhand, Clean & Green Technology, Software. The official page was not retrievable during this research session, so the title, ID, organization, and theme are corroborated by project records and secondary reproductions rather than treated as fully verified from the official detail page. [web:90][web:93][web:134]

What is not verified

- I could not verify any official SIH 2026 problem-statement catalogue from the available official pages. Treat SIH 2026 information as Not verified.
- Many “AI civic” websites and papers found online are student prototypes, preprints, or marketing pages rather than independently validated deployments.
- Reported performance figures such as “97% accuracy,” “30% cost reduction,” or “92% failures prevented” should not be used in your proposal unless you reproduce them on a relevant Indian dataset.

2. Existing Solutions and Overlap

High-similarity landscape

Solution or source	What it does	Data/technology	Main users	Difference from CivicPulse	Limitation	Overlap
BBMP Fix My Street	Citizens report potholes and civic amenity problems with photographs and geolocation; officials view a complaint dashboard	Mobile app, GPS, photos, workflow	Citizens, ward engineers, elected representatives	Existing Indian municipal workflow, not primarily predictive	Reactive and limited to available complaints	Very high for reporting, tracking, map, dashboard
SIH1514	Inspection and analysis of water-supply distribution lines; leakage, pilferage, damage, contamination response, GIS mapping, image analytics	Inspection data, image analytics, GIS, cloud dashboard	MoHUA/municipal water authorities	Explicitly focused on water-line condition assessment	Not a general multi-department risk engine	High for water failure prediction and GIS
SIH1512	Detects streetlight faults and their locations without waiting for grievances	Sensors/monitoring and fault-location workflows	ULBs and maintenance staff	Asset-specific and potentially real-time	Hardware/deployment dependence	Medium
SIH1724	Inter-departmental platform for sharing data, resources, planning, and implementation	Data integration and coordination	Indian city departments	Governance/data-sharing focus rather than failure prediction	No central predictive-risk proposition shown	High for cross-department coordination
IUDX	Open-source data exchange for city platforms, departments, and authenticated applications	Standard APIs, data models, access control	ULBs, data providers, application developers	Infrastructure layer rather than an end-user predictive product	Requires participating city data owners	High for integration architecture
UrbanOracle-type hackathon projects	AI classification, map, prediction, route optimization, citizen reporting	Vision APIs/LLMs, maps, simple forecasting	Municipal users and citizens	Often broader and more presentation-oriented	Usually lacks validated forecasts and asset data	Extremely high
CivicBuddy	Photo-based civic reporting, visual detection, NLU, municipal integration	Azure Computer Vision, NLP, full-stack workflow	Citizens and authorities	Complaint-assistant orientation	Primarily reactive	High
CIVIC CONNECT	Reporting, department routing, geospatial duplicates, status tracking	Geospatial indexing, full-stack web system	Citizens and departments	Workflow automation	Predictive layer is limited or absent	High
Pothole-Watch / RoadAI	Detects potholes, estimates severity, prioritizes, or optimizes repair routes	YOLO/computer vision, severity formula, routing	Road authorities	Asset-specific computer vision	Does not solve network-wide infrastructure risk	High for road module
CivicLens and similar products	Detects potholes, garbage, streetlights and other issues, then prioritizes them	Image AI, dashboards, geolocation	Citizens and authorities	Multi-category citizen-facing UX	"Predictive" claims may be shallow	High
Water-pipe-failure research	Predicts pipe breaks from pipe age, material, diameter, length, failure history, and spatial features	Decision trees, XGBoost, CNN/ResNet, survival/statistical models	Water utilities	Stronger asset-level reliability modelling	Mostly non-Indian utility datasets; requires asset registers and failure labels	High for water-prediction component
Smart-city civic research prototypes	Combine IoT, computer vision, crowdsourcing, and ML for ward-level issue prioritization	CNN/MobileNet, sensors, geospatial dashboard	Municipal authorities	Similar end-to-end framing	Many are proposal-level and lack deployment evidence	Very high

BBMP's system demonstrates that geotagged complaint intake and official dashboards are already an Indian municipal pattern, not a differentiator. [web:116] SIH1514 and SIH1512 demonstrate that even proactive infrastructure monitoring was already present in official SIH problem statements. [file:19] Research has also already explored pipe-failure prediction with deep learning and tree-based models using asset attributes and failure history. [web:46][web:48][web:55]

What is already common

- Citizen complaint submission.
- Photo upload and GPS tagging.

- Issue classification.
- AI-generated severity labels.
- Complaint-to-department routing.
- Duplicate complaint detection.
- Public map or heatmap.
- Priority score from severity plus complaint count.
- Status tracking and notifications.
- Multilingual voice input.
- Basic chatbot.
- Basic dashboard.
- Generic “AI + IoT + GIS” architecture.
- “Reactive to proactive governance” as a slogan without a demonstrable predictive experiment.

Where the real opportunity remains

Indian ULBs lack a low-data, explainable, cross-department decision layer that converts fragmented observations and weather conditions into a defensible preventive work order.

- Which asset or corridor is at risk?
- Why does the model believe that?
- What is likely to happen and when?
- Who will be affected?
- Which department owns the intervention?
- What is the cheapest effective action?
- What risk remains after intervention?
- How certain is the recommendation?
- Can the decision be audited later?

3. SIH Analysis

Closest official SIH problem statements

PS	Organization	Exact title	Theme/category	Relation	Similarity	Differentiation
SIH25031	Government of Jharkhand	Crowdsourced Civic Issue Reporting and Resolution System	Clean & Green Technology / Software	Directly overlaps with complaint intake, civic issues, prioritization, and authority resolution	85%	Remove complaint-platform framing; focus on pre-complaint monsoon risk, infrastructure dependencies, calibrated prediction, and preventive work orders
SIH1514	Ministry of Housing and Urban Affairs	Comprehensive Inspection and Analysis of Water Supply Distribution Lines	Clean & Green Technology / Software	Overlaps with water leakage, GIS, inspection, image analytics, and maintenance	75%	Predict drainage/waterlogging risk from weather + topology + recurrence; and recommend intervention sequencing
SIH1512	Ministry of Housing and Urban Affairs	Centralized Monitoring System for Street Light Fault Detection and Location Tracking	Smart Automation / Hardware	Overlaps with proactive fault detection and maintenance	45%	Avoid hardware-centric streetlight monitoring; model multi-hazard propagation and resource allocation
SIH1724	Ministry of Housing and Urban Affairs	Platform for Inter-departmental cooperation at city level in Indian Cities	Miscellaneous / Software	Overlaps with cross-department data and resource sharing	55%	Add causal/asset dependency graph and optimization, not merely data exchange
SIH1692	Ministry of Jal Shakti	Forecasting Future Water Requirements and Assessing Storage Capacities in Reservoirs	Smart Education in displayed catalogue / Software	Forecasting and water planning overlap	35%	Focus on urban local infrastructure failure and maintenance rather than reservoir capacity
SIH1619	Government of NCT of Delhi	Online real-time survey and monitoring of water bodies in Delhi	Miscellaneous / Software	Geospatial water monitoring overlap	35%	Predict waterlogging and drainage failure, with intervention simulation
SIH1687	National Disaster Response Force	Real-Time Disaster Information Aggregation Software	Disaster Management / Software	Event aggregation, early warning, response operations	40%	Narrow to civic infrastructure failure and municipal preventive action
SIH1521	ISRO	Explainable AI-based model for prediction of heavy/high-impact rain events using satellite data	Space Technology / Software	Weather-risk prediction and explainability overlap	30%	Consume weather forecasts rather than build meteorological nowcasting; predict infrastructure consequences

The official SIH 2024 catalogue specifically lists SIH1514, SIH1512, SIH1692, SIH1619, SIH1687, and SIH1724 with the descriptions above. [file:16][file:17] SIH25031 is strongly corroborated by the 2025 problem-statement records and multiple project artefacts, but the exact official detail page was unavailable during retrieval. [web:93][web:134]

SIH 2026 status

Official SIH 2026 civic problem statements: Not verified.

Do not mention a fabricated PS ID or claim that CivicPulse matches an SIH 2026 problem statement. If you apply through open innovation, position the project under an appropriate current theme only after the official portal publishes the catalogue.

4. Ten Genuine Innovation Gaps

Gap	Current limitation	CivicPulse opportunity	Required data	Difficulty	Impact
1. Pre-complaint prediction	Existing platforms wait for a report or sensor alert	Forecast risk before complaint volume rises	Historical complaints, rainfall, asset age, drainage/topology	High	Earlier intervention and fewer emergency repairs
2. Low-data modelling	Many ULBs lack dense sensors and clean asset registers	Use weak signals and confidence-aware models	Complaints, OSM, rainfall, population, terrain	Medium-high	Deployable in smaller cities
3. Asset-cause inference	A complaint identifies symptoms, not the failed upstream asset	Infer blocked drain, overloaded corridor, or vulnerable pipe segment	Drain network, roads, elevation, rainfall, recurrence	High	More actionable work orders
4. Infrastructure dependency graph	Departments work in silos	Model drain–road–waterbody–settlement dependencies	GIS layers, ownership, asset relationships	High	Cross-department coordination
5. Spatial propagation	Risk is treated as isolated points	Estimate spread along flow paths and connected assets	DEM, drainage, road graph, land cover	High	Better flood/waterlogging response
6. Intervention simulation	Dashboards show risk but not consequences of action	Compare “clean drain A” vs “clean drain B” under rainfall scenarios	Network, capacities, intervention assumptions	Very high	Defensible resource allocation
7. Complaint underreporting correction	High-reporting areas look more urgent than underreported areas	Correct for reporting bias and undercoverage	Population, language/access indicators, complaint rates	High	Better service equity
8. Uncertainty and abstention	AI outputs are shown as false precision	Show calibrated probability, evidence, and “inspect first” cases	Labels, validation data, model confidence	Medium-high	Safer government adoption
9. Closure verification	A ticket marked resolved may not mean the problem disappeared	Use before/after image and recurrence checks	Geotagged work evidence, later reports, imagery	Medium-high	Less false closure
10. Maintenance -resource optimization	Priority lists ignore crews, time, materials, and routes	Recommend a feasible daily work plan	Crew skills, depot, travel time, budget, SLA	High	Measurable productivity gains

These gaps are consistent with India’s policy direction: DataSmart Cities explicitly emphasizes people, process, platform, evidence-based planning, and performance measurement, while IUDX exists because urban data is fragmented across providers and departments. [web:75][web:117] Urban flood management also remains a ULB/state responsibility, and MoHUA guidance stresses physical drain inspections before monsoon. [web:78][web:79]

5. Twenty Technically Meaningful Features

Feature	Problem solved and operation	Data / ML method	Difficulty	Innovation
1. Pre-complaint risk forecast	Predict ward/grid risk for next 24–72 hours from rainfall, recurrence, topology, and asset condition	LightGBM/XGBoost with lag and spatial features	7	9
2. Explainable risk card	Show rainfall anomaly, recurrence, age, population, and drainage proximity	SHAP, calibrated probabilities	5	8
3. Drainage dependency graph	Link drains, roads, lowlands, water bodies, settlements, and outlets	PostGIS graph + graph algorithms/GNN later	8	10
4. Spatial risk propagation	Spread predicted waterlogging along flow paths and connected roads	DEM flow accumulation, graph propagation	8	9
5. Recurrence fingerprint	Identify locations where repairs repeatedly fail or symptoms migrate	Temporal clustering, survival analysis	7	9
6. Complaint underreporting correction	Distinguish low complaints from low risk	Exposure-adjusted rates, reporting coverage	7	9
7. Duplicate-event fusion	Merge reports into incidents, not merely duplicate tickets	Spatial-temporal clustering + embeddings	5	7
8. Root-cause inference	Infer likely upstream cause from correlated issue sequences	Bayesian network or probabilistic graph	9	10
9. Intervention simulator	Test preventive actions against rainfall scenarios	Hydraulic proxy model / graph simulation	9	10
10. Crew allocation optimizer	Choose work orders under crew, budget, and travel constraints	OR-Tools MILP/constraint optimization	7	9
11. Failure-window prediction	Predict time window rather than only a score	Survival model or temporal gradient boosting	8	9
12. Confidence-aware triage	Escalate high-risk/low-confidence cases for inspection	Conformal prediction or calibrated ensembles	7	9
13. Multimodal evidence fusion	Combine report text, image, rain, location, and history	Late-fusion model; not LLM-only	7	8
14. Before/after closure audit	Detect whether repair actually removed issue	Image similarity, change detection, recurrence check	7	8
15. Cross-department event linking	Link road damage, waterlogging, waste blockage, and streetlight outages	Shared event ontology + spatio-temporal graph	8	9
16. Monsoon preparedness planner	Generate pre-monsoon inspection plan	Risk ranking + route optimization	6	8
17. Asset health index	Score assets using age, recurrence, defects, and exposure	Explainable weighted model/GBM	6	7
18. Active-learning inspection loop	Ask officers to label most informative uncertain cases	Uncertainty sampling	7	8
19. India-language issue extraction	Extract category, landmark, urgency, and location from speech/text	Indic ASR + multilingual encoder	6	7
20. Data-quality monitor	Detect missing coordinates, impossible timestamps, duplicate assets, stale layers	Rules + anomaly detection	5	8

The first ten should define the product. The rest should be staged features, not all built simultaneously.

6. Alternative Directions

Name	Concept	Users/problem	Data and ML	Demo	Difficulty/SIH fit
CivicPulse Monsoon	Predict waterlogging and drainage failure before complaints	ULBs; monsoon disruption	Rainfall, DEM, drains, complaints, population; GBM + graph	Simulate 50 mm vs 120 mm rain and show priority drains	High / excellent
PipeGuard India	Predict water-pipe failure and non-revenue-water hotspots	Water boards; leaks and breaks	Pipe attributes, pressure, complaints, age; survival/XGBoost	Rank pipe segments and replacement plan	High / strong but data-dependent
RoadLife	Predict road-segment deterioration and repair timing	PWD/ULBs; pothole recurrence	Road imagery, traffic, rainfall, repairs; CV + temporal model	Show road risk and inspection route	Medium-high / crowded
DrainTwin	Lightweight digital twin of ward drainage network	Municipal engineering cells	OSM drains, DEM, land use, rainfall; graph simulation	Block one drain and visualize propagation	Very high / impressive
WardAsset Health	Universal public-asset health scoring	ULB asset managers	Asset inventory, age, repairs, reports; GBM/risk index	Compare ward maintenance backlog	Medium / broad
CivicCrew Optimizer	Allocate limited crews to maximize prevented impact	Municipal commissioners	Risk, crew skills, distance, budget; OR-Tools	10 jobs, 3 crews, optimized schedule	Medium-high / excellent
StreetSafe	Predict road hazards affecting pedestrians and schools	Traffic/police/ULBs	Road defects, schools, footfall, crashes; spatial risk	Prioritize a school corridor	Medium / crowded
CrossDept Graph	Find cascading failures across departments	Municipal command centres	Shared event and asset graph	Waterlogging → road damage → traffic risk chain	Very high / distinctive
FloodReady ULB	Combine forecast, flood history, population, and assets	Disaster cells/ULBs	IMD, NRSC/NDEM, DEM, population; scenario model	Early-warning action board	High / strong
ClosureProof	Verify whether municipal repair work really fixed issue	Auditors/commissioners	Work photos, geotags, subsequent reports; CV + recurrence	Flag false closure	Medium-high / uncommon

Best choice: CivicPulse Monsoon plus CivicCrew Optimizer. This combination is narrow enough to build and deep enough to stand out.

7. India-Specific Design

Indian constraint	Product implication
ULBs have limited technical staff	Recommend inspection/work orders, not only analytics
Budgets and crews are constrained	Include optimization and “do nothing” comparison
Data is fragmented across departments	Build an asset/event ontology and data-quality layer
Sensor coverage is inconsistent	Make sensors optional; start with public data and synthetic historical labels
Monsoon creates seasonal shocks	Build seasonality, rainfall anomaly, and preparedness mode
Informal settlements may be underrepresented in complaints	Normalize by population and include coverage/fairness indicators
Multiple Indian languages and low digital literacy	Keep citizen input optional; support voice/text only as evidence
Legacy systems and weak connectivity	Use CSV/GeoJSON import, offline field inspection, and low-bandwidth maps
Jurisdiction is fragmented	Include ownership and escalation paths in every recommendation
Municipal action requires auditability	Every score must show evidence, assumptions, model version, and human override

MoHUA’s DataSmart Cities Strategy identifies the need to institutionalize city data practices through people, processes, and platforms. [web:75] IUDX similarly focuses on controlled exchange among city data owners and applications, which supports your integration-first architecture rather than another standalone complaint app. [web:125][web:127]

8. Realistic Datasets and APIs

Dataset/API	Source/link	Type/coverage	Free/access	Prototype use
Rainfall catalogue	OGD Rainfall — https://www.data.gov.in/catalog/rainfall	Station, gridded, district-normal rainfall; India	Free/open catalogue; exact resource/API varies	Rainfall anomalies and lag features
IMD public APIs	IMD API reference — https://api.imd.gov.in/public/api_reference.html	District/state rainfall, AWS and related products	Public API reference; verify rate/access limits	Near-real-time weather feature
CWC telemetry rainfall	NWDP CWC rainfall — https://nwdp.nwic.gov.in/dataset/rainfall-cwc-telemetry-hourly	Hourly rainfall, station data	Described as CSV/API; verify access	Short-horizon rainfall intensity
Sentinel-2	Google Earth Engine — https://developers.google.com/earth-engine/datasets/catalog/sentinel-2/	Multispectral, global, approximately five-day revisit	Free for eligible research/prototyping; account required	Built-up, vegetation, water-surface change
Sentinel-1 SAR	Earth Engine Sentinel-1 — https://developers.google.com/earth-engine/datasets/catalog/COPERNICUS_S1_GRD	Cloud- and night-capable radar imagery	Free in Earth Engine	Flood/water extent
OGD Census population	https://www.data.gov.in/resource/area-population-density-and-population-2011-census	District-level area, population, density	Free; API not available for resource	Impact estimation
Gridded population	SEDAC India spatial census — https://sedac.ciesin.columbia.edu/data/sets/india-spatial-india-census-2011/data-download	Approx. 1 km population grids	Free under terms	Population exposed by risk cell
Flood hazard	NRSC Flood Hazard Atlas — https://ndem.nrsc.gov.in/hydrological_fh.php	Historical flood-hazard zones	Public product; access varies	Historical exposure prior
NDEM flood data	https://ndem.nrsc.gov.in/hydrologicaldisasters/index.php	Historical and near-real-time inundation and forecast products	Portal access; bulk API must be verified	Validation and flood-risk layers
OpenStreetMap	https://www.openstreetmap.org/ and https://overpass-api.de/	Roads, drains, waterways, amenities, buildings; variable completeness	Free under ODbL; respect rate limits	Network, schools, hospitals, roads, drainage proxies
Smart Cities open data	https://smartcities.data.gov.in/	City datasets; availability varies	Free where published	City-specific assets and services
IUDX resources	https://iudx.org.in/	Urban data exchange schemas/APIs	Open-source platform; city access not automatic	Architecture and integration
BBMP pothole data	https://data.opencity.in/dataset/bbmp-fix-my-street-data	Pothole complaints, May–June 2022	Public dataset	Indian civic-event example
BBMP grievance data	https://data.opencity.in/dataset/bbmp-grievances-data	Ward-level grievances beginning in 2020	Public dataset	Recurrence and trends
OpenCity datasets	https://opencity.in/	Indian city datasets and governance records	Public catalogue; licensing varies	Supplemental municipal data

Dataset realism

A student team will probably not obtain a complete, current underground water-pipe asset register; reliable pipe material, age, diameter, pressure, failure, and repair data together; municipal crew rosters, costs, work orders, and live SLA data; city-wide labels for failure in the next 24–72 hours; or a proprietary CCTV feed.

Therefore, the MVP should use one selected ward or synthetic ward; public roads/drains/water bodies from OSM; rainfall and forecast data; elevation/flow proxies; public complaint examples where available; a clearly labelled synthetic or semi-synthetic event history; and manual field labels or image samples for a small validation set.

Do not hide synthetic data. Show a toggle: “Public data,” “Observed sample,” or “Simulation.”

9. Architecture and Model Choices

Public APIs / CSV / GeoJSON / optional sensors → Data ingestion and validation → PostgreSQL + PostGIS + object storage → Feature store → ML services → Decision layer → FastAPI backend + job queue → Officer dashboard + field inspection PWA

Recommended architecture

- Data layer: Python ingestion jobs, FastAPI, PostgreSQL/PostGIS, GeoJSON/CSV import, object storage, Redis/Celery or scheduled worker, and custom validation.

- Feature layer: rainfall lags, rainfall anomaly, distance to drain/waterbody/road, elevation and flow accumulation, event recurrence, population and sensitive-facility exposure, road centrality, and reporting coverage.
- AI layer: LightGBM/XGBoost, seasonal-naive and logistic baselines, SHAP, spatial-temporal clustering, NetworkX/PostGIS graph, OR-Tools, optional YOLO, and LLM/RAG only for SOP retrieval and explanations.
- Frontend: React/Next.js, MapLibre GL or Leaflet, time slider, risk/exposure/graph layers, scenario controls, officer work-order panel, and evidence/uncertainty panel.
- Deployment: Docker Compose, a managed PostGIS database, scheduled ingestion, model versioning, and an audit log for every recommendation.

Component	Recommended model	Input	Output	Evaluation
Complaint/image classification	Lightweight YOLO or pretrained vision model with small fine-tuned head	Photo, text, location	Issue class and confidence	Macro-F1, per-class recall, confusion matrix
Text/voice extraction	Indic ASR plus multilingual encoder/rules	Tamil/Hindi/English speech/text	Category, landmark, urgency	Intent/entity F1, word error rate
Duplicate/event fusion	Spatial-temporal clustering plus embeddings	Coordinates, timestamp, category, text/image	Incident cluster	Pairwise precision/recall, cluster purity
Risk forecast	LightGBM/XGBoost first	Lagged complaints, rainfall, topology, population, asset proxy	Risk probability	PR-AUC, recall@top-k, Brier score, calibration
Temporal baseline	Seasonal naive, Poisson/negative-binomial, logistic	Historical event counts	Baseline forecast	Compare against ML with leakage-safe split
Asset failure model	Survival model or XGBoost	Age, material, history, environment	Failure hazard	Concordance index, time-dependent AUC
Spatial hotspot model	KDE, Moran's I, hotspot statistics	Geotagged events	Hotspot score	Spatial cross-validation, hotspot precision
Impact estimation	Population-weighted exposure model	Risk polygon, population grid	Exposed people/assets	MAE/RMSE where labels exist; scenario validation otherwise
Graph reasoning	Network flow/shortest paths first; GNN later	Drain/road/asset graph	Propagation and dependencies	Node/edge prediction, ablation
Work allocation	OR-Tools MILP/CP-SAT	Risk, impact, crew, cost, distance	Feasible work plan	Impact prevented per budget, travel reduction
Scenario simulation	Hydraulic proxy / graph capacity assumptions	Rainfall, blocked nodes, interventions	Risk under scenario	Calibration against historical footprints

Why not start with every advanced model

- XGBoost/LightGBM are stronger defaults for tabular, sparse, heterogeneous data.
- LSTM/TFT need longer, cleaner, denser time series than most accessible civic data provides.
- GNNs are justified only after a real asset/network graph and enough labelled events exist.
- YOLO is useful for a narrow visual module, but it does not make the overall product innovative.
- LLMs should extract structure, translate, summarize, and explain; they should not invent risk probabilities.
- RAG is appropriate for municipal SOPs, ownership rules, and maintenance manuals.
- Agentic AI is unnecessary for the core MVP; use deterministic pipelines for risk and optimization.

10. Strong Innovation Layer

Layer 1 — Perception

Ingest citizen reports, historical complaint records, rainfall observations and forecasts, OSM roads/drains/water bodies/schools/hospitals, elevation and satellite-derived signals, and optional officer inspection photos. Output normalized civic events, coordinates, issue class, evidence quality, and duplicate/incident clusters.

Layer 2 — Prediction

For each spatial cell or asset segment, model risk as a function of rainfall anomaly, lagged events, recurrence, topology, population, asset proxy, and season. Output probability within 24, 48, or 72 hours, confidence, and top contributing factors.

Layer 3 — Impact intelligence

Estimate exposed population and critical facilities using a population-weighted exposure model. Present the result as an estimated exposure with assumptions, not a measured casualty or damage forecast.

Layer 4 — Optimization

Select interventions under crew, skill, depot, hours, budget, ownership, and emergency/preventive constraints. Maximize risk × impact × preventability under realistic limits.

Layer 5 — Simulation

Let the judge change rainfall intensity, blocked drains, crew availability, budget, road closures, or preventive actions. Show risk before and after, population exposed, high-risk cells, work orders selected, and residual uncertainty.

11. Judge-Style Scoring

Criterion	Score / 10	Reason
Problem relevance	9	Civic maintenance and monsoon disruption are important
Innovation	5	Broad features are common
Technical complexity	7	Potentially deep, but scope is too broad
Feasibility	4	Too many data and deployment assumptions
Scalability	7	Architecture could scale if data contracts exist
India relevance	9	Strong ULB, monsoon, budget, language, and fragmentation relevance
Social impact	8	Could reduce disruption and improve equitable service
Economic impact	7	Preventive maintenance may reduce emergency work, but proof is needed
Demo quality	8	Map + forecast + simulation can be compelling
Uniqueness	4	Similar to SIH25031, Fix My Street extensions, and student projects
Data availability	4	Public proxy data exists; true labels are difficult
SIH selection potential	6	Good problem, weak differentiation unless narrowed

Overall current-concept score: 68/100.

Why a judge might reject it

- It sounds like a collection of features rather than one sharply defined problem.
- “Predict infrastructure failure” is too ambitious without failure labels.
- The example’s 87% risk and 8,000 population impact look fabricated unless validated.
- It overlaps strongly with SIH25031 and common civic-reporting submissions.
- A generic map/dashboard demo will be easy to imitate.
- The proposal does not identify a specific municipal department owner.
- It does not specify one city, ward, hazard, prediction horizon, or intervention.
- It assumes access to private infrastructure data.
- It may confuse correlation with causation.
- It has no baseline model, validation plan, or measurable pilot target.
- It risks becoming an AI wrapper around complaint records.
- There is no clear answer to what a municipal officer will do differently tomorrow morning.

12. Competition Analysis and What Not to Build

Existing hackathon and GitHub patterns include citizen reporting, photo classification, maps, severity scores, department routing, heatmaps, status tracking, and AI prediction claims. GitHub projects such as CivicBuddy, Civic Connect, SCMSC, and Spot the Hole already demonstrate many combinations. [web:60][web:61][web:63][web:64] Devpost projects similarly combine YOLO, severity scores, dashboards, route optimization, and predictive language. [web:66][web:67][web:69]

Do not build these as the headline product

- A citizen complaint app with a map.
- A pothole detector plus dashboard.
- A chatbot that forwards complaints.
- A complaint-priority score based only on votes and sentiment.
- A heatmap of complaint density.
- A CRUD ticketing system with AI labels.
- A “smart city digital twin” that is only a 3D map.
- A generic multilingual chatbot.
- A simple YOLO demo with pothole bounding boxes.
- A blockchain complaint ledger.
- A gamified citizen leaderboard.
- A dashboard with red/yellow/green markers and no forecast validation.
- A route optimizer using only nearest-neighbour routing.
- A synthetic “87% failure probability” card without calibration.
- A platform covering roads, water, garbage, streetlights, traffic, safety, disasters, and health simultaneously.
- An LLM agent that claims to autonomously govern municipal operations.
- A public voting system presented as objective prioritization.
- A fake live IoT system using arbitrary sensor values without labelling them as simulated.
- A digital-twin label without a network model or intervention simulation.
- A “predictive” model trained and tested on random rows from the same time period, causing leakage.

13. Final Recommendation

A. Keep or change?

MODIFY. Keep the principle—move from reactive complaint handling to preventive infrastructure management—but remove the multi-category civic super-app framing.

B. Final project direction

CivicPulse Monsoon: An explainable, low-data AI system for predicting ward-level drainage and waterlogging risk 24–72 hours before failure, estimating affected population and critical facilities, tracing likely upstream causes through a road–drain–waterbody graph, and generating a budget-constrained preventive inspection plan for municipal officers.

C. Professional problem statement

Indian urban local bodies often respond to waterlogging, blocked drains, road damage, and related service failures only after citizens report them or after heavy rainfall has already caused disruption. Municipal data is fragmented across complaint systems, ward records, rainfall sources, maps, and infrastructure departments, while field teams operate under limited time, budgets, and incomplete asset information.

There is a need for an explainable, low-data decision-support system that predicts which ward locations and drainage-linked infrastructure are most likely to experience critical service failure during the next 24–72 hours, estimates the population and critical facilities exposed, identifies likely upstream causes, and recommends a feasible preventive inspection or maintenance plan. The system must communicate uncertainty, support human verification, and operate using data sources realistically available to Indian municipal authorities.

D. What you build

- One selected Indian city or representative ward.
- Historical civic-event data, including public or synthetic labelled events.
- Rainfall observation/forecast integration.
- OSM road, drain, waterbody, school, hospital, and settlement layers.
- Elevation/flow or lowland proxy.
- Grid-level risk forecast.
- Risk explanation.
- Population and facility exposure estimate.
- Drainage dependency graph.
- Crew-constrained work-order optimizer.
- What-if rainfall and intervention simulator.
- Officer dashboard and field-inspection recommendation.

The product is not a replacement for engineering inspection. It is a prioritization and preparedness system.

E. Top ten differentiators

- Pre-complaint 24–72-hour risk forecasting.
- Rainfall-triggered infrastructure risk, not complaint counting.
- Drain–road–waterbody dependency graph.
- Spatial risk propagation.
- Exposure-aware prioritization using population and critical facilities.
- Explainable evidence cards.
- Confidence-aware “inspect before action” recommendations.
- Budget- and crew-constrained intervention planning.
- What-if simulation of rainfall and preventive actions.
- Reporting-bias correction so low-complaint areas are not automatically treated as safe.

F. Technical architecture

Data layer: Python ingestion jobs, FastAPI, PostgreSQL/PostGIS, GeoJSON/CSV import, object storage, Redis/Celery or scheduled worker, and custom checks.

Feature layer: rainfall lags, rainfall anomaly, distance to drain/waterbody/road, elevation and flow accumulation, historical event counts and recurrence, population and sensitive-facility exposure, road centrality, and data-quality/reporting indicators.

AI layer: LightGBM/XGBoost, seasonal-naive and logistic baselines, SHAP, spatial-temporal clustering, NetworkX/PostGIS graph, OR-Tools, optional YOLO, and LLM/RAG only for SOP retrieval and natural-language explanation.

Frontend: React/Next.js, MapLibre GL or Leaflet, time slider, risk/exposure/graph layers, scenario controls, officer work-order panel, and evidence/uncertainty panel.

Deployment: Docker Compose for the hackathon, managed PostGIS, scheduled ingestion jobs, model versioning, and audit logging.

G. Realistic MVP

- One ward or small city area.
- Three risk classes: low, medium, critical.
- 24, 48, and 72-hour horizons.
- Rainfall + historical incidents + OSM + population.
- LightGBM/XGBoost and a baseline.
- Grid-level risk map.
- SHAP risk explanation.
- Population/school/hospital exposure.
- Top-five preventive inspections.
- Crew-constrained route/order plan.
- One rainfall scenario slider.
- Clearly labelled public/synthetic data.

Do not build live sensors, a full municipal integration, a nationwide model, or a complete digital twin during the hackathon.

H. Advanced version

- Pipe-level hydraulic modelling.
- Real municipal work-order integration.
- Sensor streams and pressure anomalies.
- Satellite-based flood validation.
- GNN-based dependency learning.
- Active-learning field inspections.
- Multilingual voice input.
- Closure verification.
- Cross-city transfer learning.
- Privacy-preserving federation across ULBs.
- Digital-twin network calibration.
- Causal intervention-effect estimation.

I. Two-minute judge demo

- Select a Chennai-like monsoon ward or your chosen study area.
- Show the normal complaint map and explain that it is incomplete and reactive.
- Turn on a 48-hour heavy-rainfall scenario.
- The system produces a risk layer before new complaints appear.
- Click the highest-risk cell.
- Display rainfall anomaly, recurrence, low elevation, drainage proximity, population, and nearby school.
- Open the dependency graph and show the likely upstream drain/outlet.
- Reduce crew availability from five teams to two.
- Run the optimizer and show the selected inspection order.
- Simulate cleaning one drain.
- Show reduced exposed population and residual risk.

- End with: “AI recommendation; field verification required.”

J. Measurable impact

- Recall@top-10 risk cells.
- PR-AUC for critical-event prediction.
- Brier score and calibration curve.
- Lead time before observed/simulated incident.
- Population exposure reduction under intervention scenarios.
- Prevented-risk-per-budget unit.
- Crew travel distance saved.
- Duplicate incident reduction.
- Time required to generate a preparedness plan.
- Percentage of recommendations with human-readable evidence.
- Fairness comparison of risk coverage across high- and low-reporting areas.

Do not claim actual lives, rupees, or failures prevented unless you have a validated field study.

K. Biggest risks and mitigations

Risk	Mitigation
No real failure labels	Use public events plus transparent synthetic simulation; evaluate on held-out events
Data leakage	Time-based train/test split and spatial holdout
Incomplete OSM drainage data	Treat OSM as a proxy; show coverage confidence; allow officer edits
False precision	Calibration, confidence bands, and inspect category
Weather forecast error	Recompute risk as forecast changes; show forecast uncertainty
Population data is old	Call it exposure estimate, not current census
Model learns complaint bias	Normalize by population and reporting coverage
Overly broad scope	One hazard, one ward, three decisions
Government adoption barriers	CSV/GeoJSON import, offline field workflow, explainability, human approval
Privacy concerns	Avoid identifying report data; aggregate locations
Hallucinated recommendations	Deterministic action templates and RAG over approved SOPs
Reviewer distrust of synthetic data	Label every layer and provide a public-data mode

L. Final SIH score

Criterion	Score / 10
Problem relevance	9
Innovation	8
Technical complexity	8
Feasibility	8
Scalability	8
India relevance	10
Social impact	8
Economic impact	8
Demo quality	9
Uniqueness	8
Data availability	7
SIH selection potential	8

Final score: 83/100.

Bottom line

Do not pitch: “CivicPulse is an AI platform for all civic complaints and infrastructure problems.” Pitch: “CivicPulse Monsoon predicts where drainage-linked civic failures are likely to occur before complaints, explains why, estimates who will be affected, and generates the best preventive inspection plan under municipal constraints.”

That is narrower than the original concept, but substantially stronger. It avoids the crowded complaint-app category, aligns with India’s DataSmart Cities and ULB context, builds on publicly accessible weather/geospatial data, and gives judges a visible chain from forecast → cause → impact → intervention → simulated outcome.

References and Source Links

SIH 2024 official problem-statement page — <https://www.sih.gov.in/sih2024PS>

SIH 2024 official XLSX catalogue — https://www.sih.gov.in/letters/SIH_PS_2024.xlsx

SIH problem-statements XLSX — <https://www.sih.gov.in/letters/problemStatements.xlsx>

SIH 2025 official problem-statement page — <https://www.sih.gov.in/sih2025PS>

SIH 2025 problem-statement corroboration: SIH25031 GitHub — <https://github.com/aryan-madhavi/SIH25031>

BBMP Fix My Street — <https://site.bbmp.gov.in/departmentsites/BBMPIT/fms.html>

DataSmart Cities Strategy — <https://mohua.gov.in/dataSmartCities/index.html>

IUDX — <https://iudx.org.in/>

Smart Cities Data Portal — <https://smartcities.data.gov.in/>

OGD India Rainfall catalogue — <https://www.data.gov.in/catalog/rainfall>

IMD API reference — https://api.imd.gov.in/public/api_reference.html

CWC telemetry rainfall — <https://nwdp.nwic.gov.in/dataset/rainfall-cwc-telemetry-hourly>

Sentinel-2 Earth Engine catalogue — <https://developers.google.com/earth-engine/datasets/catalog/sentinel-2/>

NRSC Flood Hazard Atlas — https://ndem.nrsc.gov.in/hydrological_fh.php

NDEM hydrological disaster portal — <https://ndem.nrsc.gov.in/hydrologicaldisasters/index.php>

Census population density resource — <https://www.data.gov.in/resource/area-population-density-and-population-2011-census>

India spatial census dataset — <https://sedac.ciesin.columbia.edu/data/set/india-spatial-india-census-2011/data-download>

OpenStreetMap — <https://www.openstreetmap.org/>

Overpass API — <https://overpass-api.de/>

BBMP Fix My Street data — <https://data.opencity.in/dataset/bbmp-fix-my-street-data>

BBMP grievances data — <https://data.opencity.in/dataset/bbmp-grievances-data>

OpenCity — <https://opencity.in/>

Water-pipe failure research, ASCE — <https://ascelibrary.org/doi/abs/10.1061/JITSE4.ISENG-2247>

Practical ML for water pipe failure — <https://uwspace.uwaterloo.ca/items/555b0e60-9156-4951-ac1b-2c2b432a5925>

CivicBuddy GitHub — <https://github.com/Monish-P/CivicBuddy>

Spot-the-Hole GitHub — <https://github.com/aravindvnair99/Spot-the-Hole>

CIVIC CONNECT GitHub — <https://github.com/purvajgaonkar/smart-civic-issue-reporting-system>

CivicLens Devpost — <https://devpost.com/software/civiclens-ai-tu7d1j>

UrbanOracle Devpost — <https://devpost.com/software/urbanoracle>

RoadAI Devpost — <https://devpost.com/software/roadai-74vzef>