

Design Documentation

How Bhavano.com uses the Google Ads API to manage its own advertising program

Applicant	[legal entity name]
Product	bhavano.com
Access requested	Standard
Prepared	[date]

Before submitting: every claim about Bhavano's product, taxonomy, and existing technical infrastructure below is grounded in what's actually built. Fields marked

like this

 are business figures — live inventory volume, sync cadence, contact details — that only your team can supply accurately; fill each one in before this goes to Google.

01 Company & product overview

Bhavano is an online classifieds marketplace serving the Indian real estate and household-goods market. Sellers, landlords, brokers, and agents list properties and goods directly; buyers and tenants search, save, and contact listers through the platform. The catalog spans ten listing categories across four transaction types — sell, buy, rent, and lease — not every category supports every type:

House sell · rent · lease	Apartment sell · rent · lease	Villa sell · rent · lease	Plot sell
PG / Hostel rent	Storage space rent · lease	Coworking rent · lease	Commercial space sell · rent · lease
Furniture sell · rent	Interiors sell		

Listings sit under a curated city/area location hierarchy — 37 cities at time of writing, each with a curated set of localities, expandable as sellers post in new areas — which also defines the platform's public URL structure:

bhavano.com/{city}/{area}/{transaction-type}/{category}/{listing-slug}.

02 Use case summary

Bhavano operates **one** Google Ads account, used solely to advertise its own platform. There is no reseller, agency, or third-party account-management use case anywhere in this integration — every campaign, budget, and keyword created through the API belongs to Bhavano's own advertiser account. The API keeps Search campaign structure synchronized with two things that change constantly: the platform's live listing inventory, and its city/area/category taxonomy — and automates routine account operations (bid and budget adjustment, pausing ad groups behind expired or removed listings) at a scale manual management in the Google Ads UI doesn't support well.

03 Why Standard access

Bhavano's campaign structure is generated from its own taxonomy, not hand-built. One ad group per active (city, category, transaction-type) combination — the same three dimensions that already define the platform's own URL routing and location-based search filters — produces a structural ceiling of up to **777 possible segments** today (37 cities × 21 valid category/transaction-type pairings; not every category supports every transaction type, as shown above), growing as new cities and localities are added.

[current count of segments actually carrying live inventory, and the resulting ad groups/keywords touched per sync cycle] operations against a sync running [frequency, e.g. every 4 hours] already [exceeds / is projected to exceed within] Basic access's daily operation ceiling. This reflects steady, inventory-driven growth rather than a one-time bulk migration.

04 Solution architecture

The integration lives inside Bhavano's existing backend service — a NestJS application — as a new module alongside the platform's existing integrations with Razorpay (payments) and the Google Maps Platform (location search), both of which already follow the same credential-handling pattern this integration reuses: API credentials are read server-side via the framework's config layer, never bundled into or exposed to any client application (web, mobile, or admin).

A scheduled job — the app already runs equivalent periodic jobs for other features — reads the current state of the platform's listing and location tables and reconciles it into Google Ads campaign, ad group, and keyword state through the Google Ads API client library. Structural changes flow one direction only, Bhavano → Google Ads, while performance data (impressions, clicks, cost, conversions) flows back for the automation described in Section 6.

05 Campaign structure

Campaigns are segmented by **city**, matching the platform's own curated City table. Ad groups within each campaign are segmented by **category × transaction type** — the same pairing already enforced in the product's own posting flow (PG/Hostel only ever supports rent; Plot and Interiors are sell-only). Keywords are derived from the vocabulary sellers already use when posting — category names, bedroom counts, furnishing status, locality names — rather than a separately maintained keyword list. Final URLs point at real listing detail pages using the platform's existing SEO route structure, so ad traffic lands on a live, indexable page rather than a landing page built only for ads.

06 Bid & budget automation

Bhavano already runs a seller-facing "boosted listing" feature — a paid placement a seller can buy for their own listing. Boost status and boost performance (views, favourites, contact-seller actions, all already tracked per listing) feed into bid and budget prioritization on the ads side, so promotion the seller has already paid for and paid search spend Bhavano controls reinforce each other instead of competing for the same buyer's attention. Ad groups behind listings that expire, get removed, or fail moderation are paused automatically within one sync cycle, rather than continuing to spend against a dead landing page.

07 Reporting & attribution

Bhavano already records first-party attribution data for every user — acquisition source, medium, and campaign fields captured at signup — and per-session visit records, both surfaced through the platform's existing logging and observability stack (also used for application monitoring and moderation dashboards). Google Ads API reporting data (cost, clicks, conversions) is ingested into this same pipeline, so ad spend can be attributed against real in-product outcomes already being measured — listing views, favourites, and contact-seller conversions — rather than click volume alone.

08 Estimated API usage

METRIC	CURRENT	6-MONTH PROJECTION
Ad accounts managed via the API	1	1
Cities in the location taxonomy	37	[]
Active ad groups (live inventory only)	[]	[]
Sync frequency	[]	[]
Estimated operations / sync cycle	[]	[]
Estimated operations / day	[]	[]

09 Security & access control

API credentials are stored as server-side environment variables on Bhavano's backend infrastructure only, following the same client/server credential separation already in place for the platform's Razorpay and Google Maps Platform integrations — publishable identifiers may reach a client where a product surface requires it (a payment checkout SDK, for instance), but secrets never do. Access to the Google Ads account itself is limited to Bhavano's own engineering team; no external party, contractor, or third-party tool receives API or account access through this integration. Every automated change the integration makes is logged and reviewable through the platform's existing admin tooling.

10 Policy compliance

Bhavano commits to using the Google Ads API in accordance with the Required Minimum Functionality policy and the Google Ads API Terms of Service: no falsified or synthetic performance data is generated or reported, no automation in this integration is designed to circumvent Google Ads policies or ad review, and no click activity is artificially generated. Budget ceilings and the launch of any new campaign remain subject to human review before taking effect — the automation described above operates only within the bounds of campaigns and budgets a person has already approved.

Prepared by [name / title]

Contact [email]

Bhavano · bhavano.com

[date]