EXNO: 12A ECHO CLIENT BATE: 15:10.24 Implement echo client using TCP/UDP
Sockets CODE -- Name -- J. CLIENT import socket
amport stocket def jung œuver (host - 127.0.0.1)

port = 12345): with socket socket (socket AF\_INET) Stocket: SOCK\_DG RAM) as try: s. sundto (b'Hello', (host, port)) except s. turneout: print ("Reg Timed Out") ( minut de start-server (host-127.0.0.i) part = 12345): with acket swiket ( docket. AFINET, Socket. SOCK - EGRAM) as SI

peut (f "UDP dures eunning on fact 3: 4 poet 3") while True:

data, addr = s. reerform (1024)

pent (f" Recured message faddr 3:

Shata. decode () 3") édata. decode () 3") if -- name\_\_ = \_\_ main\_\_ /// me Start- Server OUTPUT took James print less Took Senderpy Turnual bos bos bos don python survey on 127.0.0.1:123 45 Chest.py

Terminal bos bone pol" boses

Terminal bos bone pol" Spython client py 77 musage sunt to server Received message from (127.0.0.1', 56003): Hello with docket world (docket. AFINET, dockel sock - KARAM) as SI

MARRIE SUIT Enemoland you don't replace the work suppose from principal adjust surges of 'i o o . To! - Let . Late bed . 'i totale product another similar. A former, doubt. 2 DO (MAS 20 - 1308 - 1304) s. Lited ( Mest. pad) ) 1. () simple (37 UN) sience lenning on [host]: (xeas for all season the salet week when the s RESULT Thus echo client is implemented successfully mon\_ for