


Dart programming Language



Implicit

```
void main() {  
    int num1 = 10;  
    double num2 = num1 + 2.5;  
    print(num2); // 12.5  
    print(num2.runtimeType);  
    // double  
}
```

Explicit (int → String)

```
int num1 = 123;  
String str = num1.toString();  
print(str);  
print(str.runtimeType);
```

int - double

```
int num1 = 101;  
double num2 = num1.toDouble();  
print(num2.runtimeType);  
print(num2);
```

String → double

```
String str = "123";
```

```
double num1 = double.parse(str);
```

```
print(num1);
```

```
print(num1.runtimeType);
```

String → int

```
String str = "121";
```

```
int num1 = int.parse(str);
```

```
print(num1);
```

```
print(num1.runtimeType);
```

double → String

```
double num1 = 111.1;
```

```
String str = num1.toString();
```

```
print(str);
```

```
print(str.runtimeType);
```

double → int

```
double num1 = 100.1;
```

```
int num2 = num1.toInt();
```

```
print(num2); // 100
```

```
print(num2.runtimeType);
```

(as, is, is!)

100%

```
dynamic value = "Hello Dart";
```

```
String str = value as String;
```

```
print(str);
```

```
print(str.runtimeType);
```

```
var name = "Rahul";
```

```
print (name is string); //true
```

```
print (name is int); //false
```

```
var age = 25;
```

```
print (age is ! string); //true
```

```
print (age is ! int); //false
```