

Dart Programming Language

Null-aware operators :-

Symbol	Name
1) ??	Default / Coalescing op.
2) ??=	if null assignment / Fallback assignment
3) ?.	Null aware access op. / Safe Navigation
4) !	Null assertion op.
5) ?..	Null aware cascade op.
6) ...?	Null aware spread op.

Null aware op

Nullable variables
Non-nullable variables

✓✓✓ Nullable Variable	Non-nullable variables
✓✓✓ 1) Type Inference (var)	1) Type annotation ✓
2) dynamic ✓	
3) Type annotation Data Type (?) ✓	

Null Safety

1) Default / Coalescing op. (??)

```
void main() {
```

```
  var city;
```

or

```
  dynamic city;
```

or

```
  String? city;
```

```
  print(city); print(city ?? "kolkata");
```

```
}
```

2) if null assignment / fallback assignment (??=)

```
void main() {  
    var name;  
    name?? = "Rahul";  
    print(name);  
}
```

3. Null aware ^{access} op. / Safe Navigation op. (?.)

```
void main() {  
    String? name = "Rishit";  
    print(name?.length); // 6  
    print(name?.toUpperCase()); // RISHIT  
}
```

4. ! → Null aware assertion op.

! → Trust me
Not null

```
void main() {  
    String! name = "Rishit";  
    print(name.length); // 5  
} // runtime Error ✓
```

5. Cascade op → Null aware cascade op
class

```
void main() {  
    Calculator calc = Calculator();  
    ✓ calc.add();  
    ✓ calc.multiply();  
    ✓ calc.add();  
    ✓ calc.multiply();  
    print("See you on next video");  
}
```

```
class Calculator {
```

```
void add() {  
    print("Adding values");  
}  
void multiply() {  
    print("Multiply values");  
}  
}
```

G) Spread op (...) → null aware
(List, Set, Map) spread op (...?)

```
List fruits = ["Apple", "Banana", "Guava",  
               "Papaya"];  
List dryFruits = ["Almonds", "Cashews", "Dates",  
                 "Raisin"]
```

```
List vegetables;
```

```
List totalCollection = [...fruits, ...dryFruits];  
print(totalCollection);
```

