Login screen:

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Login Screen</title>
</head>
<body>
 <h1>Login</h1>
 <form action="/login" method="post">
   <label for="username">Username:</label>
   <input type="text" id="username" name="username" required><br>
   <label for="password">Password:</label>
   <input type="password" id="password" name="password" required><br><br>
   <button type="submit">Login</button>
 </form>
</body>
</html>
Create user creation screen:
<!DOCTYPE html>
<html lang="en">
<head>
```

```
<meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>User Creation</title>
</head>
<body>
 <h1>Create User</h1>
 <form action="/create_user" method="post">
   <label for="username">Username:</label>
   <input type="text" id="username" name="username" required><br><br>
   <label for="password">Password:</label>
   <input type="password" id="password" name="password" required><br><br>
   <label for="gender">Gender:</label><br>
   <input type="radio" id="male" name="gender" value="male">
   <label for="male">Male</label><br>
   <input type="radio" id="female" name="gender" value="female">
   <label for="female">Female</label><br><br></
   <label for="hobbies">Hobbies:</label><br>
   <input type="checkbox" id="reading" name="hobbies" value="reading">
   <label for="reading">Reading</label><br>
   <input type="checkbox" id="travelling" name="hobbies" value="travelling">
   <label for="travelling">Travelling</label><br><br>
   <label for="country">Country:</label>
```

```
<select id="country" name="country">
     <option value="usa">USA</option>
     <option value="canada">Canada</option>
     <option value="uk">UK</option>
   </select><br><br>
   <label for="languages">Languages Known:</label><br>
   <select id="languages" name="languages" multiple>
     <option value="english">English</option>
     <option value="spanish">Spanish</option>
     <option value="french">French</option>
   </select><br><br>
   <button type="submit">Create User</button>
  </form>
</body>
</html>
List all users, update user and delete user:
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>User Management</title>
  <script>
   function confirmDelete(userId) {
```

```
if (confirm("Are you sure you want to delete this user?")) {
       // Perform the deletion logic here (e.g., make a request to the server)
       alert("User " + userId + " deleted.");
     }
   }
 </script>
</head>
<body>
 <h1>User Management</h1>
 <h2>List of Users</h2>
 ul id="user-list">
   User1 <button onclick="confirmDelete(1)">Delete</button>
   User2 <button onclick="confirmDelete(2)">Delete</button>
   User3 <button onclick="confirmDelete(3)">Delete</button>
 <h2>Update User</h2>
 <form action="/update_user" method="post">
   <label for="user-id">User ID:</label>
   <input type="text" id="user-id" name="user_id" required><br><br>
   <label for="new-username">New Username:</label>
   <input type="text" id="new-username" name="new_username" required><br><br>
   <button type="submit">Update User</button>
 </form>
</body>
```

Create a html page with google map:

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Google Map</title>
 <script src="https://maps.googleapis.com/maps/api/js?key=YOUR_API_KEY"></script>
 <script>
   function initMap() {
     var location = {lat: -34.397, lng: 150.644};
     var map = new google.maps.Map(document.getElementById('map'), {
       zoom: 8,
       center: location
     });
     var marker = new google.maps.Marker({
       position: location,
       map: map
     });
   }
 </script>
</head>
<body onload="initMap()">
 <h1>Google Map</h1>
 <div id="map" style="height: 400px; width: 100%;"></div>
```

```
</body>
</html>
Create a html page with vedio file:
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Video Page</title>
</head>
<body>
 <h1>Video File</h1>
  <video width="600" controls>
   <source src="video.mp4" type="video/mp4">
   Your browser does not support the video tag.
  </video>
</body>
</html>
Create a html page with audio file:
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Audio Page</title>
```

```
</head>
<body>
 <h1>Audio File</h1>
  <audio controls>
   <source src="audio.mp3" type="audio/mp3">
   Your browser does not support the audio tag.
  </audio>
</body>
</html>
Create a html page to upload a file:
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>File Upload</title>
</head>
<body>
  <h1>Upload a File</h1>
  <form action="/upload_file" method="post" enctype="multipart/form-data">
   <label for="file">Choose a file:</label>
   <input type="file" id="file" name="file" required><br><br>
   <button type="submit">Upload</button>
  </form>
</body>
```

