## Queries

1.SELECT S.\*, SS.SEM, SS.SEC FROM STUDENT S, SEMSEC SS, CLASS C WHERE S.USN = C.USN AND SS.SSID = C.SSID AND SS.SEM = 4 AND SS.SEC='C';

2. SELECT SS.SEM, SS.SEC, S.GENDER, COUNT (S.GENDER) AS COUNT FROM STUDENT S, SEMSEC SS, CLASS C WHERE S.USN = C.USN AND SS.SSID = C.SSID GROUP BY SS.SEM, SS.SEC, S.GENDER ORDER BY SEM;

3.CREATE VIEW STU\_TEST1\_MARKS\_VIEW AS

SELECT TEST1, SUBCODE FROM IAMARKS WHERE USN = '1BI15CS101';

4. UPDATE IAMARKS SET FINALIA=((TEST1+TEST2+TEST3)-LEAST(TEST1,TEST2,TEST3))/2;

5. SELECT
S.USN,S.SNAME,S.ADDRESS,S.PHONE,S.GENDER,
IA.SUBCODE, (CASE
WHEN IA.FINALIA BETWEEN 17 AND 20 THEN 'OUTSTANDING'
WHEN IA.FINALIA BETWEEN 12 AND 16 THEN 'AVERAGE'
ELSE 'WEAK'
END) AS CAT
FROM STUDENT S, SEMSEC SS, IAMARKS IA, SUBJECT SUB
WHERE S.USN = IA.USN AND
SS.SSID = IA.SSID AND
SUB.SUBCODE = IA.SUBCODE AND
SUB.SEM = 8;