

**DBMS LAB-1**

**PROGRAM 1: INSURANCE DATABASE**

**QUESTION:**

Consider the Insurance database given below. The primary keys are underlined and the data types are specified.

PERSON (driver-id #: String, name: String, address: String)

CAR (Regno: String, model: String, year: int)

ACCIDENT (report-number: int, adate: date, location: String)

OWNS (driver-id #: String, Regno: String)

PARTICIPATED (driver-id: String, Regno: String, report-number: int, damage-amount: int)

- i. Create the above tables by properly specifying the primary keys and the foreign keys.
- ii. Enter at least five tuples for each relation.
- iii. Demonstrate how you
  - a. Update the damage amount for the car with a specific Regno in the accident with report number 12 to 25000.
  - b. Add a new accident to the database.
- iv. Find the total number of people who owned cars that involved in accidents in 2008.
- v. Find the number of accidents in which cars belonging to a specific model were involved.

**PROGRAM CODE:**

```
create database Insurance;
```

```
use Insurance;
```

```
CREATE TABLE PERSON(DRIVER_ID VARCHAR(10),NAME VARCHAR(20),ADDRESS  
VARCHAR(15),PRIMARY KEY(DRIVER_ID));
```

```
show tables;
```

```
desc PERSON;
```

```
SELECT *FROM PERSON;
```

```

create table car(regno varchar(10),Model varchar(20),Year date,Primary key(Regno));

create table Accident(report_no int,ADATE DATE,Location varchar(15),Primary key(report_no));

create table owns(driver_id varchar(10),regno varchar(10),primary key(driver_id,regno),

foreign key(driver_id) references person(driver_id) on delete cascade, foreign key(regno) references
car(regno) on delete cascade);

CREATE TABLE PARTICIPATED(driver_id varchar(10),regno varchar(10),report_no int, damage_amt
float,

foreign key (driver_id,regno) references OWNS(driver_id,regno) ON DELETE CASCADE,
foreign key (REPORT_NO) references ACCIDENT(REPORT_NO) ON DELETE CASCADE);

show tables;

insert into PERSON(DRIVER_ID,NAME,ADDRESS)values('1111','RAMU', 'K.S.LAYOUT');
insert into PERSON(DRIVER_ID,NAME,ADDRESS)values('2222','JOHN', 'INDIRANAGAR');
insert into PERSON(DRIVER_ID,NAME,ADDRESS)values('3333','PRIYA','JAYANAGAR');
insert into PERSON(DRIVER_ID,NAME,ADDRESS)values('4444','GOPAL','WHITEFIELD');
insert into PERSON(DRIVER_ID,NAME,ADDRESS)values('5555','LATHA','
VIJAYANAGAR'); COMMIT;

desc PERSON;

SELECT *FROM PERSON;

insert into car(regno,Model,Year)values('KA04Q2301','MARUTHI-DX', '2000-10-11');
insert into car(regno,Model,Year)values('KA05P1000',' FORDICON','2000-09-08');
insert into car(regno,Model,Year)values('KA03L1234','ZEN-VXI', '1999-07-06');
insert into car(regno,Model,Year)values('KA03L9999',' MARUTH-DX', '2002-06-05');
insert into car(regno,Model,Year)values('KA01P4020',' INDICA-VX', '2002-05-04');

COMMIT;

desc car;

SELECT *FROM car;

insert into Accident(report_no,ADATE,Location)values('12',' 2002-06-02',' M G ROAD');
insert into Accident(report_no,ADATE,Location)values('200',' 2002-12-10',' DOUBLEROAD');
insert into Accident(report_no,ADATE,Location)values('300',' 1999-07-10','M G ROAD');

insert into Accident(report_no,ADATE,Location)values('25000',' 2000-06-11',' RESIDENCY ROAD');
insert into Accident(report_no,ADATE,Location)values('26500',' 2001-08-12',' RICHMOND
ROAD'); COMMIT;

```

desc Accident;

SELECT \*FROM Accident;

insert into owns(driver\_id,regno)values('1111', 'KA04Q2301');

insert into owns(driver\_id,regno)values('1111','KA05P1000');

insert into owns(driver\_id,regno)values('2222','KA03L1234');

insert into owns(driver\_id,regno)values('3333','KA03L9999');

insert into owns(driver\_id,regno)values('4444','KA01P4020');

COMMIT;

desc owns;

SELECT \*FROM owns;

insert into PARTICIPATED(driver\_id,regno,report\_no,damage\_amt)values('1111', 'KA04Q2301',  
'12',' 20000');

insert into  
PARTICIPATED(driver\_id,regno,report\_no,damage\_amt)values('2222','KA03L1234','200',' 500');

insert into  
PARTICIPATED(driver\_id,regno,report\_no,damage\_amt)values('3333','KA03L9999','300',' 10000');

insert into PARTICIPATED(driver\_id,regno,report\_no,damage\_amt)values('4444','KA01P4020','25000',  
'2375');

insert into  
PARTICIPATED(driver\_id,regno,report\_no,damage\_amt)values('1111','KA05P1000','26500','70000');

COMMIT;

desc PARTICIPATED ;

SELECT \*FROM PARTICIPATED;

/\*

a. Update the damage amount for the car with a specific Regno in the accident with report number  
12 to

25000.

\*/

UPDATE PARTICIPATED SET DAMAGE\_AMT=25000 WHERE REPORT\_NO =12  
AND REGNO='KA04Q2301';

COMMIT;

desc PARTICIPATED ;

SELECT \*FROM PARTICIPATED;

/\*

b. Add a new accident to the database

\*/

```
insert into Accident(report_no,ADATE,Location)values('500','2005-06-02','Mysore Road');
```

```
desc Accident;
```

```
SELECT *FROM Accident;
```

/\*

iv. Find the total number of people who owned cars that involved in accidents in 2008

\*/

```
select count(*) from Accident where year(ADATE)=2008;
```

/\*

v. Find the number of accidents in which cars belonging to a specific model were involved


\*/

```
SELECT COUNT(A.REPORT_NO) FROM ACCIDENT A, PARTICIPATED P, CAR
```

```
C WHERE A.REPORT_NO=P.REPORT_NO AND P.REGNO=C.REGNO AND
```

```
C.MODEL='MARUTHI-DX';
```

### **SCREENSHOTS OF THE PROGRAM:**



MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Insurance x

Limit to 1000 rows

14 • show tables;

15 • insert into PERSON(DRIVER\_ID,NAME,ADDRESS)values('1111','RAMU','K.S.LAYOUT');

16 • insert into PERSON(DRIVER\_ID,NAME,ADDRESS)values('2222','JOHN','INDIRANAGAR');

17 • insert into PERSON(DRIVER\_ID,NAME,ADDRESS)values('3333','PRIYA','JAYANAGAR');

18 • insert into PERSON(DRIVER\_ID,NAME,ADDRESS)values('4444','GOPAL','WHITEFIELD');

19 • insert into PERSON(DRIVER\_ID,NAME,ADDRESS)values('5555','LATHA','VIJAYANAGAR');

20 • COMMIT;

21 • desc PERSON;

22 • SELECT \*FROM PERSON;

23 • insert into car(regno,Model,Year)values('KA04Q2301','NARUTHI-DX','2000-10-11');

24 • insert into car(regno,Model,Year)values('KA05P1000','FORDICON','2000-09-06');

25 • insert into car(regno,Model,Year)values('KA03L1234','ZEN-VXI','1999-07-06');

26 • insert into car(regno,Model,Year)values('KA03L9999','NARUTH-DX','2002-06-05');

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Insurance x

Limit to 1000 rows

27 • insert into car(regno,Model,Year)values('KA01P4020','INDICA-VX','2002-05-04');

28 • COMMIT;

29 • desc car;

30 • SELECT \*FROM car;

31 • insert into Accident(report\_no,ADATE,Location)values('12','2002-06-02','M G ROAD');

32 • insert into Accident(report\_no,ADATE,Location)values('200','2002-12-10','DOUBLEROAD');

33 • insert into Accident(report\_no,ADATE,Location)values('300','1999-07-10','M G ROAD');

34 • insert into Accident(report\_no,ADATE,Location)values('25000','2000-06-11','RESIDENCY ROAD');

35 • insert into Accident(report\_no,ADATE,Location)values('26500','2001-08-12','RICHMOND ROAD');

36 • COMMIT;

37 • desc Accident;

38 • SELECT \*FROM Accident;

39 • insert into owns(driver\_id,regno)values('1111','KA04Q2301');

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Insurance x

Limit to 1000 rows

40 • insert into owns(driver\_id,regno)values('1111','KA05P1000');

41 • insert into owns(driver\_id,regno)values('2222','KA03L1234');

42 • insert into owns(driver\_id,regno)values('3333','KA03L9999');

43 • insert into owns(driver\_id,regno)values('4444','KA01P4020');

44 • COMMIT;

45 • desc owns;

46 • SELECT \*FROM owns;

47 • insert into PARTICIPATED(driver\_id,regno,report\_no,damage\_amt)values('1111','KA04Q2301','12','20000');




48 • insert into PARTICIPATED(driver\_id,regno,report\_no,damage\_amt)values('2222','KA03L1234','200','500');

49 • insert into PARTICIPATED(driver\_id,regno,report\_no,damage\_amt)values('3333','KA03L9999','300','10000');

50 • insert into PARTICIPATED(driver\_id,regno,report\_no,damage\_amt)values('4444','KA01P4020','25000','2375');

51 • insert into PARTICIPATED(driver\_id,regno,report\_no,damage\_amt)values('1111','KA05P1000','26500','70000');

52 • COMMIT;





## SCREENSHOTS OF OUTPUT:

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Insurance\*

Limit to 1000 rows

SCHEMAS

Filter objects

database1

- Tables
- Views
- Stored Procedures
- Functions

insurance

- Tables
- Views
- Stored Procedures
- Functions

sys

- Tables
- sys\_config
- Views
- Stored Procedures
- Functions

```
1 • create database Insurance;
2 • use Insurance;
3 • CREATE TABLE PERSON(DRIVER_ID VARCHAR(10),NAME VARCHAR(20),ADDRESS VARCHAR(15),PRIMARY KEY(DRIVER_ID));
4 • show tables;
5 • desc PERSON;
6 • SELECT *FROM PERSON;
7 • create table car(regno varchar(10),Model varchar(20),Year date,Primary key(Regno));
8 • create table Accident(report_no int,ADATE DATE,Location varchar(15),Primary key(report_no));
9 • create table owns(driver_id varchar(10),regno varchar(10),primary key(driver_id,regno),
10 • foreign key(driver id) references person(driver id) on delete cascade, foreign key(regno) references car(regno) on delete cascade);
```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Tables\_in\_insurance

- accident
- car
- owns
- participated
- person

Result Grid

Form Editor

Field

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Insurance\*

Limit to 1000 rows

SCHEMAS

Filter objects

database1

- Tables
- Views
- Stored Procedures
- Functions

insurance

- Tables
- Views
- Stored Procedures
- Functions

sys

- Tables
- sys\_config
- Views
- Stored Procedures
- Functions

```
16 • insert into PERSON(DRIVER_ID,NAME,ADDRESS)values('2222','JOHN','INDIRANAGAR');
17 • insert into PERSON(DRIVER_ID,NAME,ADDRESS)values('3333','PRIYA','JAYANAGAR');
18 • insert into PERSON(DRIVER_ID,NAME,ADDRESS)values('4444','GOPAL','WHITEFIELD');
19 • insert into PERSON(DRIVER_ID,NAME,ADDRESS)values('5555','LATHA','VIJAYANAGAR');
20 • COMMIT;
21 • desc PERSON;
22 • SELECT *FROM PERSON;
23 • insert into car(regno,Model,Year)values('KA04Q2301','HARUTHI-OX','2000-10-11');
24 • insert into car(regno,Model,Year)values('KA05P1000','FORDICON','2000-09-06');
25 • insert into car(regno,Model,Year)values('KA03L1234','ZEN-VXI','1999-07-06');
```

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

DRIVER_ID	NAME	ADDRESS
1111	RAMU	K.S.LAYOUT
2222	JOHN	INDIRANAGAR
3333	PRIYA	JAYANAGAR
4444	GOPAL	WHITEFIELD
5555	LATHA	VIJAYANAGAR
NULL	NULL	NULL

Result Grid

Form Editor

Field Types

Administration Schemas

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- database1
  - Tables
  - Views
  - Stored Procedures
  - Functions
- insurance
  - Tables
  - Views
  - Stored Procedures
  - Functions
- sys
  - Tables
  - sys\_config
  - Views
  - Stored Procedures
  - Functions

Limit to 1000 rows

```

28 • COMMIT;
29 • desc car;
30 • SELECT *FROM car;
31 • insert into Accident(report_no,ADATE,Location)values('12',' 2002-06-02',' M G ROAD');
32 • insert into Accident(report_no,ADATE,Location)values('200',' 2002-12-10',' DOUBLEROAD');
33 • insert into Accident(report_no,ADATE,Location)values('300',' 1999-07-10',' M G ROAD');
34 • insert into Accident(report_no,ADATE,Location)values('25000',' 2000-06-11',' RESIDENCY ROAD');
35 • insert into Accident(report_no,ADATE,Location)values('26500',' 2001-08-12',' RICHMOND ROAD');
36 • COMMIT;
37 • desc Accident;
  
```

Result Grid

regno	Model	Year
KA01P4020	INDICA-VX	2002-05-04
KA03L1234	ZEN-VXI	1999-07-06
KA03L9999	MARUTHI-DX	2002-06-05
KA04Q2301	MARUTHI-DX	2000-10-11
KA05P1000	FORDICON	2000-09-08
NULL	NULL	NULL

Form Editor

Field Types

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- database1
  - Tables
  - Views
  - Stored Procedures
  - Functions
- insurance
  - Tables
  - Views
  - Stored Procedures
  - Functions
- sys
  - Tables
  - sys\_config
  - Views
  - Stored Procedures
  - Functions

Limit to 1000 rows

```

37 • desc Accident;
38 • SELECT *FROM Accident;
39 • insert into owns(driver_id,regno)values('1111','KA04Q2301');
40 • insert into owns(driver_id,regno)values('1111','KA05P1000');
41 • insert into owns(driver_id,regno)values('2222','KA03L1234');
42 • insert into owns(driver_id,regno)values('3333','KA03L9999');
43 • insert into owns(driver_id,regno)values('4444','KA01P4020');
44 • COMMIT;
45 • desc owns;
46 • SELECT *FROM owns;
  
```

Result Grid

report_no	ADATE	Location
12	2002-06-02	M G ROAD
200	2002-12-10	DOUBLEROAD
300	1999-07-10	M G ROAD
25000	2000-06-11	RESIDENCY ROAD
26500	2001-08-12	RICHMOND ROAD
NULL	NULL	NULL

Form Editor

Field Types



MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

database1

Tables

Views

Stored Procedures

Functions

insurance

Tables

Views

Stored Procedures

Functions

sys

Tables

sys\_config

Views

Stored Procedures

Functions

Administration Schemas

Limit to 1000 rows

```
38 • SELECT *FROM Accident;
39 • insert into owns(driver_id,regno)values('1111', 'KA04Q2301');
40 • insert into owns(driver_id,regno)values('1111', 'KA05P1000');
41 • insert into owns(driver_id,regno)values('2222', 'KA03L1234');
42 • insert into owns(driver_id,regno)values('3333', 'KA03L9999');
43 • insert into owns(driver_id,regno)values('4444', 'KA01P4020');
44 • COMMIT;
45 • desc owns;
46 • SELECT *FROM owns;
47 • insert into PARTICIPATED(driver_id,regno,report_no,damage_amt)values('1111', 'KA04Q2301', '12', '20000');
```

Result Grid

driver_id	regno
4444	KA01P4020
2222	KA03L1234
3333	KA03L9999
1111	KA04Q2301
1111	KA05P1000
NULL	NULL

Form Editor

Field Types

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

database1

Tables

Views

Stored Procedures

Functions

insurance

Tables

Views

Stored Procedures

Functions

sys

Tables

sys\_config

Views

Stored Procedures

Functions

Administration Schemas

Limit to 1000 rows

```
46 • SELECT *FROM owns;
47 • insert into PARTICIPATED(driver_id,regno,report_no,damage_amt)values('1111', 'KA04Q2301', '12', '20000');
48 • insert into PARTICIPATED(driver_id,regno,report_no,damage_amt)values('2222', 'KA03L1234', '200', '500');
49 • insert into PARTICIPATED(driver_id,regno,report_no,damage_amt)values('3333', 'KA03L9999', '300', '10000');
50 • insert into PARTICIPATED(driver_id,regno,report_no,damage_amt)values('4444', 'KA01P4020', '25000', '2375');
51 • insert into PARTICIPATED(driver_id,regno,report_no,damage_amt)values('1111', 'KA05P1000', '26500', '70000');
52 • COMMIT;
53 • desc PARTICIPATED ;
54 • SELECT *FROM PARTICIPATED;
55
```

Result Grid

driver_id	regno	report_no	damage_amt
1111	KA04Q2301	12	20000
2222	KA03L1234	200	500
3333	KA03L9999	300	10000
4444	KA01P4020	25000	2375
1111	KA05P1000	26500	70000

Form Editor

Field Types

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

database1

- Tables
- Views
- Stored Procedures
- Functions

insurance

- Tables
- Views
- Stored Procedures
- Functions

sys

- Tables
- sys\_config
- Views
- Stored Procedures
- Functions

Limit to 1000 rows

```
50 • insert into PARTICIPATED(driver_id,regno,report_no,damage_amt)values('4444','KA01P4020','25000','2375');
51 • insert into PARTICIPATED(driver_id,regno,report_no,damage_amt)values('1111','KA05P1000','26500','70000');
52 • COMMIT;
53 • desc PARTICIPATED ;
54 • SELECT *FROM PARTICIPATED;
55 • UPDATE PARTICIPATED SET DAMAGE_AMT=25000 WHERE REPORT_NO =12 AND REGNO='KA04Q2301';
56 • COMMIT;
57 • desc PARTICIPATED ;
58 • SELECT *FROM PARTICIPATED;
```

Result Grid

driver_id	regno	report_no	damage_amt
1111	KA04Q2301	12	25000
2222	KA03L1234	200	500
3333	KA03L9999	300	10000
4444	KA01P4020	25000	2375
1111	KA05P1000	26500	70000

Result Grid

Form Editor

Field Types

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

database1

- Tables
- Views
- Stored Procedures
- Functions

insurance

- Tables
- Views
- Stored Procedures
- Functions

sys

- Tables
- sys\_config
- Views
- Stored Procedures
- Functions

Limit to 1000 rows

```
59 • UPDATE PARTICIPATED SET DAMAGE_AMT=25000 WHERE REPORT_NO =12 AND REGNO='KA04Q2301';
60 • COMMIT;
61 • desc PARTICIPATED ;
62 • SELECT *FROM PARTICIPATED;
63 /*
64 b. Add a new accident to the database
65 */
66 • insert into Accident(report_no,ADATE,Location)values('500','2005-06-02','Mysore Road');
67 • desc Accident;
68 • SELECT *FROM Accident;
```

Result Grid

report_no	ADATE	Location
12	2002-06-02	M G ROAD
200	2002-12-10	DOUBLEROAD
300	1999-07-10	M G ROAD
500	2005-06-02	Mysore Road
25000	2000-06-11	RESIDENCY ROAD
26500	2001-08-12	RICHMOND ROAD

Result Grid

Form Editor

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Insurance x

Limit to 1000 rows

66 • insert into Accident(report\_no,ADATE,Location)values('500',' 2005-06-02','Mysore Road');

67 • desc Accident;

68 • SELECT \*FROM Accident;

69

70 /\*

71 iv. Find the total number of people who owned cars that involved in accidents in 2008

72 \*/

73 • select count(\*) from Accident where year(ADATE)=2008;

74

75 /\*

76 V. Find the number of accidents in which cars belonging to a specific model were involved

Result Grid

count(*)
0

Result Grid Form Editor

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Insurance x

Limit to 1000 rows

70 /\*

71 iv. Find the total number of people who owned cars that involved in accidents in 2008

72 \*/

73 • select count(\*) from Accident where year(ADATE)=2008;

74

75 /\*

76 V. Find the number of accidents in which cars belonging to a specific model were involved

77 \*/

78 • SELECT COUNT(A.REPORT\_NO) FROM ACCIDENT A, PARTICIPATED P, CAR C

79 WHERE A.REPORT\_NO=P.REPORT\_NO AND

80 P.REGNO=C.REGNO AND C.MODEL='MARUTHI-DX';

Result Grid

COUNT(A.REPORT_NO)
1

Result Grid Form Editor