

Python – Executing Programs Through Terminal

1. Which command is commonly used to execute a Python file named program.py from the terminal?
 - A) run program.py
 - B) python program.py
 - C) execute program.py
 - D) start program.py
2. On systems where python points to Python 2 or is unavailable, which command is commonly used to run a Python 3 program?
 - A) python3 program.py
 - B) py3 program.py
 - C) run3 program.py
 - D) execute3 program.py
3. Consider the following Python file named hello.py:

```
print("Hello World")
```

What command should be used to execute it from the terminal?

- A) python hello
 - B) python hello.py
 - C) execute hello.py
 - D) run hello.py
4. What does the following command do?

```
python test.py
```

- A) Creates a Python file called test.py
 - B) Opens test.py for editing
 - C) Executes test.py using Python
 - D) Deletes test.py
5. A Python file is located at:

```
C:\Projects\ML\model.py
```

Which command can execute it from the terminal?

- A) python C:\Projects\ML\model.py
- B) run C:\Projects\ML\model.py
- C) execute C:\Projects\ML\model.py

- D) start-python C:\Projects\ML\model.py
6. What is the purpose of the cd command in a terminal?
- A) Create a directory
 - B) Delete a directory
 - C) Change the current directory
 - D) Compile Python code
7. Suppose the terminal is currently in:

C:\Users\Student

and the Python file is located in:

C:\Users\Student\Projects

Which command can be used to move into the Projects directory?

- A) cd Projects
 - B) move Projects
 - C) goto Projects.py
 - D) open Projects
8. Consider the following sequence of commands:

cd Documents

python program.py

What does the second command assume?

- A) program.py exists in the Documents directory
- B) Python is installed inside Documents
- C) Documents is a Python package
- D) program.py must be a module

9. What is the purpose of the command:

python --version

- A) Execute Python code
- B) Display the installed Python version
- C) Update Python
- D) Remove Python

10. Which command starts Python's interactive interpreter in a terminal?

- A) python
- B) python.start()

- C) start python.py
- D) interactive python

11. If the terminal displays:

```
>>>
```

what does this generally indicate?

- A) Python is waiting for interactive input
- B) Python has crashed
- C) The terminal is closed
- D) A Python file is being downloaded

12. What will happen when the following command is executed?

```
python
```

- A) A new Python file is created
- B) The Python interactive interpreter starts
- C) All Python programs are executed
- D) Python is installed automatically

13. Which command exits the Python interactive interpreter?

- A) exit()
- B) stop_python()
- C) close_python()
- D) quit_python()

14. Consider a file:

```
# calculator.py
```

```
a = 10
```

```
b = 20
```

```
print(a + b)
```

What will be displayed after executing:

```
python calculator.py
```

- A) 10
- B) 20
- C) 30
- D) 1020

15. What is the likely reason for the error:

```
python: can't open file 'program.py'
```

- A) Python cannot perform addition
- B) The file cannot be found at the specified location
- C) Python is always case-sensitive
- D) The terminal does not support Python

16. A student runs:

```
python program.py
```

and gets:

```
'python' is not recognized as an internal or external command
```

What is a likely cause?

- A) The Python interpreter is not installed or is not available in PATH
- B) The .py file is too large
- C) The program contains a loop
- D) Python does not support terminal execution

17. Which command can be used to install a Python package from the terminal?

- A) python install numpy
- B) pip install numpy
- C) install python numpy
- D) package numpy

18. Which command can execute a Python module from the terminal?

- A) python -m module_name
- B) python --module module_name
- C) run -m module_name
- D) execute module_name

19. Consider a Python program requiring a command-line argument:

```
import sys
```

```
print(sys.argv[1])
```

Which command correctly executes it with the argument Hello?

- A) python program.py
- B) python program.py Hello
- C) python Hello program.py

- D) `python --arg Hello program.py`

20. What will `sys.argv[0]` generally contain when a Python script is executed from the terminal?

- A) The first user-provided argument
- B) The Python version
- C) The script name/path
- D) The current working directory only

21. Terminal Execution Task

Create a Python file named `calculator.py` containing separate functions for:

`add()`

`subtract()`

`multiply()`

`divide()`

Then execute the program through the terminal using:

`python calculator.py`

The program should accept two numbers from the user and display the results of all four operations.

Restriction: Do not use any external Python libraries.