

Study and implement the Hierarchical Clustering for data grouping


Aim:

To study and implement Hierarchical Clustering for grouping data using Agglomerative Clustering techniques.

Procedure: Agglomerative Clustering – Single Linkage

1. Select Agglomerative Clustering with Single Linkage.
2. Enter the required data values in the given table.
3. Calculate the Euclidean distance for each pair of data points using:
$$d = \sqrt{(X_1 - X_2)^2 + (Y_1 - Y_2)^2}$$
4. Enter the calculated distance in the corresponding cell of the distance matrix.
5. Repeat the process until the complete distance matrix is obtained.
6. Click the MIN button to identify the clusters having the smallest distance.
7. Click MERGE to combine the selected clusters.
8. Recalculate the distances using the Single Linkage criterion.
9. The distance between two clusters is the minimum distance between any two points belonging to the clusters.
10. $D(C_1, C_2) = \min d(x_i, x_j)$
11. Repeat the MIN → MERGE process until only one cluster remains.
12. Click NEXT to display the dendrogram.
13. Click PLOT to plot the final dendrogram.

OBSERVATION:(Simulation)



INSTRUCTIONS

Select the clustering algorithm: Agglomerative Clustering SUBMIT

© 2025 Virtual Labs, IIT Roorkee

Fig 1: Selecting the clustering algorithm (Agglomerative Clustering)



Fig 2: Selecting the linkage type (Single Linkage)

CHOOSE COMPUTE PLOT INSTRUCTIONS

DISTANCE MATRIX						
	P1=18	P2=22	P3=25	P4=27	P5=42	P6=43
P1=18	0					
P2=22		0				
P3=25			0			
P4=27				0		
P5=42					0	
P6=43						0

CLUSTER:

FORMULA

Euclidean Distance:

$$\sqrt{(X_2 - X_1)^2}$$

Where, X_1 & X_2 are data points.

SINGLE LINKAGE

Single linkage clustering defines the distance between two clusters as the **minimum distance** between any pair of points belonging to different clusters.

How it works:

1. Each data point is initially treated as a separate cluster.
2. All pairwise distances between data points are computed.
3. The two closest points (**having minimum distance**) are identified and merged together to form a single cluster.
4. Distances between clusters are recalculated using the **single linkage** rule, where the minimum inter-point distance is considered.
5. The process is repeated until the stopping condition is satisfied or a single cluster remains.

MIN **MERGE** **RESET** **NEXT**

© 2025 Virtual Labs, IIT Roorkee

Fig 3: Initial distance matrix and formula display




Fig 4: Calculated distance matrix for all data points




Fig 5: Finding the minimum distance in the distance matrix




Fig 6: Popup confirmation after updating the distance matrix for cluster(42, 43)




Fig 7: Highlighting minimum distance between points 3 and 4




Fig 8: Popup confirmation after updating matrix for cluster (25, 27)




Fig 9: Highlighting minimum distance between point 2 and cluster (25, 27)




Fig 10: Popup confirmation after merging cluster ((25, 27), 22)




Fig 11: Highlighting minimum distance between point 1 and cluster((25, 27),22)




Fig 12: Popup confirmation after updating matrix for cluster(((25, 27), 22), 18)




Fig 13: Final distance matrix calculation before total cluster merge



Fig 14: Prompt message asking to plot the dendrogram




Fig 15: Viewing selected data points list



Fig 16: Viewing cluster distance values table




Fig 17: Viewing final merged cluster output string




Fig 18: Final plotted dendrogram showing full hierarchical cluster tree

Simulation link: <https://ml-iitr.vlabs.ac.in/exp/hierarchical-clustering/simulation.html>

Result:

Thus, Hierarchical Clustering was studied and implemented using Agglomerative Clustering - Single Linkage. The clusters were successfully formed and represented using dendrograms based clustering.