CO1_AT2_MCQ

View Only

QUESTIONS

Q1	42	1 mark
Q2	47	1 mark
Q3	14	1 mark
Q4	22	1 mark
Q5	27	1 mark
Q6	37	1 mark
Q7	17	1 mark
Q8	21	1 mark
Q9		

Q1 42

1 mark

What is the output?

```
#include <iostream> using namespace std;
int main()
{
int a = 10;
int b = a++;
cout << a << " " << b; }
```

A. 10 10

B. 11 10 ✓

C. 11 11

D. 10 11

✓ Correct — 1.00 / 1 marks

CO1_AT2_MCQ

View Only

← Back

Q2 47

1 mark

What is the output?

```
#include <iostream> using namespace std;
int main() {
int i;
for(i=1; i<=5; i++);
cout << i;
return 0;
}
```

A. 5

B. 6 ✓

C. 1

D. Error

✓ Correct — 1.00 / 1 marks

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

Q1
1 mark

Q2
1 mark

Q3
14
1 mark

Q4
1 mark

Q5
1 mark

Q6
1 mark

Q7
1 mark

Q8
1 mark

Q9

Q3 **14**

1 mark

Which is a character constant?

A. A

B. 'A' ✓

C. "A"

D. char

✓ Correct — 1.00 / 1 marks

CO1_AT2_MCQ

View Only

QUESTIONS

Q1

Q2

Q3

Q4

Q5

Q6

Q7

Q8

Q9

Q4 22

User-defined data type example:

A. int

B. float

C. class ✓

D. char

✓ Correct — 1.00 / 1 marks

CO1 AT2 MCQ

View Only

← Back

QUESTIONS

Q1

Q2

Q3

Q4

Q5

Q6

Q7

Q8

Q9

Q5 27

1 mark

Bitwise AND operator:

A. &&

B. & ✓

C. ||

D. |

✓ Correct — 1.00 / 1 marks

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

Q1
42
1 mark

Q2
47
1 mark

Q3
14
1 mark

Q4
22
1 mark

Q5
27
1 mark

Q6
37
1 mark

Q7
7
1 mark

Q8
21
1 mark

Q9
1 mark

Q6 37

1 mark

What is the output?

```
#include <iostream> using namespace std;
int main()
{
cout << (5>3);
}
```

A. True

B. False

C. 1 ✓

✓ Correct — 1.00 / 1 marks

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

- Q1 — 42 — 1 mark
- Q2 — 47 — 1 mark
- Q3 — 14 — 1 mark
- Q4 — 1 mark
- Q5 — 1 mark
- Q6 — 1 mark
- Q7 — 1 mark
- Q8 — 1 mark
- Q9

Q7 **17**

1 mark

Size of bool is typically:

A. 1 byte ✓

B. 2 bytes

C. 4 bytes

D. 8 bytes

✓ Correct — 1.00 / 1 marks

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

Q1
42
1 mark

Q2
47
1 mark

Q3
14
1 mark

Q4
22
1 mark

Q5
1 mark

Q6
1 mark

Q7
1 mark

Q8

Q9

Q8 21

1 mark

Which type provides highest precision?

A. float

B. int

C. double ✓

D. char

✓ Correct — 1.00 / 1 marks

SIMATS ENGINEERING

Secure Exit

SIMATS Online Programming Lab

C++ PROGRAMMING

N K Jayasurya
19242601720

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

Q1
1 mark

Q2
1 mark

Q3
1 mark

Q4
1 mark

Q5
1 mark

Q6
1 mark

Q7
1 mark

Q8
1 mark

Q9

Q9 2

1 mark

Which OOP concept binds data and methods together?

A. Inheritance

B. Encapsulation ✓

C. Polymorphism

D. Overloading

✓ Correct — 1.00 / 1 marks

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

- Q1 — 42 — 1 mark
- Q2 — 47 — 1 mark
- Q3 — 14 — 1 mark
- Q4 — 1 mark
- Q5 — 1 mark
- Q6 — 1 mark
- Q7
- Q8
- Q9

Q10 48

1 mark

What is the output? #include <iostream> using namespace std;

```
int main() {
int i = 5;
do {
cout << i << " "; i--;
} while(i > 5);
}
```

A. No Output

B. 5 ✓

C. Infinite Loop D) Error

✓ Correct — 1.00 / 1 marks

SIMATS ENGINEERING

Secure Exit

SIMATS Online Programming Lab

C++ PROGRAMMING

N K Jayasurya
1924260172D

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

Q1
1 mark

Q2
1 mark

Q3
1 mark

Q4
1 mark

Q5
1 mark

Q6
1 mark

Q7
1 mark

Q8
1 mark

Q9

Q11 35

1 mark

What is the output?

```
#include <iostream> using namespace std;
int main()
{
int x = 10;
cout << x++;
return 0;
}
```

A. 10 ✓

B. 11

C. Error

D. Garbage Value

✓ Correct 1.00 / 1 marks

SIMATS ENGINEERING

Secure Exit

SIMATS Online Programming Lab

C++ PROGRAMMING

N K Jayasurya
1924260172D

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

Q1

1 mark

Q2

1 mark

Q3

1 mark

Q4

1 mark

Q5

1 mark

Q6

1 mark

Q7

1 mark

Q8

1 mark

Q9

Q12 1

1 mark

Which feature of OOP allows the same function name to perform different tasks?

A. Encapsulation

B. Inheritance

C. Polymorphism ✓

D. Abstraction

✓ Correct — 1.00 / 1 marks

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

Q1
42
1 mark

Q2
47
1 mark

Q3
14
1 mark

Q4
22
1 mark

Q5
27
1 mark

Q6
37
1 mark

Q7
17
1 mark

Q8
1 mark

Q9

Q13 9

1 mark

Which language supports both procedural and OOP paradigms?

A. Smalltalk

B. Java

C. C++ ✓

D. Ruby

✓ Correct — 1.00 / 1 marks

SIMATS ENGINEERING

Secure Exit

SIMATS Online Programming Lab

C++ PROGRAMMING

N K Jayasurya
19242601720

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

Q1
1 mark

Q2
1 mark

Q3
1 mark

Q4
1 mark

Q5
1 mark

Q6
1 mark

Q7
1 mark

Q8
1 mark

Q9

Q14 16

1 mark

Which data type stores decimal values?

A. int

B. char

C. float ✓

D. bool

✓ Correct — 1.00 / 1 marks

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

Q1
42
1 mark

Q2
47
1 mark

Q3
14
1 mark

Q4
22
1 mark

Q5
27
1 mark

Q6
37
1 mark

Q7
17
1 mark

Q8
21
1 mark

Q9

Q15 8

1 mark

Which access specifier makes members accessible only within the class?

A. Public

B. Protected

C. Private ✓

D. Friend

✓ Correct — 1.00 / 1 marks

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

Q1
1 mark

Q2
1 mark

Q3
1 mark

Q4
1 mark

Q5
1 mark

Q6
1 mark

Q7
1 mark

Q8
1 mark

Q9
1 mark

Q16 31

1 mark

Which loop is entry controlled?

A. while

B. for

C. Both A and B ✓

D. do-while

✓ Correct — 1.00 / 1 marks

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

Q1 42 1 mark
Q2 47 1 mark
Q3 14 1 mark
Q4 22 1 mark
Q5 1 mark
Q6 1 mark
Q7 1 mark
Q8 1 mark
Q9

Q17 32

1 mark

Which is exit-controlled?

A. while

B. for

C. do-while ✓

D. switch

✓ Correct — 1.00 / 1 marks

CO1_AT2_MCQ
View Only

← Back

QUESTIONS

Q1
1 mark

Q2
1 mark

Q3
1 mark

Q4
1 mark

Q5
1 mark

Q6
1 mark

Q7
1 mark

Q8
1 mark

Q9

Q18 26

1 mark

Explicit conversion is also known as:

A. Promotion

B. Casting ✓

C. Binding

D. Parsing

✓ Correct — 1.00 / 1 marks

SIMATS ENGINEERING

Secure Exit

SIMATS Online Programming Lab

C++ PROGRAMMING

N K Jayasurya
1924260172D

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

- Q1 — 42 — 1 mark
- Q2 — 47 — 1 mark
- Q3 — 14 — 1 mark
- Q4 — 22 — 1 mark
- Q5 — 1 mark
- Q6 — 1 mark
- Q7 — 1 mark
- Q8 — 1 mark
- Q9 — 1 mark

Q19 **39**

1 mark

What is the output?

```
#include <iostream> using namespace std;
int main()
{
cout<<(10/3);
}
```

A. 3.33

B. 3 ✓

C. 4

D. Error

✓ Correct — 1.00 / 1 marks

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

Q1
42
1 mark

Q2
47
1 mark

Q3
14
1 mark

Q4
22
1 mark

Q5
27
1 mark

Q6
37
1 mark

Q7
17
1 mark

Q8
21
1 mark

Q9

Q20 **18**

1 mark

Which data type stores a single character?

A. string

B. char ✓

C. text

D. symbol

✓ Correct — 1.00 / 1 marks

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

Q1
42
1 mark

Q2
47
1 mark

Q3
14
1 mark

Q4
22
1 mark

Q5
27
1 mark

Q6
1 mark

Q7
1 mark

Q8
1 mark

Q9

Q21 25

1 mark

Which conversion may lose data?

A. int → double B) float → double C) double → int D) short → int ✕

✕ Incorrect — 0.00 / 1 marks

CO1_AT2_MCQ
View Only

← Back

QUESTIONS

Q1
42
1 mark

Q2
47
1 mark

Q3
14
1 mark

Q4
22
1 mark

Q5
27
1 mark

Q6
37
1 mark

Q7

Q8

Q9

Q22 29

1 mark

Which loop guarantees at least one execution?

A. for

B. while

C. do-while ✓

D. none

✓ Correct — 1.00 / 1 marks

SIMATS ENGINEERING

Secure Exit

SIMATS Online Programming Lab

C++ PROGRAMMING

N K Jayasurya
1924260172D

CO1_AT2_MCQ

View Only

Back

QUESTIONS

Q1
1 mark

Q2
1 mark

Q3
1 mark

Q4
1 mark

Q5
1 mark

Q6
1 mark

Q7
1 mark

Q8

Q9

Q23 30

1 mark

Which statement is used for multi-way selection?

A. if

B. switch ✓

C. for

D. while

✓ Correct — 1.00 / 1 marks

SIMATS ENGINEERING

Secure Exit

SIMATS Online Programming Lab

C++ PROGRAMMING

N K Jayasurya
192426017 2D

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

Q1
1 mark

Q2
1 mark

Q3
14
1 mark

Q4
1 mark

Q5
1 mark

Q6
1 mark

Q7
1 mark

Q8
1 mark

Q9

Q24 15

1 mark

Which is a string literal?

A. 'ABC'

B. "ABC" ✓

C. ABC

D. string

✓ Correct — 1.00 / 1 marks

SIMATS ENGINEERING

C++ PROGRA...

← Back

CO1_AT2_MCQ

View Only

1 mark

QUESTIONS

Q1

1 mark

Q2

1 mark

Q3

1 mark

Q4

1 mark

Q5

1 mark

Q6

1 mark

Q7

1 mark

Q8

1 mark

Q9

1 mark

Q25 19

Which has the largest range?

A. int

B. short

C. long long ✓

D. char

✓ Correct — 1.00 / 1 marks

SIMATS ENGINEERING

Secure Exit

SIMATS Online Programming Lab

C++ PROGRAMMING

N K Jayasurya
1924260172D

CO1 AT2 MCQ

View Only

← Back

QUESTIONS

Q1

Q2

Q3

Q4

Q5

Q6

Q7

Q8

Q9

Q26 23

1 mark

Assigning int to double causes:

A. Error

B. Narrowing

C. Widening ✓

D. Overflow ✗

✗ Incorrect — 0.00 / 1 marks

SIMATS ENGINEERING

Secure Exit

SIMATS Online Programming Lab

C++ PROGRAMMING

N K Jayasurya
1924260172D

CO1 AT2_MCQ

View Only

Back

QUESTIONS

Q1
Q2
Q3
Q4
Q5
Q6
Q7
Q8
Q9

Q27 43

1 mark

What is the output?

```
#include <iostream> using namespace std;
int main()
{
int x = 5;
cout << (x > 3 ? x+2 : x-2); }
```

A. 3

B. 5

C. 7 ✓

D. 2

✓ Correct — 1.00 / 1 marks

CO1 AT2 MCQ

View Only

QUESTIONS

Q1

Q2

Q3

Q4

Q5

Q6

Q7

Q8

Q9

Q28 10

1 mark

GUI applications are commonly developed using

A. OOP ✓

B. Assembly

C. Machine Language

D. Macro Processing

✓ Correct — 1.00 / 1 marks

SIMATS ENGINEERING

Secure Exit

SIMATS Online Programming Lab

C++ PROGRAMMING

N K Jayasurya

CO1 AT2 MCQ

View Only

QUESTIONS

Q1

Q2

Q3

Q4

Q5

Q6

Q7

Q8

Q9

Q29 6

An object is:

A. Blueprint of a class ✗

B. Instance of a class ✓

C. Function inside class

D. Variable

✗ Incorrect 0.00 / 1 marks

CO1 AT2 MCQ

View Only

QUESTIONS

Q1
Q2
Q3
Q4
Q5
Q6
Q7
Q8
Q9

Q30 45

1 mark

What is the output?

```
#include <iostream> using namespace std;
int main()
{
int x = 0;
cout << !x;
}
```

B. 1 ✓

C. True

D. Error ✕

✕ Incorrect — 0.00 / 1 marks

CO1 AT2 MCQ

View Only

← Back

QUESTIONS

Q1
Q2
Q3
Q4
Q5
Q6
Q7
Q8
Q9

Q31 40

1 mark

What is the output?

```
#include <iostream> using namespace std;
int main()
{
for(int i=1;i<=5;i++)
{
if(i==3)
break;
cout<<i;
}
}
```

A. 12345

B. 12 ✓

C. 345

D. 15

CO1 AT2 MCQ

View Only

← Back

QUESTIONS

Q1

Q2

Q3

Q4

Q5

Q6

Q7

Q8

Q9

Q32 3

1 mark

Hiding implementation details from users is called

A. Inheritance

B. Encapsulation ✕

C. Abstraction ✓

D. Polymorphism

✕ Incorrect 0.00 / 1 marks

SIMATS ENGINEERING

Secure Exit

SIMATS Online Programming Lab

C++ PROGRAMMING

N K Jayasurya
19242601720

CO1 AT2 MCQ

View Only

← Back

QUESTIONS

Q1

Q2

Q3

Q4

Q5

Q6

Q7

Q8

Q9

Q33 13

1 mark

Which is an integer constant?

A. 45 ✓

B. 4.5

C. 'A

D. "45"

✓ Correct — 1.00 / 1 marks

SIMATS ENGINEERING

Secure Exit

SIMATS Online Programming Lab

C++ PROGRAMMING

N K Jayasurya
1924260172D

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

Q1

Q2

Q3

Q4

Q5

Q6

Q7

Q8

Q9

Q34 49

1 mark

How many times will the loop execute? for(int i=0; i<10; i+=2)
cout << i;

A. 4

B. 5 ✓

C. 6 ✗

D. 10

✗ Incorrect — 0.00 / 1 marks

CO1_AT2 MCQ

View Only

← Back

QUESTIONS

Q1

Q2

Q3

Q4

Q5

Q6

Q7

Q8

Q9

Q34 49

1 mark

How many times will the loop execute? for(int i=0; i<10; i+=2)
cout < < i;

A. 4

B. 5 ✓

C. 6 ✕

D. 10

✕ Incorrect — 0.00 / 1 marks

View Only

QUESTIONS

Q1

Q2

Q3

Q4

Q5

Q6

Q7

Q8

Q9

Q35 5

1 mark

Runtime polymorphism is achieved through

A. Function Overloading ✕

B. Operator Overloading

C. Virtual Functions ✓

D. Templates

✕ Incorrect — 0.00 / 1 marks

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

Q1
42
1 mark

Q2
47
1 mark

Q3
14
1 mark

Q4
22
1 mark

Q5
27
1 mark

Q6
37
1 mark

Q7
17
1 mark

Q8
21
1 mark

Q9

Q37 **41**

1 mark

What is the output?

#include <iostream> using namespace std;
int main()
{
for(int i=1;i<=5;i++)
{
if(i==3)
continue;
cout<<i;
}
}

A. 12345

B. 1245 ✓

C. 345

D. 12

✓ Correct — 1.00 / 1 marks

CO1_AT2_MCQ

View Only

QUESTIONS

Q1
42
1 mark

Q2
41
1 mark

Q3
14
1 mark

Q4
22
1 mark

Q5
1 mark

Q6
1 mark

Q7
1 mark

Q8
1 mark

Q9

Q38 7

A class is:

A. Data Type

B. User-defined blueprint ✓

C. Object instance

D. Keyword

✓ Correct — 1.00 / 1 marks

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

Q1
42
1 mark

Q2
47
1 mark

Q3
14
1 mark

Q4
22
1 mark

Q5
27
1 mark

Q6
37
1 mark

Q7
17
1 mark

Q8
21
1 mark

Q9

Q39 28

1 mark

Which statement is a selection control structure?

A. for

B. while

C. if ✓

D. do-while

✓ Correct — 1.00 / 1 marks

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

Q1
42
1 mark

Q2
47
1 mark

Q3
14
1 mark

Q4
22
1 mark

Q5
27
1 mark

Q6
37
1 mark

Q7

Q8

Q9

Q40 33

1 mark

Infinite loop example:

A. while(0)

B. while(1) ✓

C. for(i=0;i<0;i++)

D. if(1)

✓ Correct — 1.00 / 1 marks

SIMATS ENGINEERING

Secure Exit

SIMATS Online Programming Lab

C++ PROGRAMMING

CO1_AT2_MCQ

View Only

QUESTIONS

Q1

Q2

Q3

Q4

Q5

Q6

Q7

Q8

Q9

Q41 34

Default case in switch is:

A. Mandatory ✗

B. Optional ✓

C. Illegal

D. First case only

✗ Incorrect — 0.00 / 1 marks

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

Q1
42
1 mark

Q2
47
1 mark

Q3
14
1 mark

Q4
22
1 mark

Q5
27
1 mark

Q6
27
1 mark

Q7

Q8

Q9

Q42 4

1 mark

Which OOP principle promotes code reusability?

A. Abstraction

B. Inheritance ✓

C. Encapsulation ✕

D. Binding

✕ Incorrect — 0.00 / 1 marks

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

Q1
42
1 mark

Q2
47
1 mark

Q3
14
1 mark

Q4
22
1 mark

Q5
27
1 mark

Q6
37
1 mark

Q7
17
1 mark

Q8
23
1 mark

Q9

Q43 44

1 mark

What is the output?

```
#include <iostream> using namespace std;
int main()
{
char ch = 'A';
cout << int(ch);
}
```

A. A

B. 64 ✕

C. 65 ✓

D. 66

✕ Incorrect — 0.00 / 1 marks

CO1_AT2_MCQ
View Only

← Back

QUESTIONS

Q1 42 1 mark
Q2 47 1 mark
Q3 14 1 mark
Q4 22 1 mark
Q5 1 mark
Q6 1 mark
Q7 1 mark
Q8 1 mark
Q9

Q44 38

1 mark

What is the output?

```
#include <iostream> using namespace std;
int main()
{
int x=5;
cout<<x--<<" "<<x;
}
```

A. 5 4 ✓

B. 4 4

C. 5 5

D. 4 5

✓ Correct — 1.00 / 1 marks

CO1_AT2_MCQ

View Only

← Back

Q45 **50**

1 mark

What is the output?

```
for(int i=0,j=10; i<j; i++,j--)
cout << i << j;
```

A. 9182736 ✓

B. 1019283746

C. 01019283746 55 ✕

D. Error

✕ Incorrect — 0.00 / 1 marks

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

Q1
42
1 mark

Q2
47
1 mark

Q3
14
1 mark

Q4
22
1 mark

Q5
27
1 mark

Q6
37
1 mark

Q7
17
1 mark

Q8
1 mark

Q9
1 mark

Q46 20

1 mark

Which type occupies the least memory?

A. char ✓

B. int ✗

C. float

D. double

✗ Incorrect — 0.00 / 1 marks

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

Q1
42
1 mark

Q2
47
1 mark

Q3
14
1 mark

Q4
22
1 mark

Q5
27
1 mark

Q6
37
1 mark

Q7
1 mark

Q8
1 mark

Q9
1 mark

Q47 36

1 mark

What is the output?

```
#include <iostream> using namespace std;
int main()
{
int i=1;
while(i<=3)
{
cout<<i;
i++;
}
}
```

A. 321

B. 123 ✓

C. 12

D. Error ✗

✗ Incorrect - 0.00 / 1 marks

CO1_AT2_MCQ

View Only

QUESTIONS

Q1
1 mark

Q2
1 mark

Q3
1 mark

Q4
1 mark

Q5
1 mark

Q6
1 mark

Q7
1 mark

Q8

Q9

Q48 11

Smallest individual unit in a program is:

A. Token ✓

B. Statement

C. Expression

D. Block

✓ Correct — 1.00 / 1 marks

SIMATS ENGINEERING

Secure Exit

SIMATS Online Programming Lab

C++ PROGRAMMING

N K Jayasurya
1924260172D

CO1_AT2_MCQ

View Only

← Back

QUESTIONS

Q1
42
1 mark

Q2
47
1 mark

Q3
14
1 mark

Q4
22
1 mark

Q5
27
1 mark

Q6
37
1 mark

Q7
1 mark

Q8
1 mark

Q9

Q49 12

1 mark

Which is a valid identifier?

A. 2value

B. total_marks ✓

C. float

D. @sum

✓ Correct — 1.00 / 1 marks

CO1_AT2_MCQ

View Only

← Back

Q50 24

1 mark

Implicit conversion is performed by:

A. User

B. Compiler ✓

C. OS

D. Linker

✓ Correct — 1.00 / 1 marks