

SLOT: B

REGNO.192512417

Scenario 1

1. Explain how WHOIS can be used during footprinting.

WHOIS is used during footprinting to collect publicly available information about a target organization's domain. It provides details such as:

- Domain owner or registrar information
- Domain registration and expiration dates
- Name servers
- Administrative and technical contact details (if publicly available)
- Domain status and registrar

This information helps security analysts understand the organization's internet presence and identify potential assets for further investigation.

2. What information can Recon-ng gather about a target organization?

Recon-ng can collect various types of open-source intelligence (OSINT), including:

- Domain and subdomain information
- IP addresses and network ranges
- Email addresses
- Employee names and social media profiles
- DNS records
- WHOIS information
- Hostnames and web technologies
- Publicly available documents and metadata

3. Why is passive information gathering preferred before active scanning?

Passive information gathering is preferred because it:

- Does not directly interact with the target system.
- Minimizes the risk of detection.

- Avoids disrupting business operations.
- Provides valuable intelligence before performing active testing.
- Helps plan more focused and efficient security assessments.

Scenario 2

1. How does BuiltWith help in competitive intelligence?

BuiltWith identifies the technologies used by websites, including:

- Web servers
- Content Management Systems (CMS)
- Programming frameworks
- Analytics tools
- Security technologies
- Hosting providers
- E-commerce platforms

This helps organizations understand competitors' technology choices and improve their own security and infrastructure planning.

2. What type of information can SimilarWeb provide?

SimilarWeb provides:

- Website traffic estimates
- Visitor demographics
- Traffic sources (search, social, referrals, direct)
- User engagement metrics
- Geographic distribution of visitors
- Competitor comparisons
- Audience interests

3. How can competitive intelligence improve cybersecurity planning?

Competitive intelligence helps organizations:

- Identify industry-standard security technologies.
- Understand emerging threats and trends.

- Benchmark security practices against competitors.
- Select secure hosting and cloud platforms.
- Improve risk management and incident preparedness.

Scenario 3

1. What is DNS enumeration?

DNS enumeration is the process of collecting DNS information about a target domain to identify hosts, services, and network infrastructure. It helps discover publicly available DNS records that reveal system details.

2. Which DNS records are commonly collected during reconnaissance?

Common DNS records include:

- A (IPv4 address)
- AAAA (IPv6 address)
- MX (Mail Exchange)
- NS (Name Server)
- CNAME (Canonical Name)
- TXT (Text records)
- SOA (Start of Authority)
- PTR (Pointer records)

3. How can exposed DNS information create security risks?

Exposed DNS information can:

- Reveal internal and external systems.
- Identify mail servers and web servers.
- Help attackers discover subdomains.
- Assist in phishing and social engineering.
- Enable attackers to plan targeted attacks.

Scenario 4

1. What is search engine footprinting?

Search engine footprinting is the process of using search engines and advanced search operators to locate publicly available information about an organization, including files, directories, web pages, and system information.

2. How do search operators help locate sensitive information?

Advanced search operators help narrow search results. Examples include:

- `site:` searches a specific website.
- `filetype:` finds specific file formats (PDF, DOCX, XLS).
- `intitle:` searches page titles.
- `inurl:` searches URLs containing specific words.
- `cache:` displays cached versions of web pages.

These operators help identify accidentally exposed documents and sensitive information.

3. What steps should organizations take to protect confidential files?

Organizations should:

- Restrict public access to sensitive documents.
- Configure web servers correctly.
- Disable directory listing.
- Use authentication for confidential resources.
- Regularly audit publicly accessible files.
- Remove unnecessary documents from public websites.
- Monitor search engine indexing and use robots.txt where appropriate.

Scenario 5

1. What is a DNS zone transfer?

A DNS zone transfer is the process of copying DNS database information from a primary DNS server to a secondary DNS server to keep DNS records synchronized.

2. Why is unrestricted zone transfer considered a security risk?

Unrestricted zone transfers allow unauthorized users to obtain the complete DNS zone database, including:

- Internal and external hostnames
- Subdomains

- Mail servers
- Network structure

This information can help attackers map the organization's infrastructure and identify potential attack targets.

3. How can organizations prevent unauthorized zone transfers?

Organizations should:

- Allow zone transfers only to authorized secondary DNS servers.
- Restrict transfers using Access Control Lists (ACLs).
- Use TSIG (Transaction Signature) authentication.
- Disable zone transfers when they are not required.
- Regularly audit DNS server configurations.
- Monitor DNS logs for unauthorized transfer attempts.