| | |
|---|---|
| **Status** | Finished |
| **Started** | Monday, 19 October 2026, 5:27 PM |
| **Completed** | Monday, 19 October 2026, 5:34 PM |
| **Duration** | 6 mins 21 secs |
| **Grade** | **14.00** out of 15.00 (**93.33**%) |

Question **1**

Incorrect

Mark 0.00 out of 1.00

All elements in dictionary are separated by _____.

- a. Comma( ,)
- b. Semicolon(;)
- c. dot(.) ✗
- d. Colon (

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following are true of Python dictionaries:

a) All the keys in a dictionary must be of the same type.

b) Items are accessed by their position in a dictionary.

c) A dictionary can contain any object type except another dictionary.

d) Dictionaries can be nested to any depth.

e) Dictionaries are mutable.

f) Dictionaries are accessed by key.

- a. d,e,f ✓
- b. c,d,e
- c. a,b
- d. b,c

Question **3**

Correct

Mark 1.00 out of 1.00

Both keys and values are unique in dictionary.

- a. True
- b. False ✓

Question **4**

Correct

Mark 1.00 out of 1.00

Which statement is used to create an empty dictionary?

a. d1 = [ ]

b. d1 = { } ✓

c. d1 =

d. d1 = dict{ }

Question **5**

Correct

Mark 1.00 out of 1.00

What will be the Output of the following code?

```
dl={1:10, 2:20, 3:30, 4:40}
d2={5:50, 6:60, 7:70}
dl.update (d2)
print (dl)
```

a. {1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70} ✓

b. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)]

c. {1:10, 2: 20, 4: 40, 5: 50, 6: 60, 7: 70}

d. [1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70]

Question **6**

Correct

Mark 1.00 out of 1.00

The key-value pair in dictionary is called _____.

a. paired value

b. pair item

c. item ✓

d. value

Question **7**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

- a. A dictionary can have two same values with different keys. ✓
- b. A dictionary can have two same keys or same values but cannot have two same key-value pair
- c. A python, a dictionary can neither have two same keys nor two same values.
- d. A dictionary can have two same keys with different values.

Question **8**

Correct

Mark 1.00 out of 1.00

Key – value concept is in _____.

- a. List
- b. Tuple
- c. String
- d. Dictionary ✓

Question **9**

Correct

Mark 1.00 out of 1.00

1,2,3 are the _____ in the following dictionary. D = {1 : "One", 2 : "Two", 3 : "Three"}

- a. Items
- b. Keys ✓
- c. None of the mentioned
- d. Values

Question **10**

Correct

Mark 1.00 out of 1.00

Which function/statement delete the dictionary from the memory?

- a. clear
- b. pop
- c. delete
- d. del ✓

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following are immutable data type? A. String B. Tuple C. List D. Dictionary

a. a and b ✓
b. b and d
c. a and c
d. c and d

Question **12**

Correct

Mark 1.00 out of 1.00

What does the following code print?

```
names = {'Janice': 5, 'Emily': 3, 'John': 7, 'Eleanor': 2}
list_o_names = []
names['Emily'] += 10
names['Erik'] = 22

for name in names:
    if names[name] > 5:
        list_o_names.append(name)
print(list_o_names)
```

a. ['Janice', 'John', 'Erik']
b. ['Emily', 'John', 'Erik'] ✓
c. ['Janice', 'Emily', 'John', 'Eleanor']
d. ['Janice', 'Emily', 'John']

Question **13**

Correct

Mark 1.00 out of 1.00

Dictionary is a _____ data type.

a. Ordered
b. Mapping ✓
c. None of the mentioned
d. Sequence

Question **14**

Correct

Mark 1.00 out of 1.00

Write a statement to retrieve the value corresponding to the key 7 in dictionary 'D1'.

a. D1.values(7)
b. D1.get(7) ✓
c. D1.disp(7)
d. D1.pop(7)

Question **15**

Correct

Mark 1.00 out of 1.00

____ function returns the value corresponding to the key passed as the argument.

a. del
b. get ✓
c. update
d. values