

OASIS®

PRODUCT
PORTFOLIO
OUTDOOR LIGHTING

2025

COMPANY

HISTORY AND ORIGINS

OASIS is a pioneer and a thought leader in the Indian lighting Industry with over 30 years of experience providing comprehensive lighting solutions. Our carefully curated, extensive range of products enable us to serve client needs from various industries and verticals locally, nationally and globally. We strive to craft not only quality products but also beautiful spaces that elevate human life.

We are committed to crafting high quality luminaires that are efficient and effective. All of our luminaires are built from high-quality materials and reliable parts. Each product goes through a rigorous Quality Control process to ensure they meet our performance and quality standards. Service and Integrity are a core part of our corporate values.



SERVICES

MANUFACTURING AND ENGINEERING

Our Expertise In Lighting, Experience In Industry And Enhanced Engineering Capabilities Allow Us To Serve Our Clients In Several Ways



LUMINAIRE CONSULTATION

Consult Us For All Your Technical Questions Or Concerns And To Discover Cleanroom Lighting Best Practices For Your Projects



LIGHT DESIGN

Comprehensive Lighting Design Reports, Lighting Distribution CAD Layouts, Optimized Capex And Opex Considerations



CUSTOMIZED FABRICATION

We Can Engineer, Design And Manufacture Custom Luminaires To Fit Your Technical Needs

QUALITY CONTROL

Oasis is committed to producing high-quality, long lasting lighting products. Every fixture is crafted to withstand diverse outdoor conditions and tested to ensure high performance.



Ingress Protection
Testing



Mechanical Testing



Electrical Testing



Photometric
Testing



Performance
Testing



Endurance Thermal
Testing

STANDARDS & CERTIFICATIONS

Oasis follows manufacturing best-practices and believes in continual improvement. We are certified in leading world standards for manufacturing.



ISO



MSME



BIS



CE

LIGHT DESIGN

TECHNICAL PLANNING

Analyze project requirements and needs based on following considerations:

- Luminaire Environment
- Need for Ingress and Impact Protection
- Ease of installation and maintenance
- Energy efficiency and Sustainability

PHOTOMETRIC CALCULATIONS


Comprehensive lighting design and distribution layout:

- Lux levels optimization
- Glare control
- Lighting uniformity
- International standards compliant
- Lighting calculation heatmaps

3D VISUALIZATION

Lighting Design results are presented in the form of realistic 3D models to aid visualization:

- High quality 3D renders
- Realistic outdoor and indoor illumination visualization
- Fixture separation and Lighting layouts



BEAMS AND OPTICS


TYPE 1 LIGHT DISTRIBUTION

Narrow, elongated beam

The light is distributed symmetrically along the roadway or pathway.

Coverage

It covers a width approximately equal to the mounting height of the luminaire, providing even illumination along the path.




TYPE 2 LIGHT DISTRIBUTION

Wider beam spread

The light is distributed in a more elongated pattern, providing a broader beam spread across the width of the area being lit.

Coverage

It covers an area with a width about 1.75 times the mounting height of the luminaire. This wider pattern makes it effective for LIGHT streets, alleys, and wide walkways..




TYPE 3 LIGHT DISTRIBUTION

Wide, lateral beam spread

The light is cast outward in a broad, fan-shaped pattern that distributes the light more laterally. It is designed to project the light forward and to the sides.

Coverage

It covers an area about 2.75 times the mounting height of the fixture. This makes it ideal for wide roadways and areas requiring significant lateral illumination.



BEAMS AND OPTICS


TYPE 4 LIGHT DISTRIBUTION

Forward throw

The light is primarily cast forward and to the sides, with a narrower lateral spread than Type 3 but a longer reach. It creates an asymmetrical light pattern that extends farther forward.

Coverage

Type 4 covers an area approximately 3.7 times the mounting height of the fixture, with light being projected outward in a forward direction, making it perfect for the edges of wide roadways or large outdoor spaces.




TYPE 5 LIGHT DISTRIBUTION

Symmetrical, circular pattern

The light is cast uniformly in a 360-degree distribution, providing equal illumination around the fixture without any bias in one direction.

Coverage

The light is projected outward in all directions, typically covering an area that is about 5.5 times the mounting height of the fixture.



OUR CLIENT

Rustomjee

Mahindra
LIFESPACES



Godrej PROPERTIES

SAHARA STAR
A Step Ahead

Sunteck

raymond | REALTY
Go Beyond

PEPSICO

Reliance
Industries Limited

LODHA

TATA

PARLE

Godrej PROPERTIES

OBEROI
REALTY

Shapoorji Pallonji

KALPA-TARU

THE PENINSULA
GROUP

RAHEJA
UNIVERSAL

Hiranandani
Creating better communities

The Wadhwa Group

KANAKIA
Prestigious Lifestyle

GLOBAL PRESENCE



OASIS®

BOLLARDS



ARKO
PAGE 22



HALO
PAGE 23



CAPRI T
PAGE 24



CAPRI S
PAGE 25



NOVA
PAGE 26



BASTION
PAGE 27



CYCLOPS
PAGE 28



TROOPER
PAGE 29



SENTI
PAGE 30



POLLY
PAGE 31



SPIRO 90
PAGE 32

OASIS®

BOLLARDS



VANGUARD DUO
PAGE 33



VANGUARD
PAGE 34



BISHOP
PAGE 35



BAMBOO
PAGE 36



ORBY
PAGE 37



ORTHO 120
PAGE 38



EVOQUE
PAGE 39



SETTE
PAGE 40



ORTHO 90
PAGE 41



MOUND
PAGE 42



FLAMINGO
PAGE 53




ORTHO 60
PAGE 54



ORION
PAGE 45



AXIS
PAGE 46



VESPER
PAGE 47



SPIRO
PAGE 48

OASIS®

SURFACE MOUNTED WALL LIGHTS



CAIRO
PAGE 50




QUAD
PAGE 51



OMNIDOME
PAGE 52



2DX
PAGE 53



SLOT
PAGE 54



DELTA
PAGE 55



NIX
PAGE 56



PENCIL
PAGE 57



BOXBY 2WB
PAGE 58



BOXBY 1WB
PAGE 59



EROS 2WB
PAGE 60



EROS 1WB
PAGE 61

RECESSED MOUNTED WALL LIGHTS



WXR WW
PAGE 63



WXS WW
PAGE 64

OASIS®

CEILING MOUNTED LIGHTS



SKYPILLAR
PAGE 66



SKYBOX
PAGE 67




SKYDISC
PAGE 68

RECESSED CEILING LIGHTS



SIGMA
PAGE 69

LINEAR FLEX LIGHTS



FLEXI-TLLWW
PAGE 71



FLEXI-SLLWW
PAGE 72

OASIS®

IN-GROUND LIGHTS



IGS1
PAGE 74



IGS9
PAGE 75



IGS WW9
PAGE 76



IGC WW12
PAGE 77



IGL50
PAGE 78

DRIVE OVER LIGHTS



OVD1
PAGE 79



OVD2
PAGE 79



OVD4
PAGE 79

UNDERWATER LIGHTS



UW-SWMN
PAGE 81



UW-FLN
PAGE 82



UW-SSLN
PAGE 83



UW-RLN
PAGE 84

UW-RLN
PAGE 85

OASIS®

PLANTER SPOTLIGHTS



IRIS
PAGE 87



PIKE
PAGE 88



OWL1
PAGE 89



OWL3
PAGE 89



PIX
PAGE 90



PIX
PAGE 90



OVO
PAGE 91

WALL WASHERS



WW 4044
PAGE 93



WW 3535B
PAGE 94



WW 3535BC
PAGE 95



WW 3849V
PAGE 96



WW 4855V
PAGE 97



WW 6340B
PAGE 98

OASIS®

PROJECTOR FLOOD LIGHTS



IRIS
PAGE 100-105



IO
PAGE 106-111



QBE EDGE
PAGE 112-116



QBE ARC
PAGE 117-120



BUTTERCUP
PAGE 121-127



OWL1
PAGE 128



OWL3
PAGE 129

CHAIN LIGHTS



LINK
PAGE 130

WINDOW SILL LIGHTS



WS 90
PAGE 131



WS 240
PAGE 131



WS 360
PAGE 131

OASIS®

MULTI PURPOSE POLES



OMNISTAR
PAGE 132



POLO
PAGE 133



BUTTERCUP PI
PAGE 134

COLUMN LIGHTS




BEACON
PAGE 136



HELIA
PAGE 137



POLLY XL
PAGE 138



CITADEL
PAGE 139

OASIS®

POST TOP LIGHTS



POLARIS
PAGE 141



HALO XL
PAGE 142



PETRA
PAGE 143



COUPE
PAGE 144



PANAMA
PAGE 145



CERES
PAGE 146



ECLIPSE
PAGE 147

OASIS®

STREET LIGHTS



GALLEY
PAGE 149



CELESTIAL
PAGE 150



BELLA
PAGE 151



CHAPEAU
PAGE 152



DOMINO
PAGE 153



TETRIS
PAGE 154




DAISY
PAGE 155



POTTER
PAGE 156

OASIS®


STREET LIGHTS



KONA
PAGE 157



TETRA
PAGE 158



FORTIS
PAGE 159



VENUS
PAGE 160



GOBLET
PAGE 161



VEGA
PAGE 162

OASIS®

BOLLARD LIGHT SERIES



ARKO

BOLLARD LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Uniform Milky White Diffuser
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details


Product Code	BLL-ARK-WWHH
Power Supply	220-240V AC, 50/60Hz
Power	15W
Impact Protection	IK08
Lumens Efficacy	100lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



HALO

BOLLARD LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Uniform Milky White Diffuser
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details




Product Code	BLL-HAL-WWHH
Power Supply	220-240V AC, 50/60Hz
Power	15W
Impact Protection	IK08
Lumens Efficacy	100lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



CAPRI T

BOLLARD LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Uniform Milky White Diffuser
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details




Product Code	BLL-CAPT-15HH
Power Supply	220-240V AC, 50/60Hz
Power	15W
Impact Protection	IK08
Lumens Efficacy	100lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



CAPRI S

BOLLARD LIGHT SERIES


Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Uniform Milky White Diffuser
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details




Product Code	BLL-CAPS-15HH
Power Supply	220-240V AC, 50/60Hz
Power	15W
Impact Protection	IK08
Lumens Efficacy	100lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



NOVA

BOLLARD LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Efficient Clear Diffuser
- Specialised Aluminium Reflector
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details


Product Code	BLL-NOV-18HH
Power Supply	220-240V AC, 50/60Hz
Power	18W
Impact Protection	IK08
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



BASTION

BOLLARD LIGHT SERIES


Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Efficient Clear Diffuser
- Specialised Aluminium Reflector
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details




Product Code	BLL-BAS-18HH
Power Supply	220-240V AC, 50/60Hz
Power	18W
Impact Protection	IK08
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



CYCLOPS

BOLLARD LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Efficient Clear Diffuser
- Specialised Aluminium Reflector
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details


Product Code	BLL-CYC-18HH
Power Supply	220-240V AC, 50/60Hz
Power	15W
Impact Protection	IK08
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



TROOPER

BOLLARD LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Uniform Milky White Diffuser
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details


Product Code	BLL-TRO-15HH
Power Supply	220-240V AC, 50/60Hz
Power	15W
Impact Protection	IK08
Lumens Efficacy	100lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



SENTI

BOLLARD LIGHT SERIES


Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Uniform Clear Diffuser
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details




Product Code	BLL-SEN-12HH
Power Supply	220-240V AC, 50/60Hz
Power	12W
Impact Protection	IK08
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



POLLY

BOLLARD LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Uniform Clear Diffuser
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details




Product Code	BLL-POL-12HH
Power Supply	220-240V AC, 50/60Hz
Power	12W
Impact Protection	IK08
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



SPIRO90

BOLLARD LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialised Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details

Product Code	BLL-SPI-08HH
Power Supply	220-240V AC, 50/60Hz
Power	8W
Impact Protection	IK08
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Pearl
White



Sand
Black




Moon
Stone



Tangerine

Beam Configurations



VANGAURD DUO

BOLLARD LIGHT SERIES


Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Efficient Clear Glass Diffuser
- Specialized Aluminium Reflector
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details


Product Code	BLL-VAND-24HH
Power Supply	220-240V AC, 50/60Hz
Power	2X12W
Impact Protection	IK08
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



VANGAURD

BOLLARD LIGHT SERIES


Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialized Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details


Product Code	BLL-VAN-12HH
Power Supply	220-240V AC, 50/60Hz
Power	12W
Impact Protection	IK08
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



BISHOP

BOLLARD LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Efficient Clear Glass Diffuser
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details


Product Code	BLL-BIS-10HH
Power Supply	220-240V AC, 50/60Hz
Power	10W
Impact Protection	IK08
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



BAMBOO

BOLLARD LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Efficient Clear Glass Diffuser
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details




Product Code	BLL-BAM-12HH
Power Supply	220-240V AC, 50/60Hz
Power	12W
Impact Protection	IK08
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



ORBY

BOLLARD LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Efficient Clear Glass Diffuser
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details


Product Code	BLL-ORB-12HH
Power Supply	220-240V AC, 50/60Hz
Power	12W
Impact Protection	IK08
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



ORTHO120

BOLLARD LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialized Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details



Product Code	BLL-ORI20-12HH
Power Supply	220-240V AC, 50/60Hz
Power	12W
Impact Protection	IK08
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



EVOQUE

BOLLARD LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Efficient Clear Glass Diffuser
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details




Product Code	BLL-EVO-12HH
Power Supply	220-240V AC, 50/60Hz
Power	12W
Impact Protection	IK08
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



SETTE

BOLLARD LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Efficient Clear Glass Diffuser
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details


Product Code	BLL-SET-12HH
Power Supply	220-240V AC, 50/60Hz
Power	12W
Impact Protection	IK08
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



ORTHO90

BOLLARD LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialized Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details



Product Code	BLL-OR90-010630
Power Supply	220-240V AC, 50/60Hz
Power	24W
Impact Protection	IK08
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



MOUND

BOLLARD LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Efficient Clear Glass Diffuser
- Specialized Aluminium Reflector
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details



Product Code	BLL-MOU-1615
Power Supply	220-240V AC, 50/60Hz
Power	12W
Impact Protection	IK08
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



FLAMINGO

BOLLARD LIGHT SERIES


Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Efficient Clear Glass Diffuser
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details


Product Code	BLL-FLA-0580
Power Supply	220-240V AC, 50/60Hz
Power	5W
Impact Protection	IK08
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



ORTHO60

BOLLARD LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Efficient Clear Glass Diffuser
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details



Product Code	BLL-OR60-1580
Power Supply	220-240V AC, 50/60Hz
Power	12W
Impact Protection	IK08
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



ORION

BOLLARD LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Efficient Clear Glass Diffuser
- Specialized Aluminium Reflector
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details


Product Code	BLL-ORI-1660
Power Supply	220-240V AC, 50/60Hz
Power	15W +1W
Impact Protection	IK08
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



AXIS

BOLLARD LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Uniform Clear Glass Diffuser
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details



Product Code	BLL-AXI-08XNHH
Power Supply	220-240V AC, 50/60Hz
Power	8Wx3
Impact Protection	IK08
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



VESPER

BOLLARD LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Uniform Milky White Diffuser
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details




Product Code	BLL-VES-WWHH
Power Supply	220-240V AC, 50/60Hz
Power	12W 24W
Impact Protection	IK08
Lumens Efficacy	100lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



SPIRO

BOLLARD LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialised Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered




Product Details

Product Code	BLL-SPI-08HH
Power Supply	220-240V AC, 50/60Hz
Power	15W
Impact Protection	IK08
Lumens Efficacy	80lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Beam Configurations



OASIS®

WALL LIGHT SERIES



CAIRO

WALL LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	SWL-CAI-WWBA
Power Supply	220-240V AC, 50/60Hz
Power	30W 50W
Impact Protection	IK08
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations




Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



T1 T2 T3



QUAD

WALL LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details



Product Code	SWL-QUA-20120A90
Power Supply	220-240V AC, 50/60Hz
Power	20W
Impact Protection	IK08
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



OMNIDOME

WALL LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Efficient Clear Glass Diffuser
- UV-Proof Powder Coating



Product Details

Product Code	SWL-OMN-12D
Power Supply	220-240V AC, 50/60Hz
Power	12W 24W
Impact Protection	IK08
Lumens Efficacy	100lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Beam Configurations



2DX

WALL LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Uniform Milky White Diffuser
- UV-Proof Powder Coating

Product Details

Product Code	SWL-2DX-12D
Power Supply	220-240V AC, 50/60Hz
Power	12W
Impact Protection	IK08
Lumens Efficacy	100lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations





Pearl
White

Sand
Black

Moon
Stone

Tangerine

Beam Configurations



SLOT

WALL LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Efficient Clear Glass Diffuser
- UV-Proof Powder Coating


Product Details

Product Code	SWL-SLO-0390
Power Supply	220-240V AC, 50/60Hz
Power	3W 6W 9W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Beam Configurations



DELTA

WALL LIGHT SERIES


Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	SWL-DEL-12BA
Power Supply	220-240V AC, 50/60Hz
Power	12W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations





Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Very Narrow Narrow Medium Wide



NIX

WALL LIGHT SERIES


Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Efficient Clear Glass Diffuser
- UV-Proof Powder Coating

Product Details

Product Code	SWL-NIX-15FT
Power Supply	220-240V AC, 50/60Hz
Power	15W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations




Graphite
Gray

Sand
Black

Silver
Sand

Wood
Brown

Beam Configurations



PENCIL

WALL LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating



Product Details

Product Code	SWL-PEN-06110
Power Supply	220-240V AC, 50/60Hz
Power	6W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Beam Configurations



BOXBY 2WB

WALL LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	SWL-BOXW-WWX2BA
Power Supply	220-240V AC, 50/60Hz
Power	9Wx2 16Wx2 25Wx2
Impact Protection	IK07
Lumens Efficacy	100lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations




Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Narrow Medium Wide



BOXBY 1WB

WALL LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	SWL-BOX1-WWBA
Power Supply	220-240V AC, 50/60Hz
Power	9W 16W 24W
Impact Protection	IK07
Lumens Efficacy	100lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations






Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Narrow Medium Wide



EROS 2WB

WALL LIGHT SERIES


Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Efficient Clear Glass Diffuser
- UV-Proof Powder Coating


Product Details

Product Code	SWL-ERO2-WWX2BA
Power Supply	220-240V AC, 50/60Hz
Power	6Wx2 12Wx2 20Wx2
Impact Protection	IK07
Lumens Efficacy	100lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Beam Configurations



EROS 1WB

WALL LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Efficient Clear Glass Diffuser
- UV-Proof Powder Coating


Product Details

Product Code	BLL-ERO1-WWBA
Power Supply	220-240V AC, 50/60Hz
Power	6W 12W 20W
Impact Protection	IK07
Lumens Efficacy	100lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Beam Configurations



OASIS®

RECESSED WALL LIGHT SERIES



WXR/S

RECESSED WALL LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Efficient Clear Glass Diffuser
- UV-Proof Powder Coating




Product Details

Product Code	RWL-WXRS-WW
Power Supply	220-240V AC, 50/60Hz
Power	6W 12W 24W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Beam Configurations



WXR/R

RECESSED WALL LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Efficient Clear Glass Diffuser
- UV-Proof Powder Coating

Product Details




Product Code	RWL-WXRR-WW
Power Supply	220-240V AC, 50/60Hz
Power	3W 6W 12W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Dark Gray Jet Black

Beam Configurations



OASIS®

CEILING LIGHT SERIES



SKYPILLAR

CEILING LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Efficient Clear Glass Diffuser
- UV-Proof Powder Coating


Product Details

Product Code	SCL-SKYP-WW
Power Supply	220-240V AC, 50/60Hz
Power	6W 15W 20W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Beam Configurations



SKYBOX

CEILING LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Efficient Clear Glass Diffuser
- UV-Proof Powder Coating




Product Details

Product Code	SCL-SKYB-WW
Power Supply	220-240V AC, 50/60Hz
Power	6W 12W 18W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Beam Configurations



SKYDISC

CEILING LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Efficient Clear Glass Diffuser
- UV-Proof Powder Coating

Product Details


Product Code	SCL-SKYD-0012
Power Supply	220-240V AC, 50/60Hz
Power	3W 5W
Impact Protection	IK07
Lumens Efficacy	100lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations



Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



SIGMA

CEILING LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating


Product Details

Product Code	RCL-SIG-WWBA
Power Supply	220-240V AC, 50/60Hz
Power	7W 12W 20W 36W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Colour Configurations




Beam Configurations



OASIS®

LINEAR FLEX LIGHT SERIES



FLEXI-TLLWW

LINEAR FLEX LIGHT SERIES

Features

- Ingress Protection IP66
- Uniform Milky White Silicone Diffuser
- UV, Solvents and Saltwater resistant
- Flexible and bendable
- Versatile and convenient installation using Aluminium profile or flexible mesh

Product Details

Product Code	FLEXI-TLLWW
Power Supply	24V
Power	12W 18W
Impact Protection	IK07
Lumens Efficacy	80lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations








Stainless Steel

Beam Configurations



Diffused



FLEXI-SLLWW

LINEAR FLEX LIGHT SERIES

Features

- Ingress Protection IP66
- Uniform Milky White Silicone Diffuser
- UV, Solvents and Saltwater resistant
- Flexible and bendable
- Versatile and convenient installation using Aluminium profile or flexible mesh

Product Details

Product Code	FLEXI-SLLWW
Power Supply	24V
Power	12W 18W 24W
Impact Protection	IK07
Lumens Efficacy	80lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations






Stainless Steel

Beam Configurations



Diffused



OASIS®

INGROUND
LIGHT
SERIES

IGSC-W

INGROUND LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	IGSC-NXWBA
Power Supply	220-240V AC, 50/60Hz
Power	1W 3W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Stainless Steel

Beam Configurations



Very Narrow



Narrow





Medium



Wide



Elliptical



IGS-N

INGROUND LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	IGSN-NXWBA
Power Supply	220-240V AC, 50/60Hz
Power	6W 9W 12W 18W 24W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Stainless
Steel

Beam Configurations




Very
Narrow

Narrow

Medium

Wide

Elliptical



IGSW-N

INGROUND LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Poly Carbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	IGSWN-NXWBA
Power Supply	220-240V AC, 50/60Hz
Power	3W 6W 9W 12W 18W 24W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Stainless Steel

Beam Configurations



Very
Narrow



Narrow



Medium



Wide



Elliptical



Wall Washer



IGCW-N

INGROUND LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	IGCW-WWBA
Power Supply	220-240V AC, 50/60Hz
Power	6W 12W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations





Stainless Steel

Beam Configurations



Wall Washer



IGL N

INGROUND LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	IGL-LLWWBA
Power Supply	220-240V AC, 50/60Hz
Power	6W 9W 18W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Stainless
Steel

Beam Configurations



Very
Narrow



Narrow



Medium



Wide



Elliptical



OVD-N

INGROUND LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Efficient Clear Diffuser
- UV-Proof Powder Coating

Product Details

Product Code	OVD-NN
Power Supply	220-240V AC, 50/60Hz
Power	5W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations




Beam Configurations



OASIS®

UNDERWATER LIGHT SERIES



UW-SWM N

UNDERWATER LIGHT SERIES

Features

- Ingress Protection IP68
- Anti-Corrosive Stainless Steel Body
- Efficient Clear Diffuser

Product Details

Product Code	UWSWM-WWBA
Power Supply	24V
Power	6W 12W 24W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Stainless Steel

Beam Configurations



Very Narrow





Narrow



Medium



Wide



UW-FL N

UNDERWATER LIGHT SERIES

Features

- Ingress Protection IP68
- Anti-Corrosive Stainless Steel Body
- Efficient Clear Diffuser

Product Details

Product Code	UWFL-WWBA
Power Supply	24V
Power	6W 9W 12W 18W 24W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Stainless Steel

Beam Configurations



Very Narrow







Narrow



Medium



Wide



UW-SSL N

UNDERWATER LIGHT SERIES

Features

- Ingress Protection IP68
- Anti-Corrosive Stainless Steel Body
- Efficient Clear Diffuser

Product Details

Product Code	UWSSL-WWBA
Power Supply	24V
Power	6W 9W 12W 18W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Stainless Steel

Beam Configurations



Very Narrow




Narrow



Medium



Wide



UW-RL N

UNDERWATER LIGHT SERIES

Features

- Ingress Protection IP68
- Anti-Corrosive Stainless Steel Body
- Efficient Clear Diffuser

Product Details

Product Code	UWRL-WWBA
Power Supply	24V
Power	3W 6W 12W 24W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Stainless Steel

Beam Configurations



Very Narrow




Narrow



Medium



Wide



UW-RR N

UNDERWATER LIGHT SERIES

Features

- Ingress Protection IP68
- Anti-Corrosive Stainless Steel Body
- Efficient Clear Diffuser

Product Details

Product Code	UWRR-WWBA
Power Supply	24V
Power	3W 6W 12W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Stainless Steel

Beam Configurations



Very Narrow






Narrow



Medium




Wide



OASIS®

PLANTER SPOTLIGHT SERIES



IRIS

PLANTER SPOTLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating


Product Details

Product Code	PFL-IRIS1-WWBA(V)-M4
Power Supply	220-240V AC, 50/60Hz
Power	3W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Beam Configurations



PIKE

PLANTER SPOTLIGHT SERIES


Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Efficient Clear Glass Diffuser
- Specialized Aluminium Reflector
- UV-Proof Powder Coating

Product Details

Product Code	PLL-PIKE-WW(V)
Power Supply	220-240V AC, 50/60Hz
Power	12W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Graphite
Gray

Sand
Black


Silver
Sand

Wood
Brown

Beam Configurations



Wide



OWL

PLANTER SPOTLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating


Product Details

Product Code	PFL-OWLN-WWBA(V)-M4
Power Supply	220-240V AC, 50/60Hz
Power	3W 6W 9W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Beam Configurations



PIX

PLANTER SPOTLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Efficient Clear Glass Diffuser
- Specialized Aluminium Reflector
- UV-Proof Powder Coating

Product Details

Product Code	PLL-PIX-WW(V)
Power Supply	220-240V AC, 50/60Hz
Power	3W 7W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations




Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Wide



OVO

PLANTER SPOTLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Efficient Clear Glass Diffuser
- UV-Proof Powder Coating

Product Details

Product Code	PLL-OVO-WW(V)
Power Supply	220-240V AC, 50/60Hz
Power	8W 12W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 


Colour Configurations



Beam Configurations




Wide



OASIS®

WALL WASHER SERIES



WW4044

WALL WASHER SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	WW-4044-WWBB
Power Supply	24V
Power	18W 24W 36W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations




Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Very Narrow Narrow Medium Wide Elliptical



WW3535

WALL WASHER SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating



Product Details

Product Code	WW-3535-WWBB(V)
Power Supply	24V
Power	18W 24W 36W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Beam Configurations



WW3535C

WALL WASHER SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	WW-3535C-WWBB
Power Supply	24V
Power	18W 24W 36W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations




Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Very Narrow Narrow Medium Wide Elliptical



WW3849

WALL WASHER SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	WW-3849-WWBB(V)
Power Supply	24V
Power	18W 24W 36W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations




Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Very Narrow Narrow Medium Wide Elliptical



WW4855

WALL WASHER SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	WW-4855-24BB(V)
Power Supply	24V
Power	18W 24W 36W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Graphite
Gray

Sand
Black

Silver
Sand

Wood
Brown

Beam Configurations




Very
Narrow

Narrow

Medium

Wide

Elliptical



WW6340B

WALL WASHER SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	WW-6340-72BB
Power Supply	220-240V AC, 50/60Hz
Power	48W 72W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations




Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Very Narrow Narrow Medium Wide Elliptical



OASIS®

PROJECTOR FLOODLIGHT SERIES



IRIS-1

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	PFL-IRISI-WWBA(V)
Power Supply	220-240V AC, 50/60Hz
Power	3W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations






Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Very Narrow Narrow Medium Wide Elliptical



IRIS-4

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating



Product Details

Product Code	PFL-IRIS4-WWBA(V)
Power Supply	220-240V AC, 50/60Hz
Power	4W 8W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Beam Configurations



IRIS-9

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	PFL-IRIS9-WWBA(V)
Power Supply	220-240V AC, 50/60Hz
Power	9W 18W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations





Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Very Narrow Narrow Medium Wide Elliptical



IRIS-15

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating



Product Details

Product Code	PFL-IRIS5-WWBA(V)
Power Supply	220-240V AC, 50/60Hz
Power	15W 30W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Beam Configurations



IRIS-18

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating




Product Details

Product Code	PFL-IRIS8-WWBA(V)
Power Supply	220-240V AC, 50/60Hz
Power	18W 36W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Beam Configurations



IRIS-36

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating



Product Details

Product Code	PFL-IRIS18-WWBA(V)
Power Supply	220-240V AC, 50/60Hz
Power	36W 72W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Beam Configurations



I O 3

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	PFL-101/103-0310
Power Supply	220-240V AC, 50/60Hz
Power	3W 6W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations




Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Very Narrow Narrow Medium Wide Elliptical



I O 6

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating


Product Details

Product Code	PFL-1012-WWBB(V)
Power Supply	220-240V AC, 50/60Hz
Power	6W 12W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Beam Configurations



I O 12

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	PFL-1012-WWBB(V)
Power Supply	220-240V AC, 50/60Hz
Power	9W 18W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations






Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Very Narrow Narrow Medium Wide Elliptical



I O 18

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	PFL-1024-WWBB(V)
Power Supply	220-240V AC, 50/60Hz
Power	18W 36W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations




Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Very Narrow Narrow Medium Wide Elliptical



I O 24

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating


Product Details

Product Code	PFL-1024-WWBB(V)
Power Supply	220-240V AC, 50/60Hz
Power	24W 48W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Beam Configurations



I O 36

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating




Product Details

Product Code	PFL-1036-WWBA(V)
Power Supply	220-240V AC, 50/60Hz
Power	36W 72W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Beam Configurations



QBE EDGE 4/8

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	PFL-QBEE4/8-WWBB(V)
Power Supply	220-240V AC, 50/60Hz
Power	4W 8W 12W 16W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations





Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Very Narrow Narrow Medium Wide Elliptical



QBE EDGE 24

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	PFL-QBEE24-WWBB(V)
Power Supply	220-240V AC, 50/60Hz
Power	24W 36W 48W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Graphite
Gray



Sand
Black



Silver
Sand



Wood
Brown

Beam Configurations



Very
Narrow



Narrow





Medium



Wide



Elliptical



QBE EDGE 36

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	PFL-QBEE36-WWBB(V)
Power Supply	220-240V AC, 50/60Hz
Power	36W 72W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Graphite
Gray

Sand
Black

Silver
Sand

Wood
Brown

Beam Configurations




Very
Narrow

Narrow

Medium

Wide

Elliptical



QBE EDGE 48S

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	PFL-QBEE48-WWBB(V)
Power Supply	220-240V AC, 50/60Hz
Power	48W 96W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations





Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Very Narrow Narrow Medium Wide Elliptical



QBE EDGE 48R

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating




Product Details

Product Code	PFL-QBEE48-WWBB(V)
Power Supply	220-240V AC, 50/60Hz
Power	150W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Beam Configurations



QBE ARC 4

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating
- SS304 Fasteners

Product Details

Product Code	PFL-QBEA4-WWBA(V)
Power Supply	220-240V AC, 50/60Hz
Power	4W 8W 12W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations




Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Very Narrow Narrow Medium Wide Elliptical



QBE ARC 9

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating
- SS304 Fasteners

Product Details

Product Code	PFL-ABEA9-WWBA(V)
Power Supply	220-240V AC, 50/60Hz
Power	9W 18W 24W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations




Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Very Narrow Narrow Medium Wide Elliptical



QBE ARC 16

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating
- SS304 Fasteners

Product Details

Product Code	PFL-ABEA16-WWBA(V)
Power Supply	220-240V AC, 50/60Hz
Power	16W 32W 40W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations




Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Very Narrow Narrow Medium Wide Elliptical



QBE ARC 36

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating
- SS304 Fasteners


Product Details

Product Code	PFL-ABEA36-WWBA(V)
Power Supply	220-240V AC, 50/60Hz
Power	36W 60W 72W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Beam Configurations



BUTTERCUP 9

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	PFL-BUT08-24BB(V)
Power Supply	220-240V AC, 50/60Hz
Power	24W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations





Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Very Narrow Narrow Medium Wide Elliptical



BUTTERCUP 12

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	PFL-BUT12-WWBB(V)
Power Supply	220-240V AC, 50/60Hz
Power	36W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations




Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Very Narrow Narrow Medium Wide Elliptical



BUTTERCUP 18

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	PFL-BUT18-WWBB(V)
Power Supply	220-240V AC, 50/60Hz
Power	48W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations




Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Very Narrow Narrow Medium Wide Elliptical



BUTTERCUP 24

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	PFL-BUT24-WWBB(V)
Power Supply	220-240V AC, 50/60Hz
Power	60W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations







Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Very Narrow Narrow Medium Wide Elliptical



BUTTERCUP 36

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	PFL-BUT36-WWBB(V)
Power Supply	220-240V AC, 50/60Hz
Power	72W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations




Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Very Narrow Narrow Medium Wide Elliptical



BUTTERCUP 60

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	PFL-BUT60-WWBB(V)
Power Supply	220-240V AC, 50/60Hz
Power	120W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations







Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Very Narrow Narrow Medium Wide Elliptical



BUTTERCUP

MULTI-PURPOSE FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	PFL-BUT-WWBA(V)
Power Supply	220-240V AC, 50/60Hz
Power	24W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations




Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Very Narrow Narrow Medium Wide Elliptical



OWL 1

MULTI-PURPOSE FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating


Product Details

Product Code	PFL-OWL1-WWBA(V)-MX
Power Supply	220-240V AC, 50/60Hz
Power	3W 5W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Beam Configurations



OWL 3

PROJECTOR FLOODLIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating

Product Details

Product Code	PFL-OWL3-WWBA(V)-MX
Power Supply	220-240V AC, 50/60Hz
Power	6W 9W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations






Graphite Gray Sand Black Silver Sand Wood Brown

Beam Configurations



Very Narrow Narrow Medium Wide Elliptical



LINK

CHAIN LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating


Product Details

Product Code	CHL-LINK-360
Power Supply	220-240V AC, 50/60Hz
Power	6W 9W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Beam Configurations



WS WAA

WINDOW LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Die-Cast Body
- Specialized Polycarbonate Optical Lens
- UV-Proof Powder Coating


Product Details

Product Code	PFL-IRIS1-WWBA(v)
Power Supply	220-240V AC, 50/60Hz
Power	3W 6W 9W
Impact Protection	IK07
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K 

Colour Configurations



Beam Configurations





OMNISTAR

MULTI-PURPOSE POLE SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialized Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered


Product Details

Product Code	MPP-OMN-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	4x15W 4x30W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K


Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors

Colour Configurations



Beam Configurations





POLO

MULTI-PURPOSE POLE SERIES


Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Efficient Clear Glass Diffuser
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors


Colour Configurations




Beam Configurations



Product Code	MPP-POL-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	6x30W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K





Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialized Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors

Colour Configurations



Beam Configurations




BUTTERCUP

MULTI-PURPOSE POLE SERIES

Product Details

Product Code	MPP-BUT-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	6x36W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K



OASIS®

COLUMN LIGHT SERIES



BEACON

COLUMN LIGHT SERIES



Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialized Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors


Colour Configurations



Beam Configurations



Product Code	CLL-BEA-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	36W 50W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K



HELIA

COLUMN LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialized Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors

Colour Configurations



Graphite
Gray



Sand
Black




Silver
Sand



Wood
Brown

Beam Configurations



Product Details

Product Code	CLL-HEL-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	36W 50W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K



Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialized Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors

Colour Configurations



Graphite
Gray



Sand
Black



Silver
Sand



Wood
Brown

Beam Configurations




POLLY XL

COLUMN LIGHT SERIES

Product Details

Product Code	CLL-POL-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	36W 50W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K





CITADEL

COLUMN LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialized Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors


Colour Configurations



Beam Configurations



Product Code	CLL-CIT-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	24W 48W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K



OASIS®

POST TOP SERIES





POLARIS

POST TOPS SERIES


Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialized Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors


Colour Configurations



Beam Configurations



Product Code	PTL-POL-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	30W 50W 80W 100W 150W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K





Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Efficient Milky Diffuser
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors

Colour Configurations



Beam Configurations




Wide

HALO XL

POST TOP SERIES

Product Details

Product Code	PTL-HAL-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	30W 50W 80W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K






Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Efficient Frosted Glass
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors

Colour Configurations



Beam Configurations




Wide


PETRA

POST TOP SERIES

Product Details

Product Code	SWL-CAI-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	30W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K





COUPÉ

POST TOP SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Efficient Clear Glass Diffuser
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details

Product Code	PTL-COU-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	30W 50W 80W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K


Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors

Colour Configurations



Beam Configurations





PANAMA

POST TOP SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Efficient Milky Diffuser
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered


Product Details

Product Code	PTL-PAN-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	30W 60W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors


Colour Configurations



Beam Configurations



Wide






Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialized Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors

Colour Configurations



Beam Configurations





Wide


CERES

POST TOP SERIES

Product Details

Product Code	PTL-CER-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	30W 50W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K






Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Efficient Clear Glass Diffuser
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors

Colour Configurations



Beam Configurations




Wide

ECLIPSE

POST TOP SERIES

Product Details


Product Code	PTL-ECL-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	30W 50W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K



OASIS®

STREET LIGHT SERIES





GALLEY

STREET LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialized Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors

Colour Configurations



Graphite
Gray



Sand
Black



Silver
Sand



Wood
Brown

Beam Configurations



T1



T2




T3




T4

Product Details

Product Code	STL-GAL-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	40W 60W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K





CELESTIAL

STREET LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialized Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors

Colour Configurations



Graphite
Gray



Sand
Black



Silver
Sand



Wood
Brown

Beam Configurations



T1



T2




T3




T4

Product Details

Product Code	STL-CEL-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	40W 60W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K





BELLA

STREET LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialized Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors

Colour Configurations



Graphite
Gray



Sand
Black



Silver
Sand



Wood
Brown

Beam Configurations



T1



T2




T3



T4

Product Details

Product Code	STL-BEL-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	40W 60W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K





CHAPEAU

STREET LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialized Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors

Colour Configurations



Graphite
Gray



Sand
Black



Silver
Sand



Wood
Brown

Beam Configurations



T1



T2




T3




T4

Product Details

Product Code	STL-CHA-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	40W 60W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K





DOMINO

STREET LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialized Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors

Colour Configurations





Beam Configurations



Product Details

Product Code	STL-DOM-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	50W 80W 100W 150W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K





TETRIS

STREET LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialized Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors

Colour Configurations



Graphite
Gray



Sand
Black



Silver
Sand



Wood
Brown

Beam Configurations



T1



T2




T3




T4

Product Details

Product Code	STL-TETS-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	2x40W 2x60W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K





DAISY

STREET LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialized Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Product Details

Product Code	STL-DAI-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	40W 60W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K

Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors

Colour Configurations



Graphite
Gray



Sand
Black



Silver
Sand



Wood
Brown

Beam Configurations



T1




T2




T3



T4





POTTER

STREET LIGHT SERIES


Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialized Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors

Colour Configurations




Beam Configurations



Product Details

Product Code	STL-POT-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	2x40W 2x60W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K





KONA

STREET LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialized Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors

Colour Configurations





Beam Configurations



Product Details

Product Code	STL-KON-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	40W 50W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K





TETRA

STREET LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialized Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors

Colour Configurations



Graphite
Gray



Sand
Black



Silver
Sand



Wood
Brown

Beam Configurations



T1



T2





T3




T4

Product Details

Product Code	STL-TETA-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	40W 60W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K





FORTIS

STREET LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialized Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors

Colour Configurations



Graphite
Gray



Sand
Black



Silver
Sand



Wood
Brown

Beam Configurations



T1



T2





T3




T4

Product Details

Product Code	STL-FOR-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	40W 60W 100W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K





VENUS

STREET LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialized Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered


Product Details

Product Code	STL-VEN-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	40W 60W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K


Accessories


- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors

Colour Configurations



Beam Configurations





GOBLET

STREET LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialized Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors

Colour Configurations





Beam Configurations



Product Details

Product Code	STL-GOB-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	40W 60W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K





VEGA

STREET LIGHT SERIES

Features

- Ingress Protection IP66
- Anti-Corrosive Aluminium Body
- Specialized Polycarbonate Optical Lens
- UV-Stabilized Powder Coating
- 3D Visualized Lux Level Light Simulations Offered

Accessories

- Poles
 - Galvanized Iron Pole
 - Aluminium Pole
- Foundation Bolts
 - J-Bolts
 - Anchor Fasteners
- Waterproof Connectors

Colour Configurations



Graphite
Gray



Sand
Black



Silver
Sand



Wood
Brown

Beam Configurations



T1



T2





T3



T4

Product Details

Product Code	STL-VEG-WWHHH
Power Supply	220-240V AC, 50/60Hz
Power	40W 60W
Impact Protection	IK09
Lumens Efficacy	120lm/W
CCT	3000K / 4500K / 6500K





WEBSITE

EMAIL: SLI.LUMINAIRES@GMAIL.COM
PHONE : +91 86555 43291 / +91 91675 22326
LOCATION: KANDIVALI (WEST), MUMBAI

OUTDOOR LIGHTING
PRODUCT PORTFOLIO
2025