

OASIS®

PRODUCT  
PORTFOLIO  
**INDOOR LIGHTING**

2025



# COMPANY

## HISTORY AND ORIGINS

OASIS is a pioneer and a thought leader in the Indian lighting Industry with over 30 years of experience providing comprehensive lighting solutions. Our carefully curated, extensive range of products enable us to serve client needs from various industries and verticals locally, nationally and globally. We strive to craft not only quality products but also beautiful spaces that elevate human life.

We are committed to crafting high quality luminaires that are efficient and effective. All of our luminaires are built from high-quality materials and reliable parts. Each product goes through a rigorous Quality Control process to ensure they meet our performance and quality standards. Service and Integrity are a core part of our corporate values.



# SERVICES


## MANUFACTURING AND ENGINEERING

Our Expertise In Lighting, Experience In Industry And Enhanced Engineering Capabilities Allow Us To Serve Our Clients In Several Ways



### LUMINAIRE CONSULTATION

Consult Us For All Your Technical Questions Or Concerns And To Discover Cleanroom Lighting Best Practices For Your Projects



### LIGHT DESIGN

Comprehensive Lighting Design Reports, Lighting Distribution CAD Layouts, Optimized Capex And Opex Considerations



### CUSTOMIZED FABRICATION

We Can Engineer, Design And Manufacture Custom Luminaires To Fit Your Technical Needs

# QUALITY CONTROL

Oasis is committed to producing high-quality, long lasting lighting products. Every fixture is crafted to withstand diverse outdoor conditions and tested to ensure high performance.



Ingress Protection  
Testing




Mechanical Testing



Electrical Testing



Photometric  
Testing



Performance  
Testing



Endurance Thermal  
Testing

# STANDARDS & CERTIFICATIONS

Oasis follows manufacturing best-practices and believes in continual improvement. We are certified in leading world standards for manufacturing.



ISO



MSME



BIS



CE

# LIGHT DESIGN

## TECHNICAL PLANNING

---

Analyze project requirements and needs based on following considerations:

- Luminaire Environment
  - Need for Ingress and Impact Protection
  - Ease of installation and maintenance
  - Energy efficiency and Sustainability
- 

## PHOTOMETRIC CALCULATIONS

---

Comprehensive lighting design and distribution layout:



- Lux levels optimization
  - Glare control
  - Lighting uniformity
  - International standards compliant
  - Lighting calculation heatmaps
- 

## 3D VISUALIZATION

---

Lighting Design results are presented in the form of realistic 3D models to aid visualization:

- High quality 3D renders
  - Realistic outdoor and indoor illumination visualization
  - Fixture separation and Lighting layouts
- 



# OUR CLIENT

Rustomjee®

Mahindra  
LIFESPACES



Godrej PROPERTIES

SAHARA STAR  
*A Step Ahead*

Sunteck

raymond | REALTY  
*Go Beyond*

PEPSICO

Reliance  
Industries Limited

LODHA

TATA

PARLE

Godrej PROPERTIES

OBEROI  
REALTY

Shapoorji Pallonji

KALPA-TARU®

THE PENINSULA  
GROUP

RAHEJA  
UNIVERSAL™  
THE WORLD TO COME

Hiranandani  
creating better communities

The Wadhwa Group

KANAKIA  
PERFECTION ALL THE WAY

# GLOBAL PRESENCE





# RADIANT SERIES

SUSPENSION TRACK SYSTEM

OASIS®




# SUSPENSION TRACK SYSTEM

DC48V Suspension track system series structure is an extremely simplified modular concept, with a luxurious and simple lamp pole shape incorporating a flexible adjustable light source structure, and various subtle elements harmonizing and blending to release the charm of light to the extreme. The lighting fixtures and accessories all use metal wiredrawing technology, with a thick texture and a light posture.

**STRAIGHT TRACK RAIL**



**SUSPENSION CIRCULAR  
TRACK RAIL**



# RADIANT SERIES

SUSPENSION TRACK SERIES



RAD-SP100  
5W



RAD-SP101  
12W



RAD-SP102



RAD-SP103



RAD-SP104  
5W



RAD-SP105  
5W



RAD-SP106  
12W



RAD-SP107  
12W



RAD-SP108  
12W



RAD-SP109  
12W



RAD-SP110  
9W



RAD-SP111  
18W



RAD-SP112  
18W



RAD-SP113  
18W

# TAPESTRY SERIES

HYBRID BELT & MAGNETIC TRACK SYSTEM



OASIS®



# TAPESTRY SERIES

HYBRID BELT & MAGNETIC TRACK SYSTEM



T16-8514-A  
6W



T16-8515  
14W/28W



T16-8308-A  
6W



T16-8309-A  
6W



T16-8513-A  
9W



T16-8306-A  
12W



T16-8512-A  
6W



T16-8305-NN  
2X6W/2X12W

# TAPESTRY SERIES

HYBRID BELT & MAGENTIC TRACK SYSTEM



T16-8501-115  
6W



T16-8501-222  
12W



T16-8501-330  
18W



T16-8502-115  
6W



T16-8502-222  
12W



T16-8502-330  
18W



T16-8503-115  
6W



T16-8503-222  
12W



T16-8503-330  
18W



T16-8504-115  
6W



T16-8504-222  
12W




T16-8504-330  
18W

# MT05 SERIES

5MM MAGNETIC TRACK SYSTEM

OASIS®



# MT05 SERIES

5 MM MAGNETIC TRACK SYSTEM

## 5MM TRACK CONFIGURATIONS



MT05-01  
9W



MT05-02  
9W



MT05-03  
3W/6W/12W




MT05-04  
6W



MT05-05  
6W/12W



MT05-06  
6W/12W/18W



MT05-07  
9W/18W/27W



MT05-08  
6W/12W

OASIS®



# 4S SUPER SLIM SUPER SMART SERIES

10MM MAGNETIC TRACK SYSTEM

# 4S SERIES

10MM MAGNETIC TRACK SYSTEM



4S-MT10-01  
6W



4S-MT10-02  
6W



4S-MT10-03  
6W



4S-MT10-04  
5W/10W/18W



4S-MT10-05  
12W/18W



4S-MT10-06  
24W



4S-MT10-07  
5W



4S-MT10-08  
8W



4S-MT10-09  
10W/12W




4S-MT10-10  
18W

# MT16 SERIES

16MM MAGNETIC TRACK SYSTEM

OASIS®



# MT16 SERIES

16 MM MAGNETIC TRACK SYSTEM

MT16 SURFACE MOUNTED TRACK



MT16-01  
9W+9W



MT16-02  
6W-20W



MT16-03  
6W/12W



MT16-04  
8W-64W



MT16-05  
6W



MT16-06  
6W




MT16-07  
9W

OASIS®

# MT25 SERIES

25MM MAGNETIC TRACK SYSTEM



# MT 25 SERIES

25 MM MAGNETIC TRACK SYSTEM

MT25 RECESSED MOUNTED TRACK CONFIGURATIONS



MT25-WD10  
10W

MT25-LP10  
10W



MT25-DDWW  
10W/20W

MT25-SDDWW  
8W/12W

MT25-SD12  
12W



MT25-SA05  
5W

MT25-SA10  
10W


MT25-SWA-WW  
5W/10W/20W

MT25-SDWW  
5W/10W

# SKYLINE SERIES

HANGING LIGHT SYSTEM

OASIS®






Versatile styling



Wide application:

suitable for spaces such as shops, department stores, hotels, office buildings, education, public buildings, medical treatment, etc.



# SKYLINE SERIES

BELT & TRACK SYSTEM



SKY-C360  
17W



SKY-LINE  
4W-28W




SKY-C180L  
9W




SKY-C180S  
13W

# LINEA SERIES



## RECESSED LINE LIGHT







# LINEA SERIES


Fixed downlight




Fixed downlight




Adjustable downlight




Adjustable downspot



Floodlight down



Stretch and adjustable



Accessories



50-H



LTH  
Change to Higher CCT



LTL  
Change to lower CCT



RIGIB

# LINEA SERIES

RECESSED LINE LIGHT



LSW-A  
8W



LSW-A2  
13W



LSW-A3  
20W



LSW-A4  
24W



LSN-B  
8W



LSN-B2  
13W



LSN-B3  
20W



LSN-B4  
24W



LSB-C  
8W



LSB-C2  
12W



LSB-C3  
20W



LSB-C4  
24W



LSS-L  
7W



LSS-L2  
11W



LSS-L3  
18W



LSS-L4  
24W



LD-E  
8W



LD-E2  
13W

OASIS®



# RECESSED LINE LIGHTS

PRODUCT COLLECTION

# RECESSED LINE LIGHTS



CORAL 3  
6W



CORAL 6  
12W



CORAL 12  
18W



TOPAZ 1  
3W



TOPAZ 2  
6W



TOPAZ 5  
12W



TOPAZ 10  
20W



STAR NPH  
12W



STAR WPH  
12W




TWILIGHT  
24W



PEARL 3  
16W



PEARL 5  
12W



# COSMOS

SPOTLIGHT SERIES

# COSMOS

SPOTLIGHT SERIES



COSMOS-L  
5W/10W/15W



COSMOS-L  
5W/10W/15W



COSMOS-L  
5W/10W/15W



COSMOS-L  
5W/10W/15W



COSMOS-CV  
5W/10W/15W



COSMOS-CV  
5W/10W/15W



COSMOS-CV  
5W/10W/15W



COSMOS-CV  
5W/10W/15W



COSMOS-PH  
5W/10W/15W




COSMOS-PH  
5W/10W/15W



COSMOS-PH  
5W/10W/15W



COSMOS-PH  
5W/10W/15W



# SL01

## COSMOS-L

SPOTLIGHT SERIES

### SPECIFICATION

Power	Cutout	Dimensions
6W	55mm	Ø37 X 81mm
10W	75mm	Ø42 X 91mm
	75mm	
	95mm	

#### Beam Angle

15° / 24° / 36° / 50°

\* Lower wattages may not be able to offer all beam angles

#### CCT


3000K / 4000K / 5000K

#### CRI

80/90

#### Colour Configurations





# SL02

## COSMOS-PH

SPOTLIGHT SERIES

### SPECIFICATION


Power	Cutout	Dimensions	Beam Angle
12W	55mm	Ø44.7 X 73mm	15° / 24° / 36° / 50°
18W	75mm	Ø54.7 X 90mm	


75mm	95mm

\* Lower wattages may not be able to offer all beam angles

CCT	CRI
3000K / 4000K / 5000K	80/90

### Colour Configurations





# SL03

## COSMOS-CV

SPOTLIGHT SERIES

### SPECIFICATION

Power	Cutout	Dimensions
7W	55mm	Ø26 X 81mm
10W	75mm	Ø30 X 100mm
	75mm	
	95mm	

#### Beam Angle

15° / 24° / 36° / 50°

\* Lower wattages may not be able to offer all beam angles

#### CCT

3000K / 4000K / 5000K

#### CRI

80/90

#### Colour Configurations



OASIS®

# ASTRA

SPOTLIGHT SERIES



# ASTRA

SPOTLIGHT SERIES



ASTRA-T03  
3W



ASTRA-T06  
6W



ASTRA-T09  
9W



ASTRA-T12  
12W



ASTRA-TL03  
3W



ASTRA-TL06  
6W



ASTRA-TL09  
9W



ASTRA-TL12  
12W



SL04

# ASTRA

SPOTLIGHT SERIES

## SPECIFICATION

Power	Cutout	Dimensions	Beam Angle
3W	Ø25	Ø30 X 24 X Ø25	15°
6W	Ø35	Ø40 X 94 X Ø35	24°
9W	Ø40	Ø45 X 101 X Ø40	36°
12W	Ø45	Ø50 X 110 X Ø45	

### CCT

3000K / 4000K / 5000K

### CRI

80/90

### Colour Configurations



Sand  
Black



Pearl  
White

# GOLDIE

SPOTLIGHT SERIES

OASIS®



# GOLDIE

## SPOTLIGHT SERIES



GOLDIE  
7W



NAME  
12W



NAME  
18W



GOLDIE  
7W



NAME  
12W



NAME  
18W

## COLOUR CONFIGURATIONS





SL05  
**GOLDIE**  
SPOTLIGHT SERIES

## SPECIFICATION

Power	Cutout	Dimensions	Beam Angle
7W	Ø35	Ø43 x H81mm	45°
12W	Ø55	Ø63 x H96mm	
18W	Ø75	Ø82 x H99mm	


CCT

3000K / 4000K / 5000K

CRI

80/90

### Colour Configurations



OASIS®

A modern hallway with dark grey walls and ceiling, featuring vertical wood slats. A large, lush green plant in a black pot sits on the floor in the center. The ceiling has a grid of recessed lights.

SPOTLIGHT SERIES  
PRODUCT COLLECTION

## MOSAIC



MOSAIC-TR  
5W



MOSAIC-TL  
5W



MOSAIC-TR-WW  
5W



MOSAIC-TL-WW  
5W

## DELTA



AVA-TR-W  
12W/20W



AVA-TL-W  
12W/20W



AVA-TR-WB  
12W/20W



AVA-TL-WB  
12W/20W

## CHOPPER



CHOPPER-TR-W  
12W/20W



CHOPPER-TL-W  
12W/20W



MARTHA  
8W



MARTHA  
15W



MARTHA  
20W



OASIS®

SL06

AVA

SPOT LIGHTING SERIES

## SPECIFICATIONS

Power	Cutout	Dimensions	Beam Angle
7W	55mm	Ø63×H70mm	15° – 50°
9W	75mm	Ø83×H70mm	
12W	75mm	Ø83×H90mm	
20W	95mm	Ø105×H120mm	

CCT

3000K / 4000K / 5000K

CRI

80/90

## Colour Configurations



Sand  
Black



Pearl  
White



Chrome  
Silver



Chrome  
Black

 OASIS®

SL07

# MOSAIC

SPOT LIGHTING SERIES

## SPECIFICATIONS

Power	Cutout	Dimensions	Beam Angle
5W	35mm	Ø40×H62×26mm	15° – 36°
		Ø40×H65×26mm	
		Ø75×H62×26mm	
		Ø75×H65×26mm	

CCT

3000K / 4000K / 5000K

CRI

80/90

## Colour Configurations

Sand  
BlackPearl  
White



SL08  
**CHOPPER**  
SPOT LIGHTING SERIES

## SPECIFICATIONS

Power	Cutout	Dimensions	Beam Angle
7W	55mm	Ø62×H83mm	15° – 50°
12W	75mm	Ø82×H98mm	
20W	95mm	Ø102×H115mm	

CCT

3000K / 4000K / 5000K

CRI

80/90

### Colour Configurations



Sand  
Black



Pearl  
White



SLO9

# MARTHA

SPOT LIGHTING SERIES

## SPECIFICATIONS

Power	Cutout	Dimensions	Beam Angle
8W	75mm	Ø84×H50mm	120°
15W	90mm	Ø84×H58mm	
20W	110mm	Ø122×H62.5mm	
30W	165mm	Ø173×H88mm	

CCT

3000K / 4000K / 5000K

CRI

80/90

## Colour Configurations



Sand  
Black



Pearl  
White

# SPOTLIGHTS

SPOTLIGHT SERIES

OASIS®



# SPOTLIGHTS



ARIA  
6W-15W



ARIA  
6W-15W



ARIA  
6W-15W



ARIA  
6W-15W



ARIA  
6W-15W



ARIA  
6W-15W



SPECTRA  
10W-18W



SPECTRA  
10W-18W



SPECTRA  
10W-18W



JET  
6W/12W



JET  
6W/12W



JET  
6W/12W



JET  
6W/12W

OASIS®



SL10  
ARIA  
SPOTLIGHT SERIES

## SPECIFICATIONS

Power	Cutout	Dimensions	Beam Angle
6W-8W	55mm	Ø65×78mm	15° - 24°
10W-15W	75mm	Ø85×H101mm	36° - 55°

### CCT

3000K / 4000K / 5000K

### CRI

80/90

### Colour Configurations



Sand  
Black



Pearl  
White



Gun  
Black



Rose  
Gold

OASIS®



SLII  
**SPECTRA**  
SPOTLIGHT SERIES

## SPECIFICATIONS

Power	Cutout	Dimensions	Beam Angle
10W-12W	50mm	Ø55×H72mm	36°
15W-18W	65mm	Ø72×H95mm	

### CCT

3000K / 4000K / 5000K

### CRI

80/90

### Colour Configurations



Sand  
Black



Pearl  
White



Chrome



Chrome  
Gold

OASIS®



SL12  
**JET**  
SPOTLIGHT SERIES

## SPECIFICATIONS

Power	Cutout	Dimensions	Beam Angle
6W	42MM	52x66mm	24°
12W		70x66mm	36° 50°

CCT

3000K / 4000K / 5000K

CRI

80/90

### Colour Configurations



Sand  
Black



Pearl  
White

# SPOTLIGHTS



KONICA  
7W/12W/18W



STELLA  
12W



NAME  
12W/20W/30W



FOLLY  
3W-40W



STUBB  
7W/12W/18W



NAME  
9W - 25W



NAME  
6W



LUNAR  
7W/15W/20W



KRATOS  
10W/12W



LOKI  
10W/12W



NAME  
12Wx2



SL13  
**KONA**  
SPOTLIGHT SERIES

## SPECIFICATIONS

Power	Cutout	Dimensions	Beam Angle
12W	75mm	81x78x75mm	15° – 50°

### CCT

3000K / 4000K / 5000K

### CRI

80/90

### Colour Configurations



Gloss  
Black



Rose  
Gold

OASIS®



SL14  
**STELLA**  
SPOTLIGHT SERIES

## SPECIFICATIONS

<b>Power</b>	<b>Cutout</b>	<b>Dimensions</b>
12W	75mm	85×57×75mm

<b>Beam Angle</b>
10° – 50°

### CCT

3000K / 4000K / 5000K

### CRI

80/90

### Colour Configurations



Sand  
Black



Pearl  
White



SL15  
**FOLLY**  
SPOTLIGHT SERIES

## SPECIFICATIONS

Power	Cutout	Dimensions	Beam Angle
3W	53mm	Ø63×H50mm	60°
7W	70mm	Ø76×H68mm	
12W	70mm	Ø76×H68mm	
16W	90mm	Ø96×H84mm	
24W	100mm	Ø118×H89mm	
30W	100mm	Ø118×H89mm	
40W	130mm	Ø138×H90mm	
CCT		CRI	
	3000K / 4000K / 5000K	80/90	

### Colour Configurations



Sand  
Black



Pearl  
White



SL16  
**STUB**  
SPOTLIGHT SERIES

## SPECIFICATIONS

Power	Cutout	Dimensions	Beam Angle
7W	65mm	75×57mm	15°
12W	75mm	85×65mm	24°
18W	85mm	95×82mm	36° 60°

CCT

3000K / 4000K / 5000K

CRI

80/90

### Colour Configurations



Sand  
Black



Pearl  
White



SL17  
**LUNAR**  
SPOTLIGHT SERIES

## SPECIFICATIONS

Power	Cutout	Dimensions	Beam Angle
7W	60mm	70×58mm	15°
15W	75mm	85×65mm	24°
20W	85mm	98×84mm	36° 55°

CCT

3000K / 4000K / 5000K

CRI

80/90

### Colour Configurations



Sand  
Black



Pearl  
White



SL18  
**LUNAR**  
SPOTLIGHT SERIES

## SPECIFICATIONS

Power	Cutout	Dimensions	Beam Angle
10W	50mm	56×80mm	38°
12W			

CCT  
3000K / 4000K / 5000K      CRI  
80/90

### Colour Configurations



Sand  
Black



Pearl  
White



SL19  
**LUNAR**  
SPOTLIGHT SERIES

## SPECIFICATIONS

Power	Cutout	Dimensions	Beam Angle
10W-12W	45mm	52×90mm	24°
			36°
			55°

CCT

3000K / 4000K / 5000K

CRI

80/90

### Colour Configurations



Sand  
Black



Pearl  
White

# DOWN LIGHTS



RAINBOW  
5W/7W/12W



FRISBEE  
12W/18W/24W



ELLA  
7W/12W/18W



ELLA  
7W/12W/18W



ELLA  
7W/12W/18W



CLARA  
12W/15W



CLARA  
12W/15W



CLARA  
12W/15W



DL01  
**RAINBOW**  
DOWNLIGHT SERIES

## SPECIFICATIONS

Power	Cutout	Dimensions	Beam Angle
5W	Ø55mm	Ø60×H32mm	75°
7W	Ø65mm	Ø70×H36mm	75°
12W	Ø75mm	Ø80×H38mm	

CCT

3000K / 4000K / 5000K

CRI

80/90

## Colour Configurations



Sand  
Black



Pearl  
White

OASIS®



DL02

# FRISBEE

DOWNLIGHT SERIES

## SPECIFICATIONS

Power	Cutout	Dimensions	Beam Angle
12W	105mm	115×30mm	110°
18W	145mm	155×30mm	
24W	170mm	180×30mm	

### CCT

3000K / 4000K / 5000K

### CRI

80/90

### Colour Configurations



Sand  
Black



Pearl  
White



DL03

ELLA

DOWNLIGHT SERIES

## SPECIFICATIONS

Power	Cutout	Dimensions	Beam Angle
7W	65mm	Ø70×H50mm	36°
12W	75mm	Ø85×H65mm	
18W	90mm	Ø95×H75mm	

CCT

3000K / 4000K / 5000K

CRI

80/90

## Colour Configurations



Gloss  
Black



Pearl  
White



Chrome  
Gold



Rose  
Gold

OASIS®



DL04

**CLARA**

DOWNLIGHT SERIES

## SPECIFICATIONS

Power	Cutout	Dimensions
12W	75mm	Ø85×H65mm
15W		

## Beam Angle

36°

## CCT

3000K / 4000K / 5000K

## CRI

80/90

## Colour Configurations



Gloss  
Black



Gloss  
Silver



Chrome  
Gold



Rose  
Gold

OASIS®



# WALL WASHER

WALL WASHER SERIES

# WALL WASHER

WALL WASHER SERIES



SCOOP  
20W/30W/40W



SCOOP  
20W/30W/40W



WW7086  
12W/20W



WW5565  
12W



WW9033  
12W



SF20  
10W/12W/15W



SF360  
7W



SF44  
12W

OASIS®



WW01

# SCOOP

WALL WASHER SERIES

## SPECIFICATIONS

Power	Cutout	Dimensions	Beam Angle
20W	136mm	Ø135×H113mm	24°
30W	145mm	Ø156×H123mm	36°
40W			60°

### CCT

3000K / 4000K / 5000K

### CRI

80/90

### Colour Configurations



Sand  
Black



Pearl  
White



WW02

# WW7086

WALL WASHER SERIES

## SPECIFICATIONS

Power	Cutout	Dimensions	Beam Angle
12W	72mm	85×70mm	Custom
20W	92mm	108×86mm	

### CCT

3000K / 4000K / 5000K

### CRI

80/90

### Colour Configurations



Sand  
Black



Pearl  
White



WW03

# WW5565

WALL WASHER SERIES

## SPECIFICATIONS

Power	Cutout	Dimensions	Beam Angle
12W		64x71mm	Custom

CCT  
3000K / 4000K / 5000K      CRI  
80/90


### Colour Configurations



Sand  
Black



Pearl  
White



WW04

# WW9033

WALL WASHER SERIES

## SPECIFICATIONS

Power	Cutout	Dimensions	Beam Angle
12W	75mm	Ø82×H79mm	Custom

### CCT

3000K / 4000K / 5000K

### CRI

80/90

### Colour Configurations



Sand  
Black



Pearl  
White

OASIS®



WW05

## SF20

WALL WASHER SERIES

### SPECIFICATIONS

Power	Cutout	Dimensions	Beam Angle
10W		Ø80×H90	24°
12W			40°
15W			60°

### CCT

3000K / 4000K / 5000K

### CRI

80/90

### Colour Configurations



Sand  
Black



Pearl  
White

OASIS®



WW07

# SF360

WALL WASHER SERIES

## SPECIFICATIONS

Power	Cutout	Dimensions	Beam Angle
7W×2	126×65mm	130×68×86mm	36°
12W×2	180×88mm	180×90×104mm	
7W	55mm	62×86mm	
12W	75mm	84×104mm	

### CCT

3000K / 4000K / 5000K

### CRI

80/90

### Colour Configurations



Sand  
Black



Pearl  
White

OASIS®



WW08

## SF44

WALL WASHER SERIES

### SPECIFICATIONS

Power	Cutout	Dimensions	Beam Angle
12W	52mm	54x70x94mm	24° – 36°

#### CCT

3000K / 4000K / 5000K

#### CRI

80/90

#### Colour Configurations



Sand  
Black



Pearl  
White



WEBSITE

EMAIL: SLI.LUMINAIRES@GMAIL.COM  
PHONE : +91 86555 43291 / +91 91675 22326  
LOCATION: KANDIVALI (WEST), MUMBAI

INDOOR LIGHTING  
PRODUCT PORTFOLIO  
2025