

Anne Lorraine F. Ramos

IV-BCSAD

GitHub Repository Link: <https://github.com/p0laris09/GitHub-Intro>

Step 1: Setting Up Git and GitHub

- Create a GitHub repository:
 - Name your repository GitHub-Intro.
 - Add a short description in the repository settings.
 - Initialize the repository with a README.md file and a .gitignore file (choose Python from the templates).

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Required fields are marked with an asterisk ().*

Owner *

 p0laris09

Repository name *

GitHub-Intro

 GitHub-Intro is available.

Great repository names are short and memorable. Need inspiration? How about **improved-rotary-phone** ?

Description (optional)

This is a github-intro to teach the bcsad students of UMAK on how to use github

☒  **Public**

Anyone on the internet can see this repository. You choose who can commit.

☐  **Private**

You choose who can see and commit to this repository.

Initialize this repository with:

☒ **Add a README file**

This is where you can write a long description for your project. [Learn more about READMEs.](#)

Add .gitignore

.gitignore template: Python

Choose which files not to track from a list of templates. [Learn more about ignoring files.](#)

Choose a license

License: None


A license tells others what they can and can't do with your code. [Learn more about licenses.](#)

This will set  **main** as the default branch. Change the default name in your [settings.](#)


 You are creating a public repository in your personal account.

Create repository

- Take a screenshot of your repository's main page showing the README file.



- Configure Git on your local machine:
 - Use the command line to configure Git with your name and email, and take a screenshot of your terminal showing how you configure it.




A screenshot of a terminal window titled "MINGW64:/c/Users/Anne". The terminal shows the following commands and output:

```
Anne@LENOVO-LOQ MINGW64 ~  
$ git config --global user.name "Polaris"  
  
Anne@LENOVO-LOQ MINGW64 ~  
$ git config --global user.email "polaris.09a1@gmail.com"  
  
Anne@LENOVO-LOQ MINGW64 ~  
$ |
```

Step 2: Cloning and Working with the Repository

- Clone the repository:
 - Take a screenshot showing the git clone command and the local folder created.



A screenshot of a terminal window showing the cloning of a repository. The terminal output is as follows:

```
Anne@LENOVO-LOQ MINGW64 ~/Desktop  
$ git clone https://github.com/p0laris09/GitHub-Intro  
Cloning into 'GitHub-Intro'...  
remote: Enumerating objects: 4, done.  
remote: Counting objects: 100% (4/4), done.  
remote: Compressing objects: 100% (4/4), done.  
remote: Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)  
Receiving objects: 100% (4/4), done.  
  
Anne@LENOVO-LOQ MINGW64 ~/Desktop  
$ |
```

Backups	13/09/2024 8:39 pm	File folder	
Flutter Projects	01/10/2024 3:05 am	File folder	
GitHub-Intro	10/10/2024 12:30 pm	File folder	
GitTests	23/09/2024 2:44 pm	File folder	
Laravel	17/09/2024 1:43 am	File folder	
my_local_project	23/09/2024 2:35 pm	File folder	
Notes	07/10/2024 8:28 pm	File folder	
VBox	02/10/2024 6:06 pm	File folder	
Discord	07/10/2024 8:34 pm	Shortcut	3 KB


- Add a Python file:
 - Inside the local repository folder, create a Python file named hello.py.
 - Write a simple Python program that prints "Hello, World!" in the file.
 - Save the file, and use the command line to add and commit the file:
 - Take a screenshot of your terminal showing the git add and git commit commands.

```
Anne@LENOVO-LOQ MINGW64 ~/Desktop/GitHub-Intro (main)
$ git add hello.py

Anne@LENOVO-LOQ MINGW64 ~/Desktop/GitHub-Intro (main)
$ git commit -m "Added the hello.py"
[main 19d05ab] Added the hello.py
1 file changed, 1 insertion(+)
create mode 100644 hello.py
```

- Push the changes to GitHub:
 - Push the changes from your local machine to your GitHub repository.
 - Take a screenshot showing the successful push and the updated GitHub repository with the hello.py file.

```
Anne@LENOVO-LOQ MINGW64 ~/Desktop/GitHub-Intro (main)
$ git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 338 bytes | 338.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/p0laris09/GitHub-Intro
481c2d8..19d05ab main -> main
```



Step 3: Creating and Merging Branches

- Create a new branch:
 - Create a new branch called feature-branch for adding a new feature to the program.
 - In this branch, modify hello.py to take a user input and print their name.
 - Add and commit the changes.
 - Take a screenshot of the git branch, git add, and git commit commands.

```
MINGW64:/c/Users/Anne/Desktop/GitHub-Intro
Writing objects: 100% (3/3), 338 bytes | 338.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/p0laris09/GitHub-Intro
   481c2d8..19d05ab  main -> main

Anne@LENOVO-LOQ MINGW64 ~/Desktop/GitHub-Intro (main)
$ git branch feature-branch

Anne@LENOVO-LOQ MINGW64 ~/Desktop/GitHub-Intro (main)
$ git checkout feature-branch
Switched to branch 'feature-branch'

Anne@LENOVO-LOQ MINGW64 ~/Desktop/GitHub-Intro (feature-branch)
$ git status
On branch feature-branch
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   hello.py

no changes added to commit (use "git add" and/or "git commit -a")

Anne@LENOVO-LOQ MINGW64 ~/Desktop/GitHub-Intro (feature-branch)
$ |
```

```
MINGW64:/c/Users/Anne/Desktop/GitHub-Intro
  (use "git restore <file>..." to discard changes in working directory)
        modified:   hello.py

no changes added to commit (use "git add" and/or "git commit -a")

Anne@LENOVO-LOQ MINGW64 ~/Desktop/GitHub-Intro (feature-branch)
$ git add hello.py

Anne@LENOVO-LOQ MINGW64 ~/Desktop/GitHub-Intro (feature-branch)
$ git status
On branch feature-branch
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   hello.py

Anne@LENOVO-LOQ MINGW64 ~/Desktop/GitHub-Intro (feature-branch)
$ git commit -m "Added a feature that get the name of the user then print it"
[feature-branch 2e071fa] Added a feature that get the name of the user then print it
1 file changed, 3 insertions(+), 1 deletion(-)

Anne@LENOVO-LOQ MINGW64 ~/Desktop/GitHub-Intro (feature-branch)
$
```

- Push the branch to GitHub:
 - Push the feature-branch to GitHub.

```
Anne@LENOVO-LOQ MINGW64 ~/Desktop/GitHub-Intro (feature-branch)
$ git push origin feature-branch
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 347 bytes | 347.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'feature-branch' on GitHub by visiting:
remote:   https://github.com/p0laris09/GitHub-Intro/pull/new/feature-branch
remote:
To https://github.com/p0laris09/GitHub-Intro
 * [new branch]      feature-branch -> feature-branch
```

- Create a **pull request** on GitHub to merge feature-branch into main.
- Review the pull request, add comments if necessary, and merge it into the main branch.
- Take screenshots showing the pull request creation, review, and merge process.

3) Messenger | Facebook

Comparing main...feature-branch

github.com/p0laris09/GitHub-Intro/compare/main...feature-branch

🔍

+

🕒

🔗

📧

🌐

☰

 p0laris09 / GitHub-Intro

🔍

+

🕒

🔗

📧

🌐

<> Code

🕒 Issues

🔗 Pull requests

🕒 Actions

📁 Projects

📖 Wiki

🛡 Security

📊 Insights

⋮

Open a pull request

Create a new pull request by comparing changes across two branches. If you need to, you can also [compare across forks](#). [Learn more about diff comparisons here](#).

🔗

base: main

←

compare: feature-branch

✓ Able to merge. These branches can be automatically merged.



Add a title

Added a feature that get the name of the user then print it

Reviewers

No reviews

Add a description

WritePreviewH B I ⌵ <> 🔗 ⌵ ⌵ ⌵ ⋮

This will allow the user to input their name and with it being able to be called instead of the program just saying Hello World, it says Hello "Name"

📄 Markdown is supported

📎 Paste, drop, or click to add files

Create pull request

▼

Assignees

No one—[assign yourself](#)

Labels

None yet

Projects

None yet

Milestone

No milestone

Development

Use [Closing keywords](#) in the description to automatically close issues

Helpful resources

[GitHub Community Guidelines](#)

📄 1 commit

📄 1 file changed

👤 1 contributor

1

Commits on Oct 10, 2024

Added a feature that get the name of the user then print it #1

Open p0laris09 wants to merge 1 commit into main from feature-branch

Conversation 0 Commits 1 Checks 0 Files changed 1 +3 -1

Owner

...

2 minutes ago

This will allow the user to input their name and with it being able to be called instead of the program just saying Hello World, it says Hello "Name"

Added a feature that get the name of the user then print it

2e071fa

p0laris09 self-assigned this 1 minute ago

p0laris09 removed their assignment now

Require approval from specific reviewers before merging

Rulesets ensure specific people approve pull requests before they're merged.

Add rule

Continuous integration has not been set up

GitHub Actions and several other apps can be used to automatically catch bugs and enforce style.

This branch has no conflicts with the base branch

Merging can be performed automatically.

Merge pull request

You can also open this in GitHub Desktop or view command line instructions.

Reviewers

No reviews

Still in progress? Convert to draft

Assignees

No one—assign yourself

Labels

None yet

Projects

None yet

Milestone

No milestone

Development

Successfully merging this pull request may close these issues.

None yet



Notifications

Customize

Unsubscribe


You're receiving notifications because you're watching this repository.

1 participant



Step 4: Collaborating on GitHub

- Invite a collaborator:
 - Invite a classmate to collaborate on your repository using GitHub's "Collaborators" feature.



Classmate is Jhon Mark Enrique

Manage access

Add people

☐ Select all

Type ▾

Find a collaborator...



jayem2305
Collaborator



Contributors 2



p0laris09 Polaris



jayem2305

- Ask your collaborator to clone the repository, create a new branch (fix-branch), and make a minor change to README.md (e.g., fixing a typo or adding a description).

```
jayen@mousy MINGW64 ~/collab_lors/GitHub-Intro (main)
$ git checkout -b fix-branch
Switched to a new branch 'fix-branch'

jayen@mousy MINGW64 ~/collab_lors/GitHub-Intro (fix-branch)
$ git push origin fix-branch
remote: Permission to p0laris09/GitHub-Intro.git denied to jayem2305.
fatal: unable to access 'https://github.com/p0laris09/GitHub-Intro.git/': The requested URL returned error: 403

jayen@mousy MINGW64 ~/collab_lors/GitHub-Intro (fix-branch)
$ git add README.md


jayen@mousy MINGW64 ~/collab_lors/GitHub-Intro (fix-branch)
$ git commit -m "made a small change on the README.md"
On branch fix-branch
nothing to commit, working tree clean

jayen@mousy MINGW64 ~/collab_lors/GitHub-Intro (fix-branch)
$ git push origin fix-branch
remote: Permission to p0laris09/GitHub-Intro.git denied to jayem2305.
fatal: unable to access 'https://github.com/p0laris09/GitHub-Intro.git/': The requested URL returned error: 403

jayen@mousy MINGW64 ~/collab_lors/GitHub-Intro (fix-branch)
$ git push origin fix-branch
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 466 bytes | 466.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'fix-branch' on GitHub by visiting:
remote:   https://github.com/p0laris09/GitHub-Intro/pull/new/fix-branch
remote:
To https://github.com/p0laris09/GitHub-Intro.git
 * [new branch]      fix-branch -> fix-branch

jayen@mousy MINGW64 ~/collab_lors/GitHub-Intro (fix-branch)
$ |
```

- Your collaborator should push their branch and create a pull request.
- Review their pull request and merge it into the main branch.




- Take a screenshot of the collaborator's pull request and the merge process.

The screenshot shows a GitHub pull request interface. At the top, the title is "made a small change on the README.md #2". Below the title, it says "Open" and "jayem2305 wants to merge 1 commit into main from fix-branch". The pull request is associated with the repository "github.com/p0laris09/GitHub-Intro/pull/2".

On the left, there's a sidebar with icons for conversation, commits, checks, and files changed. The "Conversation" tab is active, showing a comment from "jayem2305" who commented 2 minutes ago. The comment says "o Review their pull request and merge it into the main branch." and includes a smiley face emoji. Below the comment, there's a commit link "made a small change on the README.md" with the hash "4b70070".

On the right, there's a sidebar with various sections: "Reviewers" (No reviews, Still in progress? Convert to draft), "Assignees" (No one—assign yourself), "Labels" (None yet), "Projects" (None yet), "Milestone" (No milestone), "Development" (Successfully merging this pull request may close these issues), and "Notifications" (Unsubscribe button). There's also a "Customize" link for notifications.

At the bottom, there's a "Merge pull request" button and a link to "Add a comment". The "Add a comment" section has a "Write" tab and a text area for adding a comment.



Step 5: Pulling Changes from GitHub

- Pull the latest changes:
 - After merging the collaborator's changes, use the git pull command to pull the latest changes to your local repository.
 - Take a screenshot showing the git pull command and the updated local repository.

```
MINGW64:/c/Users/Anne/Desktop/GitHub-Intro

Anne@LENOVO-LOQ MINGW64 ~/Desktop/GitHub-Intro (main)
$
bash: '$'\302\226': command not found

Anne@LENOVO-LOQ MINGW64 ~/Desktop/GitHub-Intro (main)
$ git pull origin main
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 4 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (4/4), 1.32 KiB | 192.00 KiB/s, done.
From https://github.com/p0laris09/GitHub-Intro
* branch          main          -> FETCH_HEAD
  db71c3f..a0a684f  main          -> origin/main
Updating 19d05ab..a0a684f
Fast-forward
 README.md | 3 ++-
 hello.py  | 4 +++-
 2 files changed, 5 insertions(+), 2 deletions(-)

Anne@LENOVO-LOQ MINGW64 ~/Desktop/GitHub-Intro (main)
$ |
```

