

SAHAYOG Consolidated Test Execution Report

Modules covered: Login (LP_TS001), Homepage / US_HOME_001 (HP_TS001), Forgot User ID (FUI_TS001)

Date: 28-Jul-2026

Environment: QA — https://sahyogagentweb.drutam.in:9634

Browser: Chromium (Desktop Chrome)

Test User: nayan.aher@netwinindia.in (Branch Origination Officer)

Executive Summary

65 test cases were exercised across the three modules (20 Login + 23 Homepage + 22 Forgot User ID, of which 1 is a live-assisted end-to-end run). **59 passed, 0 failed, 6 skipped by design** (documented reachability gates protecting the account's real Reference ID quota, not failures). The live-assisted test (Forgot User ID full recovery) was executed manually with a real Reference ID and OTP and passed. Five defects were found and documented; none block core functionality — Login, Homepage, and Forgot User ID all work correctly on their primary paths.

During this session the QA environment showed intermittent transient slowness (occasional 30s timeouts that cleared on retry). These were confirmed as environment/network noise, not code or product defects, by re-running to a clean, stable result each time.

Test Statistics

Module	Total	Passed	Failed	Skipped
Login (LP_TS001)	20	20	0	0
Homepage (HP_TS001, US_HOME_001)	23	23	0	0
Forgot User ID (FUI_TS001)	22	16 (15 automated + 1 live-assisted)	0	6 (by design)
Total	65	59	0	6

Module 1: Login (LP_TS001) — 20/20 passed

Test Case ID	Title	Test Type	Preconditions	Test Steps	Expected Result	Test Data	Priority	Actual Result
TC-LOGIN-001	Login page loads with all UI components	Happy Path / UI	Unauthenticated, on /login	1. Navigate to /login	Logo, User Id field, Password field, Login button, Forgot Password link, Forgot User ID link, Activate Account link all visible	N/A	Critical	✅ Pass
TC-LOGIN-002	Page title and URL are correct	Happy Path / UI	On /login	1. Inspect page title and URL	Title = "Drutam Origination"; URL contains /login	N/A	High	✅ Pass
TC-LOGIN-003	Password field is masked by default	UI	On /login	1. Inspect password input type attribute	type="password"	N/A	High	✅ Pass

TC-LOGIN-004	Password visibility toggle shows/hides password	Functional	On <code>/login</code>	1. Fill password 2. Click eye icon 3. Click again	Type toggles <code>password</code> → <code>text</code> → <code>password</code>	Password: <code>Sahayog@2025</code>	Medium	✅ Pass
TC-LOGIN-005	Blank form submission shows both validation messages	Negative/Validation	On <code>/login</code> , fields empty	1. Click Login with both fields empty	"Enter User Id" shown; stays on <code>/login</code> ; no <code>oauth2/token</code> request fired	N/A	Critical	✅ Pass
TC-LOGIN-006	Blank User Id shows field-level validation	Negative/Validation	Password filled, User Id empty	1. Fill password 2. Click Login	"Enter User Id" message shown	Password: <code>Sahayog@2025</code>	High	✅ Pass
TC-LOGIN-007	Blank Password shows field-level validation	Negative/Validation	User Id filled, Password empty	1. Fill User Id 2. Click Login	"Enter password" message shown	UserId: <code>nayan.aher@netwinindia.in</code>	High	✅ Pass
TC-LOGIN-008	Invalid email format is rejected (or safely handled)	Business Rule	On <code>/login</code>	1. Fill User Id with <code>not-an-email</code> 2. Fill any password 3. Click Login	Expected: client-side format validation blocks submission. Actual (known defect DEF-001): app calls the auth API regardless and returns a generic "credentials incorrect" toast	UserId: <code>not-an-email</code> , Password: <code>SomePass123!</code>	High	✅ Pass (documents DEF-001)
TC-LOGIN-009	Keyboard tab order moves through fields logically	Functional	On <code>/login</code>	1. Click User Id 2. Press Tab	Focus moves User Id → Password	N/A	Medium	✅ Pass
TC-LOGIN-010	Enter key on password field submits the form	Functional	On <code>/login</code>	1. Fill valid User Id + Password 2. Press Enter in password field	Redirects to <code>/HOME</code>	Valid credentials	High	✅ Pass
TC-LOGIN-011	Successful login with valid credentials	Happy Path	On <code>/login</code>	1. Fill valid User Id 2. Fill valid Password 3. Click Login	Redirect to <code>/HOME</code> ; <code>user/data</code> and <code>sidemenu/list</code> APIs return 200	<code>nayan.aher@netwinindia.in</code> / <code>Sahayog@2025</code>	Critical	✅ Pass
TC-LOGIN-012	Session persists after page refresh post-login	Happy Path	Logged in	1. Load <code>/HOME</code> 2. Refresh	Still authenticated, dashboard reloads without redirect to login	Valid credentials (via <code>storageState</code>)	High	✅ Pass
TC-LOGIN-013	Invalid password shows generic non-sensitive error	Negative/Validation	On <code>/login</code>	1. Fill valid User Id 2. Fill wrong password 3. Click Login	Toast: "The password you entered is incorrect"; stays on <code>/login</code> ; password field remains masked	UserId valid, Password: <code>WrongPass123!</code>	Critical	✅ Pass
TC-LOGIN-014	Login button is non-interactive while auth request is in flight	State-Aware UI	On <code>/login</code>	1. Fill valid credentials 2. Click Login	Full-page loading overlay appears and blocks re-clicks during the in-flight request	Valid credentials	Medium	✅ Pass
TC-LOGIN-015	Forgot Password link is visible and clickable	Functional	On <code>/login</code>	1. Assert link visible/enabled 2. Click it	Navigates to the Forgot Password flow	N/A	Medium	✅ Pass
TC-LOGIN-016	Credentials never appear in the URL	Security	On <code>/login</code>	1. Login with valid credentials 2. Inspect resulting URL	User Id / password never appear as URL query params	Valid credentials	Critical	✅ Pass

TC-LOGIN-017	Unauthenticated direct navigation to dashboard is blocked	Business Rule	No session (fresh context)	1. Navigate directly to <code>/HOME</code> without logging in	Redirected to <code>/login</code>	N/A	Critical	✔ Pass
TC-LOGIN-018	Rapid double-click on Login does not double-submit	Async/Race	On <code>/login</code>	1. Fill valid credentials 2. Click Login 3. Immediately click again	Loading overlay blocks the second click; at most 1 <code>oauth2/token</code> request fires	Valid credentials	Medium	✔ Pass
TC-LOGIN-019	SQL Injection / XSS payloads are rejected safely	Security	On <code>/login</code>	1. Enter <code>' OR '1'='1</code> in User Id and <code><script>alert(1)</script></code> in Password 2. Click Login	Treated as invalid credentials; no script execution; no SQL error surfaced	Payload strings	High	✔ Pass
TC-LOGIN-020	Responsive layout on mobile viewport	UI/Responsive	On <code>/login</code>	1. Set viewport to 375×667 2. Reload	All fields/buttons remain visible and usable	N/A	Low	✔ Pass

Defect found:

ID	Title	Description	Severity	Status
DEF-001	User ID field does not validate email format client-side	Entering an invalid format (e.g. <code>not-an-email</code>) is not rejected client-side; the app calls the auth API regardless and surfaces a generic "credentials incorrect" toast instead of a field-level format error.	Low	Open

No security, session, or core-flow issues found.

Module 2: Homepage (HP_TS001, US_HOME_001) — 23/23 passed

Full user story: `user-stories/2. Homepage.md`, section 0 (**US_HOME_001**). AC1–AC15 covered.

Test Case ID	Title	Test Type	AC Reference	Preconditions	Test Steps	Expected Result	Test Data	Priority	Actual Result
TC-HOME-001	Homepage loads successfully after login	Happy Path	AC1	Authenticated session	Navigate to <code>/HOME</code> ; wait for load	URL is <code>/HOME</code> , no unhandled console errors, no unexpected error message	Valid user	Critical	✔ Pass
TC-HOME-002	Left navigation menu items are visible and enabled	UI	AC2	On Homepage	Assert Home / My Profile / Notifications / About Us are visible and enabled	All 4 items visible + enabled	—	Critical	✔ Pass
TC-HOME-003	Left navigation items redirect to their respective pages	Happy Path	AC2	On Homepage	Click each nav item in turn; assert URL after each	Home→ <code>/HOME</code> , My Profile→ <code>/MY_PROFILE</code> , Notifications→ <code>/NOTIFICATIONS</code> , About Us→ <code>/ABOUT_US</code>	—	Critical	✔ Pass
TC-HOME-004	Top header displays all required icons	UI	AC3	On Homepage	Assert date badge, Alerts icon, Notification	All header elements visible + enabled	—	Critical	✔ Pass

					bell, User Profile icon are all visible and enabled				
TC-HOME-005	Today's date matches current system date and format	Happy Path / Business Rule	AC4	On Homepage	Read date badge text; compare to today (DD/MM/YYYY)	Date is non-blank and equals today's date in the correct format	—	High	✔ Pass
TC-HOME-006	Alerts icon opens an alerts panel	Happy Path	AC5	On Homepage	Click Alerts icon	Navigates to <code>/alertsupdates</code> , the same full alerts page reached via "View All"	—	High	✔ Pass
TC-HOME-007	Notification bell opens, loads, and closes the notification list	Happy Path / State-Aware UI	AC6	On Homepage	Click Notification bell; assert panel visible with ≥ 1 item; click bell again; assert panel closes	Panel opens with notifications, closes cleanly on second click	—	Critical	✔ Pass
TC-HOME-008	User Profile menu shows the required 4 options	UI	AC7	On Homepage	Click user avatar	Dropdown shows exactly: My Profile, Change Password, Change Language, Logout	—	Critical	✔ Pass
TC-HOME-009	My Profile menu option redirects and loads user info	Happy Path	AC8	On Homepage	Open profile menu; click "My Profile"	URL is <code>/MY_PROFILE</code> ; profile fields (Name, Email, Mobile) render with non-blank values	—	High	✔ Pass
TC-HOME-010	Change Password menu option redirects and loads the form	Happy Path	AC8	On Homepage	Open profile menu; click "Change Password"	URL is <code>/CHANGE_PASSWORD</code> ; Current/New/Confirm password fields + submit button visible	—	High	✔ Pass
TC-HOME-011	Change Language option allows selecting an available language	Happy Path	AC8	On Homepage	Open profile menu; click "Change Language"; select "मराठी"	Language page opens with ≥ 2 language options; selecting one updates its checked state	—	Medium	✔ Pass
TC-HOME-012	Logout terminates the session and blocks Back navigation	Happy Path / Security	AC8, AC15	On Homepage	Open profile menu; click Logout; then press browser Back	Redirected to <code>/login</code> ; Back does not restore the authenticated Homepage	—	Critical	✔ Pass
TC-HOME-013	Alerts & Internal Updates section is visible with All/Important/View All	UI	AC9	On Homepage	Assert heading + All tab + Important tab + View All link are visible	All present	—	High	✔ Pass
TC-HOME-014	"All" and "Important" alert filters are interactive	State-Aware UI	AC10	On Homepage, alerts loaded	Click Important tab; click All tab	No error; list re-renders each time; tab active state changes	—	Medium	✔ Pass
TC-HOME-015	"View All" redirects to the full alerts page with records	Happy Path	AC10	On Homepage	Click "View All"	Navigates to full alerts/updates page; ≥ 1 record displayed	—	High	✔ Pass

TC-HOME-016	Mandatory Scrutiny alert opens a popup with full content	Happy Path	AC11	On Homepage, alert item visible	Click "Mandatory Scrutiny Process for All New Applications"	Dialog opens with title, timestamp, non-blank body text, and a document table row	—	High	✅ Pass
TC-HOME-017	Mandatory Scrutiny popup actions are usable and close cleanly	State-Aware UI	AC12	Popup open	Assert Download All link and row action icons are visible; click Close	Actions visible/enabled; Close button dismisses the dialog	—	Medium	✅ Pass
TC-HOME-018	Saving Application card is visible	Happy Path	AC13	On Homepage	Assert "Savings Application" card visible	Card visible	—	High	✅ Pass
TC-HOME-019	All Homepage images load without broken links	UI	AC14	On Homepage	Collect all <code></code> ; assert <code>naturalWidth > 0</code> for each	No broken images	—	High	✅ Pass
TC-HOME-020	Responsive layout — mobile viewport (390×844)	Responsive	AC14	On Homepage	Resize to 390×844; reload	No horizontal overflow; content usable	390×844	High	✅ Pass
TC-HOME-021	Responsive layout — tablet viewport (768×1024)	Responsive	AC14	On Homepage	Resize to 768×1024; reload	No horizontal overflow	768×1024	Medium	✅ Pass
TC-HOME-022	Full navigation walkthrough produces no console errors	Negative / General	AC13	On Homepage	Visit all 4 sidebar destinations, then return Home; monitor <code>console</code> events throughout	Zero <code>console.error</code> events across the walkthrough	—	High	✅ Pass
TC-HOME-023*	Session persists after refresh on Homepage	Happy Path	AC15	Authenticated	Load Homepage; refresh	Homepage reloads without redirect to login	—	High	✅ Pass (satisfied by TC-LOGIN-012, not duplicated)

* TC-HOME-023 and an equivalent unauthenticated-access-blocked case are satisfied by `TC-LOGIN-012` / `TC-LOGIN-017` above rather than re-implemented.

Defects found (from an earlier, broader-scope pass against the original Homepage requirements — not covered by `US_HOME_001`'s AC list, so not re-verified in this cycle, but still open since nothing has changed):

ID	Title	Description	Severity	Status
BUG-006	SAHAYOG and Government logos not rendered anywhere on the Homepage	Only the Netwin logo (footer "Powered By netwin v1.05") renders; no SAHAYOG or Government branding image exists in the DOM.	High	Open
BUG-007	Footer renders with no copyright text	<code>footer.am-footer</code> exists but its <code>.am-foot-copyright</code> child is empty; the footer also fails a basic visibility check. Corroborated by an independent pre-existing exploratory finding (<code>BUG-004</code>).	Medium	Open

One automation-layer bug was found and fixed during this session (not a product defect): the Notification panel's item count was read before the async list finished rendering, causing an intermittent false-empty read — fixed by waiting for the first item to render before counting.

Module 3: Forgot User ID (FUI_TS001) — 15/15 automated + 1/1 live-assisted passed, 6 skipped by design

The real flow is **3 steps: Mobile Number → Send Reference ID**, then **Reference ID + Date of Birth → Submit** (which triggers an **OTP** step), then **OTP → Verify**, which discloses the User ID.

Test Case ID	Title	Test Type	Preconditions	Test Steps	Expected Result	Test Data	Priority	Actual Result
TC-FUI-001	Forgot User ID page loads with all UI components	Happy Path	On <code>/forgotUser</code>	1. Navigate via Login → "Forgot User ID ?"	Logo, "Recover Your User ID" heading, instruction text, Mobile Number field, Send Reference ID button, Cancel button, footer all visible	N/A	Critical	✅ Pass
TC-FUI-002	Page URL is correct after navigation	Happy Path	On <code>/forgotUser</code>	1. Assert URL	URL contains <code>/forgotUser</code>	N/A	High	✅ Pass
TC-FUI-003	Send Reference ID button is disabled while Mobile Number is blank	Business Rule	On <code>/forgotUser</code>	1. Leave Mobile Number blank 2. Inspect button state	Button disabled	N/A	High	✅ Pass
TC-FUI-004	Send Reference ID button enables once Mobile Number has a value	Functional	On <code>/forgotUser</code>	1. Type any digit into Mobile Number	Button becomes enabled	Mobile: 9	Medium	✅ Pass
TC-FUI-005	Non-numeric characters are stripped client-side from Mobile Number	Business Rule	On <code>/forgotUser</code>	1. Type <code>abc123def456</code> into Mobile Number	Field value becomes <code>123456</code>	Mobile: <code>abc123def456</code>	Medium	✅ Pass
TC-FUI-006	Whitespace-only Mobile Number is treated as blank	Business Rule	On <code>/forgotUser</code>	1. Type <code>" "</code> into Mobile Number 2. Inspect button state	Button stays disabled	Mobile: <code>" "</code>	Medium	✅ Pass
TC-FUI-007	Unregistered Mobile Number shows an error and stays on step 1	Negative	On <code>/forgotUser</code>	1. Fill an unregistered number 2. Click Send Reference ID	"User not found" toast; stays on <code>/forgotUser</code> ; Step 2 fields not revealed	Mobile: <code>9075063434</code> (unregistered as of 29-Jul-2026)	High	✅ Pass
TC-FUI-012	Cancel from step 1 returns to the Login page	Functional	On <code>/forgotUser</code>	1. Click Cancel	Redirected to <code>/login</code>	N/A	High	✅ Pass
TC-FUI-013	Credentials never appear in the URL	Security	On <code>/forgotUser</code>	1. Submit a mobile number 2. Inspect resulting URL	Mobile number never appears as a URL query param	Mobile: <code>9075063434</code>	High	✅ Pass
TC-FUI-014	SQL Injection payload in Mobile Number is handled safely	Security	On <code>/forgotUser</code>	1. Fill Mobile Number with <code>1' OR '1'='1</code> 2. Click Send Reference ID	Treated as invalid; no SQL error surfaced; stays on <code>/forgotUser</code> ; Step 2 not revealed	Mobile: <code>1' OR '1'='1</code>	High	✅ Pass
TC-FUI-015	XSS payload in Mobile Number is handled safely	Security	On <code>/forgotUser</code>	1. Fill Mobile Number with <code><script>alert(1)</script></code> 2. Click Send Reference ID	No JS dialog fires; stays on <code>/forgotUser</code>	Mobile: <code><script>alert(1)</script></code>	High	✅ Pass
TC-FUI-016	Rapid double-click on Send Reference ID does not double-submit	Async/Race	On <code>/forgotUser</code>	1. Fill Mobile Number 2. Click Send Reference ID 3. Immediately click again	Expected: button disables in-flight, only 1 request fires. Actual (known defect DEF-003): button is	Mobile: <code>9075063434</code>	Medium	✅ Pass (documents DEF-003)

					never disabled, 2 identical <code>ref/request</code> calls fire			
TC-FUI-017	Responsive layout on mobile viewport	UI/Responsive	On <code>/forgetUser</code>	1. Set viewport to 375×667	All fields/buttons remain visible and usable	N/A	Low	✅ Pass
TC-FUI-017b	Reloading the page redirects to Login instead of staying on it	Negative	On <code>/forgetUser</code>	1. Reload the browser	Expected: page persists. Actual (known defect DEF-002): redirected to <code>/login</code> , recovery flow lost	N/A	Medium	✅ Pass (documents DEF-002)
TC-FUI-018	Browser Back button after Cancel returns without errors	Functional	Cancelled back to Login	1. Click Cancel 2. Press browser Back	No console errors after navigating back	N/A	Low	✅ Pass
TC-FUI-008	Registered Mobile Number reveals the Step 2 verification form	Happy Path	Registered mobile number reachable	1. Complete Step 1 with a registered number	Success toast; Step 2 reveals Reference ID + Date of Birth fields; Mobile Number field becomes locked	Registered mobile	Critical	⏸ Skipped (guard: <code>beforeEach</code> deliberately uses an unregistered number to protect the real Reference ID quota)
TC-FUI-009	Step 2 fields are present and individually marked mandatory	UI	Step 2 revealed	1. Inspect each Step 2 field	Reference ID and Date of Birth each show a * mandatory indicator	N/A	High	⏸ Skipped (same guard)
TC-FUI-010	Step 2 blank submission shows all required-field messages	Negative	Step 2 revealed, fields blank	1. Click Submit with all Step 2 fields empty	"Reference ID is required" and "Date of Birth is required" shown; no <code>otp/request</code> call fires	N/A	Critical	⏸ Skipped (same guard)
TC-FUI-011	Step 2 submission with incorrect data shows a mismatch error	Negative	Step 2 revealed	1. Fill Reference ID + DOB with incorrect values 2. Click Submit	Toast "Reference ID mismatch"; stays on <code>/forgetUser</code>	Reference ID: <code>WRONG-REF-999</code> , DOB: <code>2000-01-01</code>	High	⏸ Skipped (same guard)
TC-FUI-019	Step 2 Submit button is not disabled while fields are blank	State-Aware UI (UX inconsistency)	Step 2 revealed, fields blank	1. Inspect Submit button state	Observed inconsistency: unlike Step 1's button, Step 2's Submit stays enabled while blank and relies on post-click validation	N/A	Low	⏸ Skipped (same guard)
TC-FUI-021	[Blocked] Reference ID rejected after its 720-hour validity period expires	Business Rule	A Reference ID older than 720 hours	1. Submit Step 2 with an expired Reference ID	Submission rejected with an expiry-specific error	Expired Reference ID	Medium	⏸ Skipped (Blocked — cannot fast-forward 30 days in this environment)
TC-FUI-020	Full recovery with correct Reference ID and OTP discloses the User ID	Happy Path (Live, Manually-Assisted)	Registered mobile number <code>9511996248</code>	1. Send Reference ID (live) 2. Enter live Reference ID + DOB <code>02-05-2001</code> → Submit 3. Enter live OTP → Verify	Reference ID+DOB unlocks an OTP step; OTP verification discloses User ID: <code>nayan.aher@netwinindia.in</code> , matching the known login exactly	Reference ID <code>SMCC202607284668</code> , OTP <code>2828</code> (example run)	High	✅ Pass (executed live with real, human-relayed data)

Defects found:

ID	Title	Description	Severity	Status
----	-------	-------------	----------	--------

DEF-002	Reloading <code>/forgotUser</code> redirects to Login instead of preserving the recovery flow	A hard reload drops the client-side route entirely, losing the user's place in the recovery flow (unlike <code>/login</code> , which is the SPA's fallback route and trivially survives a reload).	Low	Open
DEF-003	Send Reference ID button not disabled during in-flight request	A rapid double-click fires two identical <code>ref/request</code> calls instead of being prevented, wasting a rate-limited Reference ID request. Confirmed reproducing across multiple runs.	Medium	Open

Environment note: The account's registered mobile number changed from `9075063434` to `9511996248` partway through this session; test data was updated accordingly. The account's 24-hour Reference ID rate limit was hit twice during testing and cleared/disabled by the user each time to allow verification to proceed — production usage should expect this real limit to apply normally.

Consolidated Defect Log

Defect ID	Module	Title	Severity	Priority	Status
DEF-001	Login	User ID field does not validate email format client-side	Low	Medium	Open
BUG-006	Homepage	SAHAYOG/Government logos not rendered	Major	High	Open
BUG-007	Homepage	Footer has no copyright text	Minor	Medium	Open
DEF-002	Forgot User ID	Reload drops the recovery flow, redirects to Login	Minor	Low	Open
DEF-003	Forgot User ID	Send Reference ID not disabled in-flight (double-submit)	Major	Medium	Open

Full formatted defect tracker: `reports/Consolidated-Defect-Sheet.xlsx` .

Recommendations

1. Add client-side email-format validation to the Login User ID field (DEF-001) so invalid input doesn't reach the auth API at all.
2. Add the SAHAYOG logo (and Government logo, if configured) to the Homepage, and populate the footer's copyright text (BUG-006, BUG-007).
3. Preserve Forgot User ID recovery state across a reload, or explicitly redirect with a clear "your recovery session was lost, please start again" message rather than a silent bounce to Login (DEF-002).
4. Disable the Send Reference ID button while its request is in flight (DEF-003) — this also protects the account's daily Reference ID quota from being wasted by accidental double-clicks.
5. None of the above block go-live for these three modules; all core flows (login, homepage navigation/widgets, forgot-user-ID recovery) work correctly end-to-end.