
### 1. Line Plot (Immigration from Haiti to Canada):

```
Python Code:
```

```
import pandas as pd
import matplotlib.pyplot as plt
df_can=pd.read_excel(
       'https://ibm.box.com/shared/static/lw190pt9zpy5bd1ptyg2aw15awomz9pu.xlsx',
       sheet_name='Canada by Citizenship',
       skiprows=range(20),
       skipfooter=2
)
df_can.set_index('OdName',inplace=True)
years=list(map(int,range(1980,2014)))
print(df_can)
print()
print(df_can.loc['Haiti',years])
df_can.loc['Haiti',years].plot(kind="line")
plt.title("Immigration from Haiti to Canada")
plt.xlabel('years')
plt.ylabel('Number of immigrants')
plt.show()
```




### 2. Area Plot (Immigration trend of top 5 countries):

```
Python Code:
import pandas as pd
import matplotlib.pyplot as plt
df_can=pd.read_excel(
       'Canada.xlsx',
       sheet_name='Canada by Citizenship',
       skiprows=range(20),
       skipfooter=2
)
years=list(map(int,range(1980,2014)))
df_can.set_index('OdName',inplace=True)
df_can.sort_values(['Total'],ascending=False,axis=0,inplace=True)
df_top5=df_can.head()
df_top5=df_top5[years].transpose()
df_top5.plot(kind="area")
plt.title("Immigration trend of top 5 countries")
plt.xlabel("Years")
plt.ylabel("Number of Immigrants")
```


### **Output:**

plt.show()



### 3. Histogram (Immigration from 195 countries in 2013):


```
Python Code:
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
df=pd.read_excel(
       'Canada.xlsx',
       sheet_name='Canada by Citizenship',
       skiprows=range(20),
       skipfooter=2
)
hist,bin_edges = np.histogram(df[2013])
df[2013].plot(kind='hist',xticks=bin_edges)
plt.title("Immigration from 195 countries in 2013")
plt.xlabel("Number of Immigrants")
plt.ylabel("Number of Countries")
plt.show()
```



### 4. Bar Chart (Icelandic immigrants to canada from 1980 to 2013):

```
Python Code:
```

```
import matplotlib.pyplot as plt
import pandas as pd
df_canada=pd.read_excel(
       'Canada.xlsx',
       sheet_name='Canada by Citizenship',
       skiprows=range(20),
       skipfooter=2
)
df_canada.set_index('OdName',inplace=True)
years = list(map(int,range(1980,2014)))
df=df_canada.loc['Iceland',years]
df.plot(kind='bar')
plt.title("Icelandic immigrants to canada from 1980 to 2013")
plt.xlabel("Year")
plt.ylabel("Number of Immigrants")
plt.show()
```



# 5. Pie Chart (Immigrants to Canada by Continent [1980-2013]):


```
Python Code:
import matplotlib.pyplot as plt
import pandas as pd
df_can = pd.read_excel(
       'Canada.xlsx',
       sheet_name='Canada by Citizenship',
       skiprows=range(20),
       skipfooter=2
)
df=df_can.groupby('AreaName',axis=0).sum()
print(df)
df['Total'].plot(
       kind='pie',
       autopct='%1.1f%%',
       shadow=True,
       #labels=None,
       startangle=90,
       #pctdistance=1.2
```


#plt.legend(labels=df.index,loc='upper left')

plt.title("Immigrants to Canada by Continent [1980-2013]")

# Output:


plt.show()






### 6. Box Plot (Japanese immigrants from 1980-2013):

```
Python Code:
```



### 7. Scatter Plot (Total immigrant population to Canada from 1980 to 2013):


```
Python Code:
import matplotlib.pyplot as plt
import pandas as pd
df_can = pd.read_excel(
       'Canada.xlsx',
       sheet_name='Canada by Citizenship',
       skiprows=range(20),
       skipfooter=2
)
years=list(map(int,range(1980,2014)))
df_tot = pd.DataFrame(df_can[years].sum())
df_tot.reset_index(inplace = True)
df_tot.columns = ['year', 'total']
df_tot.plot(
       kind='scatter',
       x='year',
       y='total'
)
plt.title("Total immigrant population to Canada from 1980 to 2013")
plt.xlabel("year")
plt.ylabel("Number of immigrants")
plt.show()
```



### 8. Regression Plot (Total immigrant population to Canada from 1980 to 2013):

```
Python Code:
```

```
import seaborn as sns
import pandas as pd
import matplotlib.pyplot as plt
df_can = pd.read_excel(
       'Canada.xlsx',
       sheet_name='Canada by Citizenship',
       skiprows=range(20),
       skipfooter=2
)
years=list(map(int,range(1980,2014)))
# we can use the sum() method to get the total population per year
df_tot = pd.DataFrame(df_can[years].sum())
# reset the index to put in back in as a column in the df_tot dataframe
df_tot.reset_index(inplace = True)
# rename columns
df_tot.columns = ['year', 'total']
a = sns.regplot(x='year',y='total',data=df_tot)
plt.show()
```



# 9. Canada Map:

## **Python Code:**

```
import folium

world_map=folium.Map(
  location=[56.130,-106.35],
  zoom_start=4,
  tiles='Stamen Terrain'
)

world_map
```




# 10. World Map:



# 11. Choropleth Map (Total immigrant population to Canada from 1980 to 2013):

```
Python Code:
import folium
world_map=folium.Map(
  zoom_start=4,
  tiles='mapbox Bright'
world_geo='world_countries.json'
import pandas as pd
df_can=pd.read_excel(
       'Canada.xlsx',
       sheet_name='Canada by Citizenship',
       skiprows=range(20),
       skipfooter=2
)
df=df_can[['OdName','Total']]
world_map.choropleth(
  geo_data=world_geo,
  data=df,
  columns=['OdName','Total'],
  key_on='feature.properties.name',
  fill_color='YlOrRd',
  legend_name='Immigration to Canada'
world_map.save('chloro.html')
```




# 12. Sine Graph:

### **Python Code:**

```
import numpy as np
import matplotlib.pyplot as plt
"""a=np.array([2,5])
b=np.array([6,7])
mean_a=np.mean(a)"""

"""a=np.array([0,np.pi/2,np.pi])
b=np.sin(a)
print(a)"""

a=np.linspace(0,2*np.pi,100)
b=np.sin(a)
plt.plot(a,b)
plt.show()
```



### 13. Bar Chart (Percentage of Respondents' interest in Data Science Areas):

```
Python Code:
import pandas as pd
import matplotlib.pyplot as plt
org = pd.read csv('Data Science Topics Survey.csv')
a={
       'Not interested':pd.Series([0,0,0,0,0,0],index=['Big Data (Spark / Hadoop)','Data Analysis / Statistics','Data
Journalism', 'Data Visualization', 'Deep Learning', 'Machine Learning']),
       'Somewhat interested':pd.Series([0,0,0,0,0,0],index=['Big Data (Spark / Hadoop)','Data Analysis /
Statistics', 'Data Journalism', 'Data Visualization', 'Deep Learning', 'Machine Learning']),
       'Very interested':pd.Series([0,0,0,0,0,0],index=['Big Data (Spark / Hadoop)','Data Analysis / Statistics','Data
Journalism', 'Data Visualization', 'Deep Learning', 'Machine Learning'])
}
df = org["What's your level of interest for the following areas of Data Science? [Big Data (Spark /
Hadoop)]"].value counts()
a['Not interested'][0]=df[0]
a['Somewhat interested'][0]=df[1]
a['Very interested'][0]=df[2]
df = org["What's your level of interest for the following areas of Data Science? [Data Analysis /
Statistics]"].value counts()
a['Not interested'][1]=df[0]
a['Somewhat interested'][1]=df[1]
a['Very interested'][1]=df[2]
df = org["What's your level of interest for the following areas of Data Science? [Data Journalism]"].value counts()
a['Not interested'][2]=df[0]
a['Somewhat interested'][2]=df[1]
a['Very interested'][2]=df[2]
df = org["What's your level of interest for the following areas of Data Science? [Data Visualization]"].value counts()
a['Not interested'][3]=df[0]
a['Somewhat interested'][3]=df[1]
a['Very interested'][3]=df[2]
df = org["What's your level of interest for the following areas of Data Science? [Deep Learning]"].value counts()
a['Not interested'][4]=df[0]
a['Somewhat interested'][4]=df[1]
a['Very interested'][4]=df[2]
df = org["What's your level of interest for the following areas of Data Science? [Machine Learning]"].value counts()
a['Not interested'][5]=df[0]
```

a['Somewhat interested'][5]=df[1]

```
a['Very interested'][5]=df[2]
df final = pd.DataFrame(a)
df final = df final[['Very interested','Somewhat interested','Not interested']]
df final.sort values(['Very interested'],ascending=False,axis=0,inplace=True)
for i in range(0,6):
  for j in range(0,3):
     df final.ix[i,j]=round(((df final.ix[i,j]*100)/2233),2)
col=['#5cb85c','#5bc0de','#d9534f']
ax = df final.plot(kind='bar',figsize=(20,8),width=0.8,color=col)
ax.spines['top'].set visible(False)
ax.spines['right'].set visible(False)
ax.spines['left'].set visible(False)
ax.legend(fontsize=14)
def autolabel(rects, ax):
  for rect in rects:
     x = rect.get x() + rect.get width()/2.
     y = rect.get height()
     ax.annotate("{}".format(y), (x,y), xytext=(0,5), textcoords="offset points",
            ha='center', va='bottom',fontsize=14)
autolabel(ax.patches,ax)
ax.yaxis.set visible(False)
plt.xticks(fontsize=14)
plt.title("Percentage of Respondents' interest in Data Science Areas",fontsize=16)
plt.tight layout()
plt.show()
```

