THE FACTORY THEATRE
TECHNICAL SPECIFICATIONS

Current as of December 2021

CONTACTS

The Factory Theatre
105 Victoria Road, Marrickville
Sydney Australia, 2205
+61 2 9660 9060 (Box Office)

Century Venues
105 Victoria Road, Marrickville
NSW Australia, 2205
+61 2 9519 9231

INDICITIVE CHARGES: FACTORY THEATRE

The below indicative charges are EX GST and should be factored into event budgeting. These costs will be itemised on the venue settlement on completion of the show.

Early / Late Access
A venue hire charge of $75 + GST/hour + staff applies for additional hours outside of the contractual period.

House Audio Component
House Audio Component (as listed below in this document) is included in contractual hire.

House Lighting Component
House Theatre Lighting Component (as listed below in this document) is included in contractual hire.

Additional Production Items
Please contact Event Manager / Production Manager for prices and availability of production items outside of the standard as listed in this document.

All technical advancing and prices for hires & staff for all shows to be coordinated through Event Manager / Production Manager.

STAGE DIMENSIONS

DSE to Rear of Stage	6m
Stage Width	8m
Stage Height	1.13m
Stage Rake	0 degrees
Stage Surface	Timber floor, painted black

AUDITORIUM DIMENSIONS

DSE to Audio & Lighting Mix Pos	16m
Theatre Floor Width	18.4m
Floor to house ceiling	4.5m

POWER

Lighting

2 x 32amp 3 phase outlets

Audio

2 x 32amp 3 phase outlets

STAGE FITTINGS

2.4m x 2.4m beartrap drumriser @ 300mm
Black upstage curtain

Cinema Screen	3.5m x 4m motorised screen

Barricade

Note: barricade is not standard with hire of the venue. Please contact your Event Manager / Production Manager should you require a steel barricade in place.

LIGHTING

LX1	Rear of Stage
LX2	2.6m from Stage Edge
LX3	Front of Stage
FOH	3.5m from DSE

20 x Par 64 Fixtures
9 x Par 56 Fixtures
2 x Duet Blinders
2 x Dimmers
8 of Par 64 LED RGBWAUV
Hog 1000 Control

Additional Lighting Packages Available

Please contact Event Manager / Production Manager for prices and availability


Mac 250s
Mac 500s
Mac 600s
Atomic Strobes
Duets
4 Ways
Hazer
2 x 1.2k Explorer Followspots
Dry Ice Machine
Upright Truss & baseplates


Followspot Operators

FOH followspot operators are booked by
Production Coordinator on a minimum 3 hour call.
Additional followspots can be positioned
Left and Right of dress circle.

RIGGING

All rigging and fly system requirements installed and operated by inhouse riggers only. The Production Manager must approve all additional rigging requirements in advance.


101
1
2
102
24
3
4
103
11
6
104
US LX 3
105
7
8
9
10
106
MS LX 3
666
NEXO GEO S
107
108
DS LX 2
NEXO GEO S


13 13 13
14 15 16
17
18 19 20
21 21 21
FOH LX 1


LEGEND
LED PAR 64 RGBWAUV
PAR 56 MFL
PAR 64 MFL
MOLEFAY DUETS
HAZER

AUDIO

FOH Speaker System

Flown NEXO GEO S 1210	12
Ground RS 15 Sub	4
Camco Vortex 6 Amps	4
Nexo NX242 Processors	3

FOH Control

Yamaha M7CL Digital Console	1

Inserts & Effects

TC D2	1
DBX 160A	2
DBX 566	1
ITC T2129 CD / MP3 Player	1

Monitor Control

Yamaha LS32 when required	1

Monitor System

(5 SENDS PLUS DRUMFILL)

Wayloud Speakers	7
Crown Macrotech 2400	3
DBX1231	3
Generic Drumfill (Sub/Top)	1
Camco Tecton 38.4 (Drumfill)	1
EV EX24 Xover (Drumfill)	1

System Info

Multicore	40ch
Shure B52a	2
Shure B91a	1
Shure B58a	5
Shure SM57	7
Sennheiser 904	4
Sennheiser e906	1
AKG SE5	1
AKG C1000S	2
Behringer C2	2
LA Audio DI2	4
Radial DI	2

Short Booms	6
Heavy Tall Booms	10
Straight Stands	2

DRESSING ROOMS & PRODUCTION OFFICES

1x Dressing rooms available
1x Kitchenette
Toilet Facilities

Dressing Room	7.6m x 2.8m

Dressing room mirror lighting

Tea and coffee facilities available in common area

Internet Access

Wireless Network Name	TELSTRA-4G
Wireless Network Password	Available – Printed on sign in dressing rooms.

LOADING AREAS

Load in located through main gates of Factory Theatre courtyard.
Lift access available. Please liaise with BOH Manager upon arrival.
30 Stairs from Courtyard to stage loading.

FACTORY THEATRE HOUSE RULES

No Wheels on Auditorium Carpet.
All doors, stage or house must be clear at all times for access
All stage equipment must enter via Courtyard
No seats, armrests, or backrests can be used as a step
No one but house personnel are permitted in the roof or grid
Only house riggers may operate rigging equipment or rig
Do not adjust stage drapery
Do not use gaffa tape on stage drapery, proscenium wall or backstage walls
Trucks cannot park in front of the theatre earlier than 1 hour after conclusion of performance
Load out to be carried out safely and immediately after conclusion of performance
The venue must be cleared of all patrons and the loading passage way cleared of patrons and rubbish before cases can be loaded out.