manning

CONTACTS

All technical advancing and prices for hires & staff for all shows to be coordinated through your Event Coordinator or Production Manager.

VENUE ACCESS

Access to the venue is via a flat push to the lift (load in from the dock located on Manning road (next to the large zebra crossing).

Lift Door:	1160 wide x 2080 high
Lift Interior:	1600 wide x 1900 deep x 2400 high
Fire Door:	1550 wide x 2210 high

Ramp to stage is 1200 wide

Please ensure that you check your worksheet for correct venue access time as early entry to the venue may incur an additional charge.

ACCESS EQUIPMENT

EWP: 6 Meter JLG Axxessor 20 DVL

EWP can only be used by persons holding current yellow card certification who have been pre-approved by the USU

EWP is necessary to refocus fixtures mounted on the mid room lighting bar.

Charges apply.

Ladders: 1 x 3.6 Meter A-frame Aluminium

STAGE & CURTAINS

Height from Dancefloor:	850
Depth:	4600
Width:	9000
Deck to Grid:	3600

Backdrops: Manning Stage can accommodate a backdrop with maximum dimensions of 6000 wide and 3200 in height. The bar is fixed and must be accessed via ladder. If you plan to hang a backdrop, please ensure this is the first thing to arrive at the venue on the day of event.

Drum Riser:	2400 wide x 1800 deep x 300 high (carpeted)
DJ Deck:	2400 long x 600 deep x 900 high (rolling)

Manning has black velvet drapes at front of stage, and opera wool hand drawn curtains at the back of the stage. All manning drapes are fire rated to Australian standards.

CROWD CONTROL BARRIER

10 x 1 meter pieces Global Crowd Control Barrier. This Barrier is available upon request.

If deemed necessary by Manning Bar Management this barrier may be installed as a compulsory safety measure.

FOH CONSOLE

1 x Midas Pro 2 (assignable knobs move without being touched, couple of mute leds don't work, couple of buttons are about to die, overall it needs a service)
1 x Midas DL251 I/O

FOH SPEAKERS & PROCESSING

2 x d&b audiotechnik J-Infra Subs
4 x d&b audiotechnik V-Series Subs
4 x d&b audiotechnik V-Series V12 Cabinets
4 x d&b audiotechnik V-Series V8 Cabinets
5 x d&b audiotechnik D12 Amplifiers
Venue badly needs infills

MONITOR CONSOLE

1 x Midas Pro 2 (aux 9 select button has recessed, needs to be serviced)
1 x Midas DL251 I/O

MONITOR SPEAKERS & PROCESSING

7 x d&b audiotechnik MAX 15 Cabinets
4 x d&b audiotechnik D6 Amplifiers

DRUM FILL

1 x d&b audiotechnik 18S Sub Cabinet
1 x d&b audiotechnik MAX 15 Cabinet
Adapter from wallpatch to drumfill missing, already speaking to bill about an alternative.

CABLING+STANDS

Microphone stands should have a better storage case
48 inputs into 3-way split: FOH, MON & Analog spare
50+ XLR microphone leads of varying length with Neutrik connectors 10 x K&M 210/9 tall boom microphone stands
9 x K&M short boom microphone stands 2 of which are faulty
2 x Straight Stands
3 x Z-Bars (one has missing parts)

MICROPHONES

1 x Shure Beta 52 1 x Beyer M201 both missing
6x Shure SM58 1 x Shure Beta 91a
11 x Shure Beta 58 6 x Sennheiser 604
9 x Shure SM57 1 x Sennheiser 902
4 x Sennheiser 904 1 x Sennheiser E905
2 x Sennheiser 906 3 x Sennheiser 935 of which one is faulty
3 x Sennheiser 614 4 x Shure PG81
2 x MZH 3040L Lectern Mics of which one is faulty
1x sennheiser 602
2x sennheiser 609
2x akg p120

WIRELESS

4 x Shure ULXD2 SM58 Beta transmitters (software mismatched, need update)
2 x Shure ULXD1 beltpack+lapel microphone
1 x Shure ULXD4Q digital receiver

DI

8 x Klark Teknik DN100 Active (of which one is faulty)

PROJECTION

Ceiling mounted Panasonic PT-EX610E including Long Throw Lens. Lens shift and focus fully controllable by remote

HDMI input available on stage right or VGA from FOH mix position or stage right. This projector can be focused onto an 8M screen that covers the front of the stage or a 5m screen that is on the back of the stage.

Please advise your preferred set up at your earliest convenience.

LIGHTING CONSOLE

JANDS Hog 1000 (2 Universes capable)

LIGHTING FIXTURES

Mid Room Bar (facing stage)
(Access by EWP prior to event only)
8 x LED Par 64
3 x ETC Source IV 18 degree Profile Spot

Downstage
4 x Vari-Lite VLX wash
2 x Molefay duet blinder

Upstage
4 x Martin Mac700 Spot
6 x Martin Mac101
3 x Molefay 8 way blinder (Centre)
2 x Molefay Duet blinder (L+R)
2 x Atomic Strobe

Dimmers
3 x JANDS HP12-TR