STATE THEATRE

# TECHNICAL SPECIFICATIONS

## State Theatre
## 49 Market Street, Sydney

Current as at March 2025

## CONTENTS


**Contact Sheet** 2

**Seating Capacity** 3

**Front of House Information** 3

**Disabled Access** 3

**Box Office** 3

**Audience Recall System** 3

**Showcase and Banner Info** 4

**Seating Plan** 5

**Stage Plan** 6

**Stage Specifications** 7

**Lighting Positions** 8

**Power Supply** 9

**Fly System** 9

**Fly Line Plot** 10

**Standard Theatre Equipment** (inclusive in venue hire) 12

**Equipment Hire** (lighting, audio, orchestra, risers, cinema) 13

**Dressing Rooms** 22

**Wardrobe** 26

**Kitchen & Green Room** 27

**Loading In and Out** 28

# CONTACT SHEET

**Administration**

| | | |
|---|---|---|
| General Manager | Mark Harris | +61 2 9373 6853 |
| Client Services & Finance Manager | Maddison Honeyman | +61 2 9373 6852 |
| Administration Fax | | +61 2 9373 6537 |

**Theatre**

| | | |
|---|---|---|
| Theatre Manager | Jillian Belfield | +61 2 9373 6864 |
| Front of House & Marketing Manager | Beaver Garland | +61 2 9373 6847 |
| Theatre Fax | | +61 2 9373 6538 |
| Food & Beverage Manager | Stuart Greene | +61 2 9373 6862 |
| Maintenance Manager | Mody Assfour | +61 2 9373 6892 |
| Box Office | | +61 2 9367 3234 |
| Box Office Fax | | +61 2 9267 2329 |
| Stage door | | +61 2 9373 6872 |

**Technical Contacts**

| | | |
|---|---|---|
| Production Manager | Catherine de Vries | +61 2 9373 6506 |
| | | catherine_devries@statetheatre.com.au |
| Production Coordinator | Narelle Smith | +61 2 9373 6839 |
| | | narelle_smith@statetheatre.com.au |

**E Mail Address**
admin@statetheatre.com.au

**Website**
www.statetheatre.com.au

**Mailing Address**
State Theatre
GPO Box 1609
Sydney NSW 2000

**Street Address**
49 Market Street
Sydney NSW 2000
(between George St and Pitt St)

The State Theatre is owned and operated by The Greater Union Organisation Pty Limited Australia.
ABN 99 000 024 439, 49 Market Street, Sydney, NSW, 2000.

## Seating Capacity

| | |
|---|---|
| Capacity | 2,034 seats |
| Stalls | 828 seats |
| Mezzanine Lounge | 426 seats |
| Dress Circle | 780 seats<br>(Front Section A-J 470 seats)<br>(Upper Section K-P 310 seats) |
| Standard Seat Withdrawals | |
| Sound and lighting desk positions: | Stalls Row V17–29<br>Stalls Row W17-29 |
| Followspot positions (centre) | Dress Circle P27-32 + O25 |
| Owners Seats | Stalls G30-39, Mezzanine B24-27 |
| **Standard Saleable capacity** | **1991 seats** |

**IMPORTANT INFORMATION**

Having treads from the stage to the auditorium requires certain seats to be taken out. Tread use and their configurations must be consulted and confirmed with the Operations Department **prior** to the seats going on sale. Please see the below tread configuration options and corresponding seat kills.

Centre treads: A28, 29, 30, 31.

Side treads: Prompt: A19, 20, 21, 22. Opposite prompt: A37, 38, 39, 40.

## Front of House Information

Merchandise counter & display facilities - Grand Assembly
Five licensed bars
Candy bar
Public amenities on all levels

## Disabled Access

Level surface from street level to Mezzanine Foyer, 3-step ramp into auditorium

## Box Office


All ticketing is administered through The State Theatre Box Office using the computerised ticketing service of Ticketmaster (Australia) www.ticketmaster.com.au

## Audience Recall System

Manually operated chime controlled by Front of House staff

# FOYER PLAN

## SHOWCASE AND BANNER MEASUREMENTS




**Showcase Sizes**

A. W 990mm H 1730mm

B. Digital Screen

C. Digital Screen

D. W 400mm H 1720mm

E. W 640mm H 1720mm

F. W 620mm H 1720mm

G. W 630mm H 1740mm

**Other Positions**

Advance & Marquee Banner

W 3150mm H 915mm

Awning - Market Street

W 27000mm H 1100mm


Juliet Balcony – GA

W 3300mm H 850mm

Showcase – George Street


W 415mm H 1770mm

# SEATING PLAN



# STAGE PLAN

Other stage plans




Available upon request in both PDF and DWG versions. Please contact State Theatre Technical Manager for more information.

# STAGE SPECIFICATIONS

## Stage Dimensions

| | |
|---|---|
| **Proscenium Opening** | |
| Width | 11300 mm |
| Height to bottom of Fire Curtain | 8300 mm |
| Height to bottom of House Curtain | 7700 mm |
| **Depth** | |
| From Back Wall to Setting Line | 11600 mm |
| From last line set to Setting Line | 9500 mm |
| From Setting Line to D.S. edge of Apron | 4800 mm |
| **Stage Height** | |
| From Auditorium floor | 1100 mm |
| **Grid** | |
| Timber joists on steel | |
| Underside to stage surface | 17000 mm |

## Fire Curtain

Steel Drop directly upstage of Proscenium (see stage diagram on page 6)

*****IMPORTANT****

***Fire curtain line to remain unobstructed at all times. Please ensure this is accounted for in any stage planning***

## Stage Floor

| | |
|---|---|
| **Surface** | Double layer plywood on wooden rafters, flat black |
| **Stage Rake** | Less than 1º (rise of 200 mm over 16400 mm) |

# LIGHTING POSITIONS

Dress Circle Rail

| | |
|---|---|
| Throw to curtain setting line at centre stage | 17500 mm |
| Vertical angle | Minimum 24º |

30 Circuits - 10 amps each terminating in the dimmer area
(1 level down – P.S.) Access for focus from front row Dress Circle

Dress Circle Box Boom # 1 (At Juliet Balconies)

| | |
|---|---|
| Throw to curtain setting line at centre stage | 18000 mm |
| Vertical angle | Min 24º, Max 40 |

10 Circuits O.P.
10 Circuits P.S. - 10 amps each terminating in the dimmer area
(1 level down – P.S.)
Access for focus from straight ladder

Dress Circle Box Boom # 2 (Opposite Row Dress Circle)

| | |
|---|---|
| Throw to curtain setting line at centre stage | 23000 mm |
| Vertical angle | Min 35º, Max 40º |

10 Circuits O.P.
10 Circuits P.S. - 10 amps each terminating in the dimmer area
(1 level down – P.S.)
Access for focus from straight ladder

Truss # 1

| | |
|---|---|
| Throw to curtain setting line at centre stage | 8000 mm |
| Down stage of curtain setting line | 2500 mm |
| 2 x hanging points from centre line of stage | 5500 mm |

Truss # 2

| | |
|---|---|
| Throw to curtain setting line at centre stage | 10500 mm |
| Down stage of curtain setting line | 5500 mm |
| 2 x hanging points from centre line of stage | 6300 mm |

Follow Spot Positions
2 x Platforms back row of Dress Circle

| | |
|---|---|
| Throw to curtain setting line at centre stage | 35000 mm |

Power outlet on Platform 5 pin WILCO 32 amp 3 Phase
Single DMX line to Prompt corner
3 x comms lines to Prompt corner

Lighting Desk Position

| | |
|---|---|
| Back row of Stalls | Row V17 - 29 and W17-29 |
| Area of above | 2400 mm x 6200 mm |
| Control cable length from desk to racks | 60000 mm |
| Distance of desk position to curtain setting line | 28500 mm |

4 x DMX lines to Prompt corner
2 x comms lines to Prompt Corner

# POWER SUPPLY

**Up Stage Prompt Side**
Lighting – 400 Amp Powerlock. Tails 2m minimum.
Audio – 150 Amp Powerlock. Tails 2m minimum.
2 x 32 amp 3-Phase Wilco outlets, 1 x 55 amp 3-Phase Wilco outlet

**Down Stage Opposite Prompt**
1 x 32 amp 3-Phase Wilco outlet
1 x 10 Amp GPO

**Foyer**
Various 10 Amp GPO's are located around all the foyers and passageways

**Empire Builders Room**
1 x 32 amp 3-Phase
3 Phase extension lead with 6 outlet distribution board

**Outside Empire Builders Room**
2 x 15 amp

**Dress Circle Foyer**
2 x 32 amp 3-phase located in cupboard near dress circle bar

**Green Room**
1 x 32 amp 3-Phase with 6 outlet distribution board

# FLY SYSTEM

47 line sets
Lines 1 – 34 (Prompt Side) Single purchase counterweight system.
Lines 35 – 47 (Opposite Prompt) Double purchase counterweight system.
All lines complete with brake
All lines 48 mm O.D. steel pipe
Barrel travel = 1,500mm

**Lines 1-34 (Prompt Side)**
Operated above stage level

| | |
|---|---|
| Maximum length of barrel - (downstage) | 12000 mm |
| Minimum length of barrel - (upstage) | 8500 mm |
| Maximum cradle capacity | 180kgs (***including bar weight***) |

**Lines 35-47 (Opposite Prompt)**
Operated above stage level

| | |
|---|---|
| Maximum length of barrel - (downstage) | 8000 mm |
| Minimum length of barrel - (upstage) | 6500 mm |
| Maximum cradle capacity | 150kgs (***including bar weight***) |

# FLY LINE PLOT

| Bar | Note | From Front of Apron (mm) | Centre to OP | Centre to PS |
|---|---|---|---|---|
| Fire Curtain | | 5,000 | | |
| 1 | House Curtain | 5,150 | | |
| 2 | | 5,500 | 5,940 | 6,050 |
| 3 | | 5,700 | 5,910 | 6,080 |
| 4 | Cinema Masking | 5,800 | | |
| 5 | Cinema Screen | 6,000 | | |
| 6 | Unavailable | 6,400 | | |
| 7 | | 6,550 | 5,880 | 5,980 |
| 8 | | 6,700 | 5,840 | 6,470 |
| 9 | | 6,850 | 5,780 | 6,420 |
| 10 | | 7,000 | 5,690 | 6,530 |
| 11 | | 7,150 | 5,330 | 6,680 |
| 12 | | 7,450 | 5,300 | 6,770 |
| 13 | | 7,600 | 5,520 | 6,900 |
| 14 | | 7,950 | 4,940 | 7,070 |
| 15 | | 8,100 | 5,120 | 6,340 |
| 16 | | 8,250 | 4,790 | 7,230 |
| 17 | | 8,300 | 4,924 | 7,085 |
| 18 | | 8,450 | 4,920 | 7,195 |
| 19 | | 8,600 | 4,870 | 7,185 |
| 20 | | 8,750 | 4,695 | 7,105 |
| 21 | Unavailable – LX Truss | 9,050 | 4,680 | 6,488 |
| 22 | Unavailable – LX Truss | 9,200 | 4,550 | 7,525 |
| 23 | | 9,650 | 4,240 | 7,195 |
| 24 | | 9,850 | 4,260 | 7,525 |
| 25 | | 10,000 | 4,180 | 7,405 |
| 26 | | 10,100 | 4,150 | 7,055 |
| 27 | | 10,250 | 4,100 | 7,000 |
| 28 | | 10,400 | 4,000 | 6,930 |
| 29 | | 10,550 | 3,800 | 6,800 |
| 30 | | 10,700 | 3,650 | 6,630 |

| Bar | Note | From Front of Apron (mm) | Centre to OP | Centre to PS |
|---|---|---|---|---|
| 31 | | 10,550 | 3,550 | 6,400 |
| 32 | | 10,350 | 3,500 | 6,300 |
| 33 | | 11,150 | 3,450 | 6,130 |
| 34 | | 11,300 | 3,200 | 6,030 |
| 35 | | 11,650 | 3,600 | 6,505 |
| 36 | | 11,800 | 3,000 | 6,400 |
| 37 | | 11,950 | 2,935 | 6,250 |
| 38 | | 12,100 | 2,820 | 5,950 |
| 39 | | 12,250 | 2,800 | 5,950 |
| 40 | | 12,400 | 2,925 | 5,990 |
| 41 | | 12,550 | 3,200 | 5,240 |
| 42 | | 12,700 | 3,180 | 5,260 |
| 43 | | 12,850 | 3,000 | 5,300 |
| 44 | | 13,000 | 2,900 | 5,390 |
| 45 | | 13,150 | 2,890 | 4,000 |
| 46 | | 13,300 | 2,890 | 3,550 |
| 47 | | 13,450 | 2,900 | 3,110 |

# **STANDARD THEATRE EQUIPMENT** (inclusive in Venue Hire)

**Soft Goods**

| QTY | DESCRIPTION | SIZE (mm) |
|---|---|---|
| 1 | House Curtain (Red with gold fringe, Guillotine Action – operated from PS fly floor) | |
| | | |
| 1 | Flat Wool Border | 2,800 x 14,500 |
| 3 | Pleated Wool Border | 2,000 x 11,000 |
| 1 | Flat Wool Truss Border | 900 x 17,000 |
| 1 | Flat Wool Truss Border | 950 x 12,000 |
| 1 | Flat Wool Border | 4,200 x 12,200 |
| 4 | Pleated Wool Leg | 9,000 x 2,000 |
| 6 | Pleated Wool Leg | 9,000 x 3,000 |
| 2 | Pleated Wool Leg | 4,200 x 12,200 |
| 1 | Black Tab | 9,500 x 9,200 |
| 1 | Flat Wool Drop | 9,000 x 12,000 |
| | | |
| 1 | White Cyclorama | 10,000 x 9000 |
| 1 | Black Sharkstooth | 11,000 x 9,000 |
| | | |

**Mechanical Equipment**

1 x Genie Aerial Work Platform (Maximum Height 11m)

*Please note the EWP is charged only if used and is exclusive of venue hire.

# **EQUIPMENT HIRE** (exclusive of venue hire)

Below is a range of standard equipment available for hire from the theatre. Prices available upon request.

Additional sound, lighting, vision and staging equipment can also be supplied – please contact the technical department for more information.

**Audio**

## Full System - Equipment

### - FOH Control

1 Avid, Venue, Profile, control surface
1 Avid, Venue series, FOH Rack, FOH engine and I/O rack
1 Avid, Venue series, Stage Rack, I/O stage rack, 12 slot

### - Monitor Control

1 Avid, Venue, Profile, control surface
1 Avid, Venue series, FOH Rack, FOH engine and I/O rack
1 Avid, Venue series, Stage Rack, I/O stage rack, 12 slot

### - Monitor Speakers

6 Clair 12AM monitor wedge
6 Clair 12AM monitor wedge
6 Clair 12AM case
3 Amp rack, 4mix 12AM (Crest)
2 Clair ML-18 sub-low speaker enclosure
1 Amp rack, ML18 (Crown MA9000i)
2 Cable, Sub Low Cable, 023 ft - 007 m (EP-4 to 2xNL4)

### - RF Rack

1 D-Link 16 Port 10/100 Ethernet Switch
1 Shure, UA845SWB, antenna splitter, 2-in, 8-out +2, 470 - 952 MHz
4 Shure, UHF-R, UR4D+, 2ch dual receiver, J5e, 579 - 638 Mhz
1 Sennheiser, AC 3000, IEM antenna combiner, 8-input, 470 - 870 MHz
4 Sennheiser, Evolution G3, SR 300, 1ch single transmitter, A, 516 - 558 MHz
4 Sennheiser, Evolution G3, SR 300, 1ch single transmitter, B, 626 - 668 MHz

1 Cable, 50 Ohm coax, BNC, RG8x, antenna cable, 025 ft - 007.5 m

## - Radio Microphones

8 Shure, UHF-R, UR1-J5e, beltpack transmitter, J5e, 579 - 638 MHz
8 Shure, UHF-R, UR2, handheld transmitter, J5E, 579 - 638 MHz
8 Shure RPW118 Beta 58A capsule
3 Shure, UA8/820, 1/2 wave whip antenna, 578 - 638 MHz

2 Shure, UA830WB, In-line amplifier, 470 - 900 MHz
2 Cable, 50 Ohm coax, BNC, RG8x, antenna cable, 025 ft - 007.5 m
2 Cable, 50 Ohm coax, BNC, RG8x, antenna cable, 050 ft - 015 m

## - In Ear Monitors

6 Sennheiser, Evolution G3, EK 300, IEM beltpack receiver, A, 516 - 558 MHz
6 Sennheiser, Evolution G3, EK 300, IEM beltpack receiver, B, 626 - 668 MHz
1 Sennheiser A 2003-UHF Passive Directional Antenna, 450-960 MHz
12 Shure, SE215, IEM earphones, single driver, clear - Expendable
1 Cable, 50 Ohm coax, N-Type, RG213, antenna cable, 026 ft - 008 m

## - Microphones

1 Mic Accessories Drawers case (State Theatre)
4 DPA, d:screet 4061, lavalier microphone, omni, beige, loud SPL, TA4F
4 DPA, d:fine 4088, headset microphone, cardioid, beige, TA4F

4 Sennheiser, e 604, dynamic microphone, cardioid
8 Countryman, DT85-FET, 1ch active direct box
2 Sennheiser, e 606, dynamic microphone, cardioid
6 Shure, SM81, small condenser microphone, cardioid
12 Shure, SM57-LC, dynamic microphone, cardioid
6 Shure, Beta 58A, dynamic microphone, supercardioid
2 Shure, 12A, dynamic handheld microphone w/switch, cardioid

1 Beyerdynamic, M 88 TG, dynamic handheld microphone, hypercardioid
2 Sennheiser, MD 421, dynamic microphone, cardioid
6 JPS Patch Cable DI 1/4" Jack
1 Shure, Beta 52A, dynamic microphone, supercardioid

1 Shure, Beta 91A, Boundary condenser microphone, half-cardioid
4 LP Drum Claw
4 Klark Teknik, DN100, 1ch active direct box
1 Audio-Technica, PRO41, handheld dynamic microphone w/switch, cardioid

## - FOH Speakers - Main

24 L-Acoustics KARA II Enclosure
8 L-Acoustics SB18

## - FOH Speakers - Subs & Infill

4 L-Acoustics SB28 Double 18" Subwoofer
4 L-Acoustics X8 Point Source Enclosure

## - FOH Speakers - Amps + Drive

2 Amplifier Rack, State Theatre (4xLA8)
2 Lake LM44 Digital Audio System Processor

## - FOH Speakers - Multicores

1 Drive Multicore, L-Acoustics, State Theatre
1 Multicore, Burndy 60ch Input 330 ft - 100 m (State Theatre)

2 Signal cable, adapter, DOMF, male to 6x FXLR3 fan in
1 Signal cable, DOM50, female to female, 165 ft - 050 m
1 Transformer Isolation Block, 6ch XLR+Burndy Jensen 24db

4 Adapter, XLR splitter
4 Adapter, M-MXLR3, sex - changer, turnaround
1 Signal cable, adapter, DOMP, male to male
1 Signal cable, adapter, DOMM, female to 6x MXLR3 fan out

## - Comms

1 Jands Ezicom E400 4ch Master Station
8 Clear-Com RS-501 Beltpack, 1 Channel
8 Beyer DT109 Dual Muff Headset (Beige)
6 Beyer DT108 Single Muff Headset (Beige)
1 Comm, Beyer, DT109, Dual Muff Headset Black
1 Jands TBM 2ch Master Station

## **LIGHTING** (exclusive of venue hire)

| QTY | EQUIPMENT | NOTES |
|---|---|---|
| **RIGGING** | | |
| | **Front Truss** | |
| 1 | Box 18" 40' | 4 x 3m truss pieces |
| 2 | Chain Motor | 1 tonne |
| 1 | Motor Control | |
| 1 | Truss Border | 13m x 600mm black wool |
| 1 | Safety Kit | Inertia reel & safety line |
| | Associated Rigging | All slings, shackles etc to suit |
| | **Rear Truss** | |
| 1 | Box 18" 32' | 4 x 2.5m truss pieces |
| 2 | Chain Motor | 1 tonne |
| 1 | Motor Control | Shared with front truss |
| | Associated Rigging | All slings, shackles etc to suit |
| | **Other Rigging** | |
| 6 | 2m Steel Pipe | Black |
| 6 | Boom Base | On lockable castors |
| 10 | H Stands | Black |
| | | |
| **LIGHTING** | | |
| 11 | ETC S4 Profile 26 deg | 750W |
| 11 | ETC S4 Profile 36 deg | 750W |
| 16 | ETC S4 Zoom 15-30 deg | 750W |
| 8 | S4 Iris | |
| 12 | S4 Gobo Holder | |
| | | |

| | | |
|---|---|---|
| | **Automated/LED** | |
| 8 | Ayrton Diablo | |
| 12 | MAC Aura LED Wash | |
| 16 | LED Quad Pars | Black |
| | **Effects** | |
| 8 | Molefay Duets | |
| 2 | Unique 2 Hazer | |
| | **Followspot** | |
| 2 | RJ Victor | 1800W |
| | **Control** | |
| 1 | GrandMA 2 (Light) | |
| 1 | 48 Way HP12 Jands dimmer rack | |
| 1 | 24 Way DD8 Distro rack | |
| 1 | PDS 48 Way GPO Jands distro | |
| 1 | PDS 24 Way GPO Jands distro | |
| 1 | Power lock wire in tails | |
| | | |
| | | |
| | | |


**OTHER**

| QTY | EQUIPMENT | NOTES |
|---|---|---|
| ORCHESTRAL EQUIPMENT | | |
| 30 | Music stands - black | Adjustable |
| | | |
| | Chairs/stools | Various sizes and types |
| | | |
| RISERS | | |
| ** *In-house stage decks currently unavailable* ** | | |
| | | |
| CINEMA | | |
| 1 | Barco SP4K-25B<br><br>Lens: 2.53-4.98 (1.38 DMD) | Dolby IMS3000 with 3.6TB integrated storage |
| 2 | Cinemacanicca Victoria 8 | 5kw Zenon 35mm/70mm |
| 2 | Bauer 2.5kw Zenon | 16mm - one with Double Head facility |
| | Dolby 6-track digital surround sound system | On all levels of auditorium |
| 1 | Projection Screen: Strong MDI Premium high gain 3d perforated | 11,500 x 5,200 |

# DRESSING ROOMS

Connected by Stairs on P.S.

## Dressing Room # 1 (Stage Level)







* 3 Positions
* Approximate area 3500 mm x 3000 mm
* 1 sink, 1 toilet and 1 shower

* Nearest dressing room to stage
* Paging System

## Dressing Room # 2 (Stage Level)





* 10 positions
* Approximate area 6000 mm x 5000 mm
* 1 sink, 1 toilet and 1 shower

* Same level as stage
* Paging System


## Dressing Room # 3 (Stage Level)







* 4 positions
* Approximate area 3300 mm x 4500 mm
* 1 sink
* Same level as stage
* Paging system


## Dressing Room # 4 (1 level above Stage Level)



* 4 positions
* Approximate area 2000 mm x 6000 mm
*1 sink
* 1 level above stage
* Paging System

## Dressing Room # 5 (1 level above Stage Level)







* 5 positions
* Approximate area 3400 mm x 4500 mm
* 2 sinks

* One level above stage
* Paging System

## Dressing Room # 6 (1 level below Stage Level)







* 20 positions
* Approximate area 10000 mm x 5000 mm
* 3 sinks, 1 shower

* One level below stage
* Paging System


## Band Room (1 level Below Stage)






* No mirrors on benches
* Approximate area 2500 mm x 3200 mm
* One level below stage
* Paging System

## Toilets (1 level above Stage Level)





**Gents Toilets**
* 2 toilets
* 2 urinals
* 2 sinks
* 1 shower
* Paging System

**Ladies Toilets**
* 3 toilets
* 1 sink
* 1 shower
* Paging System

## Wardrobe (1 level above Stage Level)

* One level above stage
* Includes wig dressing area mirrors and lights






## Equipment Included in Hire


- 2 x Maytag Commercial Dryers
- 1 x Maytag Commercial Washing Machine
- 1 x Fisher & Paykel Top Loader Washing Machine
- 5 x Costume Racks
- 2 x Ironing Boards
- 3 x Irons
- 1 x Steamer
- 1 x Stainless steel laundry tub
- 1 x Cutting/work table (1200 x 3000mm)
- Paging system

## Power

- 2 x 15 amp outlets Single Phase
- 4 x 10 amp outlets Single Phase

## Kitchen






* Stainless steel workbenches/shelves
* 2 x Large Fridges
* 1 x Ice Machine
* 1 x Sink

* Tables/Chairs as required
* Paging System


## Green Room





# LOADING IN AND OUT

## Market St Loading Zone



**Option 1:** Vehicles less than 3.2m are to enter Parlour Lane off Market St front end first, turn around once inside the dock and exit front end first. This is a shared loading dock, therefore all deliveries and pickups must be booked through the theatre 24hrs prior to arrival. Drivers are to call their onsite contact 10 min prior to arrival. This is a load and unload area **only**, there is no onsite parking available.

**Option 2:** Vehicles higher than 3.2m must unload from in front of the theatre on Market St. All equipment is then to be transported to the loading dock via Parlour Lane.


***PLEASE NOTE**

- Market St unload (option 2) can ONLY be accessed between hours of **10pm and 6am**
- Safety and security personnel are provided by the State Theatre.
- Gowings Lane opening (from Market St) = **3350mm wide x 3200mm high**

**IMPORTANT NOTE: THE LOADING DOCK AND THE PARLOUR LANE ARE USED AS FIRE AND SAFETY EGRESS WHEN THERE ARE PATRONS INSIDE THE STATE THEATRE. AT THESE TIMES THE LOADING DOCK AND THE GOWINGS LANE MUST BE KEPT CLEAR OF ALL VEHICLES UNLESS AUTHORIZED BY STATE THEATRE MANAGEMENT.**

## Goods Hoist (lowering equipment from street level to stage)

**REQUIRES 2 X CREW FOR ANY OPERATION – STRICTLY VENUE PERSONNEL ONLY**




**Width** **870mm**

**Height (outside edge)** **1700mm**

**Height (highest point)** **1900mm**

**Depth** **1795mm**

**Safe Working Load 850kg**