

The Pavilion

Technical Information

The Pavilion Performing Arts Centre Sutherland is a new performing arts theatre in the heart of Sutherland, southern Sydney.

The fully refurbished space has been re-developed within the former Sutherland Entertainment Centre. It features a striking entrance foyer, better access for patrons, Proscenium Theatre with new seating and full theatre functionality.
The Pavilion features a state-of-the-art stage and flytower, orchestra pit, lighting, AV and sound equipment and a full suite of dressing rooms. It has a seating capacity of 686 over two levels and is an ideal space for a wide range of performances including theatre, live music, comedy and dance.




The Pavilion

The following details are correct as at November 2025


Seating Map

The Pavilion

Stalls



Dress Circle



Technical & Venue Specifications

Venue Details

Venue: 30 Eton St, Sutherland, 2232
Loading Dock: Merton St, Sutherland 2232

Key Features

- 686-seat Auditorium with fixed tiered seating across Stalls, Dress Circle, Boxes and Viewing/Cry Room
- Proscenium Stage with full Fly Tower and Counterweight Fly System
- Motorised House Curtain
- Convertible Orchestra Pit
- LCR L'Acoustics Sound System with flown Subs, Front Fills and Delays
- Fully LED Lighting rig featuring moving profiles, moving washes and static fixtures
- Dedicated Control Room, Sound Porch and Dome Room
- Performer and Musician Facilities including Dressing Rooms and Green Room
- Production / Touring Office on stage-level
- Wardrobe & Laundry
- Rehearsal Studio
- Black Box Studio
- Stage Door Security Entry
- Dual Loading Docks (Theatre 1, Catering 2)
- Foyers on three levels with Box Office, Main Bar and Function Terrace
- Accessible Amenities

Specifications

FRONT OF HOUSE

- Street-access foyers with dedicated bus drop-off zone
- Foyers include: Box Office, Main Bar, Function Terrace, accessible amenities, casual cocktail seating and lounges
- Auditorium access via double sound/light lock doors on all levels:
  - Stalls - Doors 1 & 2
  - Rear Stalls - Doors 3 & 4
  - Dress Circle - Doors 5 & 6
- Two passenger lifts providing accessible access to all levels.

AUDITORIUM

- 686 fixed seats arranged over two tiered levels, including accessible and wheelchair spaces
- Viewing/Cry Room located at rear of stalls
- Two central aisles for efficient audience access
- Ergonomic theatre seating with generous legroom and clear sightlines
- Removable front-row seat wagons allow conversion to a Mosh Pit or Orchestra Pit with removable balustrades.

STAGE

Stage Dimensions:

- Proscenium opening: 13m W x 7m H
- Stage Width (wall to wall): 23.5m
- Proscenium edge to PS wall: 5.5m
- Proscenium edge to OP Fly Rail: 4m
- Stage depth (forestage to rear wall): 11.4m
- Stage depth (proscenium to rear wall): 10m
- Forestage depth: 1m
- Proscenium depth (thickness): 0.4m

Stage Floor

- Ply / Weathertex construction
- Low-sheen black finish
- Sprung for dance (no rake)
- Load capacity: 7.5 kPa

Access & Egress

- Downstage access via steps PS & OP; wheelchair lift PS
- Backstage Crossover with double sound/light-lock doors upstage and downstage PS and OP
- Backstage Goods Lift connecting all levels



Technical & Venue Specifications

The Pavilion

- Backstage fire stairwells PS and OP connecting all levels
- Two full-height acoustic walls with a central passage separate the stage and loading dock, providing isolation when closed and direct load-in access when opened

STAGING & RIGGING

Fly Tower

- Full Fly Tower with Single-Purchase Counterweight System (27 line sets) for scenery, lighting and drapery
- Motorised Line Set (1) for House Curtain - flown and french action operation with speed control
- Fly Galleries: PS & OP at 8m with rear crossover
- Loading Galleries (2): OP side of Fly Tower (Levels 3 & 4)
- Grid Height: 18m with full-coverage steel grid (load-bearing for temporary rigging)
- Forestage Rigging Beams (6) between Proscenium and LX Bridge 1 for speakers, temporary truss & effects

Battens & Bars

- Battens: 50 x 75 RHS steel, 17m long, 6 wire pick-ups
- General Battens SWL: 500kg
- Scenery Battens SWL: 700kg
- Stage Lighting Box Truss Bars (4): 16m 400mm sq box truss
- Cyclorama Lighting Bar (1): 15m Theatre Quip LX bar
- Panorama Battens (4): 50 x 75 RHS steel, 9m long, 4 wire pick-ups - comprising:
  - Panorama Ladder Bars (2): PS & OP with side-lighting ladder tracks (4 ladders per side), SWL 700kg
  - Panorama Masking Bars (2): PS & OP for offstage black wool masking curtain tracks and curtains (4 per side), SWL 500kg

Masking & Soft Goods:

- House Curtain (Spice Velour): 8m W x 8m H, 100% fullness, lightproof backing (black)
- Borders (5): Black Velour 17m W x 3m H
- Legs (5 pairs): Black Velour 3m W x 9 m H
- Mid Tabs (pair): Black Velour 8m W x 8m H, 75% fullness
- Rear Tabs (pair): Black Velour 8.5m W x 8m H, 75% fullness
- Drop/Smother: Black Velour 16.5m W x 9m H
- Scrims (2): Black & White Sharkstooth 16.5m W x 9m H
- Cyclorama (White Filled Cloth): 16.5m W x 9m H
- Panorama Legs (4 each side): Black Wool 0% fullness 2.5m W x 9m H

Rigging Accessories

- Alloy/Steel Droppers (various lengths)
- Round Slings and Spanset Straps (assorted SWLs and lengths)
- Shackles, D-shackles and Quick Links (various sizes)
- Yuppie straps
- Harnesses and lanyards

Staging Auxiliaries

- Snorkel UL32 push-around mast lift (32 ft EWP)
- Stage Risers (Megadeck): Black carpeted with steps, kick-rails, skirts, 300mm, 600mm and 750mm legs
  - 1.2m x 1.2m (10)
  - 2.4m x 1.2m (2)
- Stage Furniture: Long Tables, Card Tables, Tall Tables, Chairs (90), Stools & Lectern
- Manhasset Symphony Music Stands (38)
- Manhasset Regal Conductor's Music Stand



Technical & Venue Specifications

The Pavilion

- MightyBright Encore Music Stand Lights (20)
- Yamaha 1974 Japanese CF-Series 9′ Concert Grand Piano
- Dance Floor: Harlequin Cascade black vinyl (6 rolls, on trolley)
- Production Desks (2): Positioned in Auditorium as required
- Stage Manager Desk (DSPS): Movable, fitted with:
  - Clear-com MS-704 four-channel Main Station
  - Clock and Timers
  - Paging to dressing rooms and back-of-house areas
  - Show relay sound control
  - Digital monitors (2)

Comms & Relay Systems

- Integrated FOH and BOH Paging Systems (Q-SYS)
- Stage & Conductor View Camera System: High-definition PTZ cameras with remote pan, tilt and zoom
- Video Distribution System: Blackmagic Design Videohub 40x40 SDI Matrix feeding monitors throughout foyers, backstage areas, offices, green room and dressing rooms.
- Clear-com Encore Analog Partyline System: Wired comms at all control positions
- Kenwood Two-Way Radio System: Coverage across the Pavilion precinct

LIGHTING

Networking & Control

- Lighting Consoles:
  - ETC Eos Gio @5
    - 4,096 parameters
  - ETC Eos Nomad Kit
    - Programming Wing
    - 1,092 parameters
  - Grand MA3 Compact
    - 16,384 parameters
- sACN network venue-wide
- Cat 6a and 5-pin DMX Patch Points venue-wide
- Lighting Bars (5): Each equipped with 5-pin DMX and RJ45 Cat 6a ports, fitted with LSC Nexus NXS1 sACN node
- Audio Network Integration: Supports OSC control between lighting and audio systems
- Network Hardware:
  - Cisco SG350-10 Managed Switch (Control Room)
  - TP-Link TL-SL1218MP Unmanaged Switch (Dimmer Room)
- DMX Hardware:
  - LSC DMX Octoport (2) (Dimmer Room)
  - LSC MDR 4 RJ45 DMX Splitters (4) (Dimmer Room)
  - LSC Nexus NXS1 Nodes (7 on LX Bars, 3 floating)
- Cabling: DMX and network cabling available for in-house and touring productions (subject to availability)

Power Distribution

- Power outlets:
  - 3-Phase (40 A)
    - Stage (3)
    - Galleries (2)
    - FOH LX Bridges (2)
  - 240 V (10 A)
  - 200 A Powerlock Stage PS
- Circuits: 10 A circuits patched to Dimmer Room from Stage, Lighting Bars, Bridges and Galleries (288)
- Dimmers & Distros:
  - LSC Gen VI Dimmers (2) (Dimmer Room)
  - Jands PDS12R 12 x 10 A Distro (Dimmer Room)
  - Theatrelight NZ DB-Pack 12 x 10 A Distros (3 Dimmer Room) (2 Floating)





Technical & Venue Specifications

The Pavilion

Lighting Fixtures (Theatre)

- EK ShowPro ePROFILE FC (25-50) (26) (4 floating)
- EK ShowPro ePROFILE FC (15-30) (8)
- Silverstar LED Frezno RGBAL DMX Zoom CCS3 (16)
- ProLights Astra Wash19Pix (20)
- Martin MAC Encore Performance CLD Profile (18)
- Robe Robin DL4S Profile (4)
- Prolights ECL Cyc 50 (10)
- Chauvet Ovation C-805FC Cyc Units (6 floating)
- LED RGBW Pars (10 floating)
- Robert Juliat Oz 600 W LED Followspot

See Standard Lighting Plan for fixture positions (some EWP access only)

Lighting Fixtures (Foyer)

- LED RGBW Pars (8) on Lighting Bars
- Chauvet Ovation C-805FC Cyc Units (4) on balcony ledges

Lighting Accessories

- Unique 2.1 Hazers (2)
- Base Hazer Pro
- Chauvet DJ Hurricane Bubble Hazers (2)
- Mirror Ball: 20 inch with motor
- Wheeled Boom Bases (10)
- 2m Boom Poles (10)
- 1.5m Boom Poles (2)
- Boom Arms:
  - 500mm Grey (10)
  - 500mm Grey with Half Couplers (25)
  - 500mm Silver with Half Couplers (22)
- H-Stands (6)
- 2.5m Black Box Truss (4)

Lighting Positions

- Front of House Lighting Bridges (3): Perimeter catwalk access PS & OP
- Dress Circle Front Lighting Bar: Fixed position over audience
- FOH Side Lighting Box Booms (2) Stalls (2) Dress Circle
- Stage Lighting Box Trusses (4) over Stage (LX 1 - 4)
- Cyclorama Lighting Bar over upstage Cyclorama position (LX 5)
- Lighting Ladders: Tracks on Panorama Bars PS & OP (4 ladders per side)
- Followspot Room (Dome Room): Located at rear of Dress Circle with access PS & OP
- Stage Boom Trolleys (10)

SOUND

FOH Console

- Allen & Heath dLive S5000
  - 128 ch Waves Card
  - External Monitor
- DM64 MixRack (Stage)
  - RackUltra FX Card
  - 128 ch Dante Card
  - 128 ch GigaACE Card
- DX012 Output Expander
- DX168 I/O Expander (2)
- DT168 Dante I/O Expander
- Analogue 16x8 Stagebox (2)

Additional Consoles

- Allen & Heath SQ5 (Monitors)
- Soundcraft Signature 16
- Soundcraft EFX8
- Yamaha MG16

PA Speaker System

- L-Acoustics A Series LCR Array System with P1 AVB Processor
  - Proscenium L & R (flown)
    - A15 Focus (2 per side)
    - A15 Wide (2 per side)
    - KS21 Subs (3 per side)
  - Centre Cluster (flown)
    - A10 Focus (2)
    - A10 Wide (2)
  - Front Fills
    - X8 Live Monitors (5)
  - Rear Delays (under balcony)
    - X8 Live Monitors (3)



Technical & Venue Specifications

The Pavilion

Foldback & Stage Monitors
- Renkus Heinz 12″ Wedges (12)
- Renkus Heinz 15″ Wedges (2)
- QSC K12.2 Stage/Side Fills (4)
- QSC K8.2 Speakers (4)
- KRK Rokit 5 Monitors (8)

Additional Loudspeakers
- EDC Acoustics
  - SQ-90 Full-range Loudspeakers (8)
  - SC-30 Full-range Loudspeakers (2)
  - SS-3 Sub Bass Loudspeakers (6)

Amplification
- L-Acoustics LA4X (4) (Arrays & Subs)
- L-Acoustics LA2Xi (2) (Delays & Front Fills)
- Lab Gruppen C 48:4 (3) (12-ch total) (Wedges)


Wireless Systems
- Shure ULXD4Q 4-ch Receiver (L51 Band)
  - ULXD2 Handhelds (4) (Beta 58A Capsules)
  - ULXD1 Beltpacks (4)
  - WA302 Instrument Adapters (4)
  - JAG IMX6A Headset Mics (4)
- Sennheiser EM 100 G4-B Receivers (2) (B-Band)
  - Sennheiser SKM 100 S G4 Handhelds (2) (e945 Capsules)

Microphones & DIs
- Dynamic
  - Shure Beta 58A (4)
  - Shure SM58 (6)
  - Shure SM57 (6)
  - Audix D6 (2)
  - Sennheiser e904 (4)
  - Sennheiser e906 (2)
  - Beyerdynamic M88 TG (6)
- Condenser
  - Rode NT5 (6)
  - Rode M5 (6)
  - Shure 849 (2)
  - Beyerdynamic MC930 (4)
  - Beyerdynamic Opus 81 (6)
  - Beyerdynamic Opus 87 (2)
  - Beyerdynamic Opus 88 (3)
  - Shure Beta 91A
  - Sennheiser e901 (2)
  - Beyerdynamic Opus 51 (2)
- Shotgun
  - Beyerdynamic MCE 86 II (5)
  - Rode NTG-2 (4)
  - Rode NTG-1 (3)
- Lectern
  - Shure MX412 Microflex®
  - Beyerdynamic SHM 204 (2)
- DI Boxes
  - Radial Pro DI (4)
  - Radial Pro D2 (2)
  - Radial J48 (4)
  - Radial USB Pro (2)
  - DBX dB10 (3)

Stands & Accessories
- Mic Stands
  - Straight Round-base (8)
  - Tall Boom (22)
  - Short Boom (12)
  - Short Boom (Kick)
  - Table Top (6)
  - Stereo Bars (4)
- Speaker Stands (2)
- Keyboard Stand
- Guitar Stands (2)
- Drum Carpets (2)
- 5-Panel Drum Shield
- Cabling: XLR, 240 V & network cabling available for in-house and touring productions

AUDIO-VISUAL

Projection
- Panasonic PT-MZ16K WUXGA Laser Projector (16,000 lm)
  - 1920:1200 Native (16:10)
  - 1920:1080 Standard (16:9)
- Framed Projection Screen (16:9): 8.3 m W x 4.6 m H rigged to Line Set 18



Technical & Venue Specifications

The Pavilion

Video Systems

- Roland V-160HD Vision Switcher
- Blackmagic 40x40 Smart VideoHub SDI Matrix
- Blackmagic Converters
  - Mini SDI→HDMI (4)
  - Mini HDMI→SDI (4)
  - UpDown Cross (2)
- Blackmagic HyperDeck Studio Mini HD Video Recorder
- Stage & Conductor View Camera System: High-definition PTZ Cameras (2)
- Monitors: Philips Display TVs (various sizes) throughout stage, backstage areas, green room, dressing rooms, offices and front of dress circle
- Portable Displays:
  - 65″ Philips Display TVs on 1.8m rolling stands (2)
  - 21″ Philips Displays (2)

Computers

- Mac Studio (M4 Ultra, 128 GB RAM)
  - QLab 5 Pro Audio+Video
  - Harrison LiveTrax
- MacBook Pro (M4 Max, 48 GB RAM)
  - QLab 5 Pro Audio+Video
  - Harrison LiveTrax
  - Microsoft 365

BACK OF HOUSE

Technical Facilities

- Loading Dock 1 (Merton St):
  - Opening: 5m H x 3.9m W
  - Vehicle Depth: 9m internal (12 m including driveway)
  - Dock leveler
    - 2.1m W (2.8m total unload width)
    - Level access direct to stage
  - 3-Phase (40 A), 240 V, XLR, DMX & Cat 6A Patch Points to Theatre
- Piano Store: Climate-controlled storage for grand piano
- Scenery Area: Assembly and storage area between Loading Dock 1 and Stage
- Technical Workshop & Equipment Storage on Basement-level

Dressing Rooms


- Ground Floor (Stage Level):
  - Dressing Room 1: 3 Mirror Stations
  - Dressing Room 2: 3 Mirror Stations (Accessible)
- Level 1:
  - Dressing Room 3: 6 Mirror Stations
  - Dressing Room 4: 6 Mirror Stations
- Level 2:
  - Dressing Room 5: 6 Mirror Stations (Accessible)
  - Dressing Room 6: 10 Mirror Stations
  - Dressing Room 7: 20 Mirror Stations

All dressing rooms include en-suite toilet, shower, wash basin, mirror stations, lights, paging, TV monitor, costume racks and air conditioning with independent thermostatic control

Other Facilities

- Green Room: Artist/Staff recreation room with lounge area, upright piano, kitchenette, mirror-stations, en-suite toilets and shower (Level 2)
- Wardrobe & Laundry: Wardrobe workroom with benches, shelving, iron, ironing board and washer/dryer facilities (Level 2)
- Stage Door (Merton St): Stage Door Office and Security Station on Basement-level
- Accessibility: Goods Lift and facilities throughout to meet DDA compliance





Technical & Venue Specifications

The Pavilion

KEY CONTACT

Technical Manager
David Grigg
Phone: +61 2 9063 2001
Email: dgrigg@thepavilionarts.au

