

Contents

DAX USED IN Tbl_Measure Table.....	1
DAX for Creating Date Table	4
DAX for Creating RFM Calculation Table.....	5
DAX Calc Column within RFM Calculation Table.....	6

DAX USED IN Tbl_Measure Table

MaxOrderDate = MAX('Superstore 2025'[Order Date])

Total Customers = DISTINCTCOUNT('Superstore 2025'[Customer ID])

Total Sales = SUM('Superstore 2025'[Sales])

AvgRecency = AVERAGE(RFM_Calculation[Recency])

AvgFrequency = AVERAGE(RFM_Calculation[Frequency])

AvgMonetary = AVERAGE(RFM_Calculation[Monetary])

YoY FrequencyVar =

VAR LY = CALCULATE([AvgFrequency], SAMEPERIODLASTYEAR(DateTable[Date]))

VAR LYFormatted = FORMAT(LY, "#,0")

var yoyCalc = DIVIDE(([AvgFrequency] - LY) , LY)

var yoyCalcFormatted = FORMAT(yoyCalc,"0.0%;(0.0%)")

RETURN

SWITCH(

True(),

yoyCalc >0, UNICHAR(9650) & " " & yoyCalcFormatted & " | LY " & LYFormatted,

ISBLANK(LY), UNICHAR(8211) & " | No Data for Last Year ",

UNICHAR(9660) & " " & yoyCalcFormatted & " | LY " & LYFormatted

)

YoY MonetaryVar =

```
VAR LY = CALCULATE([AvgMonetary], SAMEPERIODLASTYEAR(DateTable[Date]))
VAR LYFormatted = FORMAT(LY/1000, "$#,0.00") & "K"
var yoyCalc = DIVIDE(([AvgMonetary] - LY) , LY)
var yoyCalcFormatted = FORMAT(yoyCalc,"0.0%;(0.0%)")

RETURN

SWITCH(
    True(),
    yoyCalc >0, UNICHAR(9650) & " " & yoyCalcFormatted & " | LY " & LYFormatted,
    ISBLANK(LY), UNICHAR(8211) & " | No Data for Last Year ",

    UNICHAR(9660) & " " & yoyCalcFormatted & " | LY " & LYFormatted
)
```

YoY RecencyVar =

```
VAR LY = CALCULATE([AvgRecency], SAMEPERIODLASTYEAR(DateTable[Date]))
VAR LYFormatted = FORMAT(LY, "#,0")
var yoyCalc = DIVIDE(([AvgRecency] - LY) , LY)
var yoyCalcFormatted = FORMAT(yoyCalc,"0.0%;(0.0%)")

RETURN

SWITCH(
    True(),
    yoyCalc >0, UNICHAR(9650) & " " & yoyCalcFormatted & " | LY " & LYFormatted,
    ISBLANK(LY), UNICHAR(8211) & " | No Data for Last Year ",

    UNICHAR(9660) & " " & yoyCalcFormatted & " | LY " & LYFormatted
)
```

YoY SalesVariance =

```
VAR LY = CALCULATE([Total Sales], SAMEPERIODLASTYEAR(DateTable[Date]))
```

```
VAR LYFormatted = FORMAT(LY/1000, "$#,0") & "k"
```

```
VAR yoyCalc = DIVIDE([Total Sales] - LY, LY)
```

```
VAR yoyCalcFormatted = FORMAT(yoyCalc, "0.0%; (0.0%)")
```

```
RETURN
```

```
SWITCH(
```

```
    TRUE(),
```

```
    yoyCalc > 0, UNICHAR(9650) & " " & yoyCalcFormatted & " | LY " & LYFormatted,
```

```
    ISBLANK(LY), UNICHAR(8211) & " | No Data for Last Year",
```

```
    yoyCalc = 0, UNICHAR(8211) & " | No Change from Last Year",
```

```
    UNICHAR(9660) & " " & yoyCalcFormatted & " | LY " & LYFormatted)
```

FrequencyYoYColor =

```
VAR LY = CALCULATE([AvgFrequency],SAMEPERIODLASTYEAR(DateTable[Date]))
```

```
VAR YOY = DIVIDE([AvgFrequency] - LY ,LY)
```

```
RETURN
```

```
SWITCH(TRUE(),
```

```
    YOY > 0, "#00B200",
```

```
    OR(ISBLANK(LY), LY=0),"Orange", "#FF0000")
```

monetaryYoYColor =

```
VAR LY = CALCULATE([AvgMonetary],SAMEPERIODLASTYEAR(DateTable[Date]))
```

```
VAR YOY = DIVIDE([AvgMonetary] - LY ,LY)
```

```
RETURN
```

```
SWITCH(TRUE(),
```

```
    YOY > 0, "#00B200",
```

```
    OR(ISBLANK(LY),LY=0),"Orange", "#FF0000")
```

recencyYoYColor =

VAR LY = CALCULATE([AvgRecency],SAMEPERIODLASTYEAR(DateTable[Date]))

VAR YOY = DIVIDE([AvgRecency] - LY ,LY)

RETURN

SWITCH(TRUE(),

YOY > 0, "#00B200",

OR(ISBLANK(LY), LY = 0),"Orange", "#FF0000")

salesYoYColor =

VAR LY = CALCULATE([Total Sales], SAMEPERIODLASTYEAR(DateTable[Date]))

VAR YOY = DIVIDE([Total Sales] - LY, LY)

RETURN

SWITCH(TRUE(),

YOY > 0, "#00B200",

OR(ISBLANK(LY),LY=0), "Orange", "#FF0000")

DAX for Creating Date Table

DateTable =

```
ADDCOLUMNS (  
    CALENDAR (DATE(2021,1,1), DATE(2025,12,31)), -- adjust start and end dates  
    "Year", YEAR([Date]),  
    "Month Number", MONTH([Date]),  
    "Month Name", FORMAT([Date], "MMMM"),  
    "Year-Month", FORMAT([Date], "YYYY-MM"),  
    "Quarter", "Q" & FORMAT([Date], "Q"),  
    "Day", DAY([Date]),  
    "Day of Week", WEEKDAY([Date], 2), -- 1 = Sunday start, 2 = Monday start  
    "Day Name", FORMAT([Date], "dddd"),  
    "Week Number", WEEKNUM([Date], 2)  
)
```

DAX for Creating RFM Calculation Table

RFM_Calculation =

```
SUMMARIZE(  
    'Superstore 2025',  
    'Superstore 2025'[Customer ID],  
    'Superstore 2025'[Customer Name],  
    "Recency", DATEDIFF(  
        CALCULATE(MAX('Superstore 2025'[Order Date])),  
        CALCULATE(MAX('Superstore 2025'[Order Date]), ALL('Superstore 2025')), DAY),  
    "Frequency", DISTINCTCOUNT('Superstore 2025'[Order ID]),  
    "Monetary", SUM('Superstore 2025'[Sales]))
```

DAX Calc Column within RFM Calculation Table

Frequency_Score =

```
VAR RankFreq =  
    RANKX(  
        ALL(RFM_Calculation),  
        RFM_Calculation[Frequency],,DESC  
    )  
  
VAR TotalCust = COUNTROWS(ALL(RFM_Calculation))  
  
RETURN  
    CEILING(DIVIDE(RankFreq * 5, TotalCust),1)
```

Monetary_Score =

```
VAR RankMon =  
    RANKX (  
        ALL ( RFM_Calculation ),  
        RFM_Calculation[Monetary],  
        ,  
        DESC  
    )  
  
VAR TotalCust = COUNTROWS ( ALL ( RFM_Calculation ) )  
  
RETURN  
    CEILING ( DIVIDE ( RankMon * 5, TotalCust ), 1 )
```

Recency_Score =

```
var RankRecency =  
    RANKX(  
        ALL(RFM_Calculation),  
        RFM_Calculation[Recency],,ASC)  
  
var TotalCust = COUNTROWS(ALL(RFM_Calculation))  
  
RETURN  
    CEILING(DIVIDE(RankRecency * 5, TotalCust),1)
```

Customer_Segment =

```
SWITCH (  
    TRUE (),  
    -- Champions: best across recency, frequency, and monetary  
    RFM_Calculation[Recency_Score] <= 2 &&  
    RFM_Calculation[Frequency_Score] <= 2 &&  
    RFM_Calculation[Monetary_Score] <= 2, "Champions",  
  
    -- Loyal Customers: frequent buyers, fairly recent  
    RFM_Calculation[Frequency_Score] <= 2 &&  
    RFM_Calculation[Recency_Score] <= 3, "Loyal Customers",  
  
    -- Big Spenders: high monetary value, but not recent  
    RFM_Calculation[Monetary_Score] <= 2 &&  
    RFM_Calculation[Recency_Score] >= 3, "Big Spenders",  
  
    -- At Risk: were good before, but haven't purchased recently  
    RFM_Calculation[Recency_Score] >= 3 &&  
    RFM_Calculation[Frequency_Score] <= 3, "At Risk",  
  
    -- Lost: weak in all 3 metrics  
    RFM_Calculation[Recency_Score] = 5 &&  
    RFM_Calculation[Frequency_Score] = 5 &&  
    RFM_Calculation[Monetary_Score] = 5, "Lost",  
  
    -- Default bucket  
    "Others"  
)
```